Madroño, Vol. 51, No. 1, pp. 1-131, 2004



CONTRIBUTIONS TOWARD A BRYOFLORA OF CALIFORNIA: I. A SPECIMEN-BASED CATALOGUE OF MOSSES

DANIEL H. NORRIS University Herbarium, University of California, Berkeley, CA 94720-2465

JAMES R. SHEVOCK¹
Department of Botany, California Academy of Sciences,
San Francisco, CA 94118-4599

ABSTRACT

This catalogue documents 596 mosses for California with 111 taxa newly reported for the state. Thirty taxa previously reported for California have been excluded. The California moss flora is comprised of 163 genera in 49 families. A new combination, *Lescuraea pallida*, is proposed.

Key Words: California mosses, floristics, moss distribution, bryogeography.

It has been over 50 years since a catalogue of mosses was last published for California (Koch 1950a). This present catalogue is based on specimens with every entry supported by one or more herbarium collections that we have examined and cite in the present paper. It is not our intent to produce a range, habitat, or distribution analysis for each taxon based on herbarium records, nor to list all collections available for each entry, but rather to validate and document each species presence and geographic distribution in California. Mosses occur in all 58 counties of the state yet the number of taxa recorded per county varies markedly based on county size, elevational relief, diversity of habitats, climate, and the efforts by bryologists to document its bryoflora (Shevock 2003). Several mosses are known to occur in California from solitary occurrences or from only a handful of specimens. When possible we provide up to six representative collections per taxon. Where applicable, we have preferentially selected specimens obtained from public lands (Bureau of Land Management, National Forests, National Parks, U.S. Fish and Wildlife Service Refuges, State Forests, State Parks, State Fish and Game Ecological Preserves, County Parks, etc.). We do this because these are occurrences likely to remain extant through habitat protection or by conservation efforts within agency management mandates. For those mosses that are considered rare, threatened or sensitive by either the California Native Plant Society or by state and federal agencies, we have listed all occurrences known to us based on our review of specimens.

It has been a long-standing challenge to develop concise statements to accommodate where particular plants can be expected to occur in California. The state is highly complex both geologically and

physiographically. In addition California contains an unusual diversity of habitats, plant communities, and microenvironments for the establishment of moss populations. No previously published distribution system has been developed for California mosses. After reviewing several strategies to address species distribution patterns, we chose to follow the geographic system used by The Jepson Manual (Hickman 1993). This hierarchical system of geographic units is four-tiered and comprised of provinces, regions, subregions and districts. The provinces are broadly defined and each province is divided into regions. California has three provinces and ten regions within its boundary. Subregions and districts further define these units. However, based on the state of our understanding and knowledge of mosses in California, we have limited species distributions to the regional level of analysis within this paper. Of the ten geographic subdivisions of California (Hickman 1993), six represent the California Floristic Province, two lie within the Great Basin Floristic Province and two in the Desert Province (Fig. 1). Where a taxon is not restricted to a single geographic subdivision of California (Hickman 1993), we have selected specimens that display a broader geographic range reflecting the unusual diversity of climates and habitats in the state. Our priority selections for broad geographic subdivisions are 1) Sierra Nevada, 2) Klamath/Cascade Ranges, 3) Coast Ranges, 4) Transverse/Peninsular Ranges, and 5) Desert/Great Basin. Collectively, these regions outline the broad physiographic and biologic geography of California. Each moss in this catalogue is listed by region, and we document its presence by a voucher specimen. Clearly some regions are less frequently cited than others. In many cases, this is merely a reflection of collecting habits of bryologists where the senior author has concentrated collecting activities in the northwest portion of the state while the junior author has focused on mosses within the Sierra Nevada. None-

¹ Author for correspondence, e-mail: jshevock@calacademy.org.




Fig. 1. Geographic subdivisions of California. California Floristic Province (CA-FP): Regions: CaR = Cascade Range; CW = Central Western California; GV = Great Valley; NW = Northwestern California; SN = Sierra Nevada; SW = Southwestern California. Great Basin Floristic Province (GB): Regions: MP = Modoc Plateau; SNE = East of Sierra Nevada. Desert Province (D): Regions: DMoj = Mojave Desert; DSon = Sonoran Desert.

theless, a quick visualization of the distribution pattern will provide the reader with a good indication if a species is widespread in California or confined to only a few regions of the state.

The California moss catalogue (Appendix I) provides an updated list of taxa with two key elements: 1) references to mosses reported for California in the published literature, and 2) mosses documented by herbarium specimens as occurring in California that we believe are published here for the first time. In the literature field we reference the pertinent published sources (checklists, bryofloras, and monographs) for each taxon that has been attributed to California prior to this effort. We also have referenced the name used in each publication if it differs from the name preferred in our catalogue. Moss collections at CAS and UC were the primary source for this study, however, we also examined specimens at MO, NY, SBBG, SD and California State University herbaria, especially SFSU. The collections at LAM would have been especially interesting to study primarily for their coverage of southern California. Unfortunately the LAM collections were in storage and not readily available during the course of our herbarium review, however, many duplicates of Fay MacFadden collections were located at MO and UC. The senior author has made more than 35,000 collections in pursuit of developing a moss flora for the state of California. Norris collections cited in this paper reside at UC; and Shevock collections are at CAS. For specimens cited by other collectors, we list the herbaria where their specimens reside. Additions to the moss flora of California that have not been published previously are highlighted with an asterisk. Taxa erroneously reported for the state are placed in Appendix II. Appendix III includes taxa currently not known in California whose presence is documented and verified by voucher specimens generally within 50 miles of the state border. These taxa are listed in the catalogue with the hope that additional field work by bryologists and plant enthusiasts may document occurrences in California in the near future. Appendix IV provides a list of synonyms and excluded names.

Another feature of this catalogue is a literature reference for representative moss illustrations. Used in conjunction with keys to identify California mosses, illustrations are useful in confirming the identification of specimens. We have attempted to reference illustrations from journals and bryofloras that are likely to be in major university libraries and scientific institutions; however, some excellent illustrations are also located in infrequently encountered publications. We hope this feature of the catalogue will be of value for those seeking a good illustration for a particular species.

Nomenclature in bryology continues to undergo considerable modification and realignment as more taxa receive detailed study and monographic treatments. In this catalogue, we generally follow the

nomenclature presented in the checklist for North America prepared by Anderson et al. (1990) and Anderson (1990) along with Crosby et al. (2000). We have generally followed Zander (1993) for generic recognition in the Pottiaceae. We basically follow the family arrangement as presented by Buck and Goffinet (2000). In addition, other name changes and taxonomic inventions are also considered from recently published sources including treatments for the forthcoming bryophyte volumes for the Flora of North America Project (BNFA) along with our own views regarding the circumscription of bryological taxa. Bryological work continues to reassort familial and generic alignments. We respond to these newer treatments by slowly evaluating our acceptances and rejections. Such recent excellent works as Ignatov and Huttunen (2002) have made so many realignments that we find a need to delay advocacy until after this present paper. We have also chosen not to recognize varietal and subspecific ranks in this catalogue but instead list at the species level nearly all taxa that we deem worthy of recognition. In all cases, however, names used in older literature documenting the distribution of mosses in California are referenced to the nomenclature selected for this catalogue (see Appendix IV).

Students of California bryology require not only the distributional literature and illustrations but they also will require additional pertinent literature involving ecology and geography. Monographic and taxonomic literature will also be necessary to these students, and sometimes certain morphologic literature will allow understanding of features seen in mosses.

Ecology literature. Albert 1988; During 1979; Forman 1962; Gignac 2001; Glime and Vitt 1987; Hartman 1969; Janssens and Zander 1980; Jones 1970; Nash et al. 1977; Nichols 1910; Persson 1956; Schatz 1955; Shaw 1981b; Shaw and Owens 1995; Smith 1982; Wilkins 1977.

Geography literature. Austin 1877a, b, 1878; Barnes 1891; Bowers et al. 1974; Christy 1980; Christy and Harpel 1997; Christy et al. 1982; Crum 1972; Delgadillo 1996; Koch 1952, 1954a, 1956; McIntosh 1989, 1997; Norris 1997; Schofield 1969a, 1980, 1984, 1994a; Schofield and Crum 1972; Shaw and Snider 1995; Spence 1988b; Stark and Whittemore 2000; Steere 1969; Zander and Hoe 1979.

Taxonomic literature. Cao and Churchill 1995; Clarke and Duckett 1979; Crosby 1980; Giles 1990b; Greene and Harrington 1988, 1989; Iwatsuki 1981; Jamieson 1980; Koch 1949b; Robinson and Ignatov 1997; Sayre 1946; Shaw 1981c, d, f, 1985; Spence 1996; Taylor and Levitan 1980; Weber 1976; Zander 1978a.

Monographic literature. Anderson and Bryan 1958; Andrews 1913; Andrus 1983; Barkman 1963;

OCCURRING IN CALIFORNIA.

TABLE 1. SYNOPSIS OF THE MOSS GENERA AND FAMILIES Amblystegiaceae Atractylocarpus Campylopodiella Amblystegium Campylopus Hygroamblyste-Cynodontium gium Dichodontium Leptodictyum Dicranella Andreaeaceae Dicranum Andreaea Kiaeria Oncophorus Archidiaceae Orthodicranum Archidium Ditrichaceae Aulacomniaceae Ceratodon Aulacomnium Distichium Bartramiaceae Ditrichum Pleuridium Anacolia Trichodon Bartramia Conostomum Encalyptaceae Philonotis Encalypta Brachytheciaceae **Ephemeraceae** Bestia Ephemerum Brachythecium Fabroniaceae Eurhynchium Homalothecium Fabronia Isothecium Fissidentaceae Kindbergia Fissidens Platyhypnidium Pseudoscleropo-**Fontinalaceae** dium Dichelyma Scleropodium Fontinalis Steerecleus Trachybryum Funariaceae Entosthodon Bruchiaceae Funaria Bruchia Physcomitrella Trematodon Physomitrium Bryaceae Pyramidula Anomobryum Gigaspermaceae Bryum Lorentziella Buxbaumiaceae Grimmiaceae Buxbaumia Coscinodon Campyliaceae Grimmia Jaffueliobryum Campylium Racomitrium Conardia Schistidium Drepanocladus Hamatocaulis Hedwigiaceae Hygrohypnum Hedwigia Pseudo-calliergon Pseudobraunia Sanionia Helodiaceae Straminergon Warnstorfia Helodium Palustriella Cratoneuraceae Hookeriaceae Cratoneuron Hookeria Cryphaeaceae Hylocomiaceae Dendroalsia Hylocomium Disceliaceae Rhytidiadelphus Discelium Rhytidiopsis

Dicranaceae

Arctoa

Hypnaceae

Buckiella Calliergonella

	[VOI
Table 1.	Continued.
Dacryophyllum	Pogonatum
Herzogiella	Polytrichastrum
Homomallium	Polytrichum
Нурпит	Pottiaceae
Isopterygiopsis	Acaulon
Isopterygium	Acauton Aloina
Platydictya	Barbula
Pseudotaxiphyllum	Bryoerytlirophyl-
Tripterocladium	lun
Vesicularia	Crossidium
Leptodontaceae	Crumia
Alsia	Didymodon
Leskeaceae	Eucladium
	Gymnostonium
Claopodium Lantantariaman	Hennediella
Leptopterigynan- drum	Hymenostylium
Lescuraea	Leptophascum
Leskea	Microbryum
Pseudoleskeella	Molendoa
	Oxystegius Phascum
Leucodontaceae	Puascum Pseudocrossidium
Antitrichia	Scopelophila
Pterogonium	Stegonia
Meesiaceae	Syntrichia
Leptobryum	Timmiella
Meesia	Tortella
Mielichhoferiaceae	Tortula
	Trichostomum
Mieliclihoferia	Triquetrella
Schizymenium	Weissia
Mniaceae	Pterigynandraceae
Epipterygium	Heterocladium
Leucolepis	Myurella
Mnium	Pterigynandru <mark>m</mark>
Plagiomnium Pohlia	Ptychomitriaceae
Rhizomnium	Ptychomitrium
Roellia	,
Neckeraceae	Rhabdoweisiaceae
	Amphidium
Bryolawtonia	Scouleriaceae
Metaneckera Neckera	Scouleria
Porotrichum	Caligariagas
Thammnobryum	Seligeriaceae
	Blindia
Orthodontiaceae	Dicranoweisia
Orthodontium	Sematophyllaceae
Orthotrichaceae	Sematophyllum
Orthotrichum	Sphagnaceae

Sphagnum

Tetraphidaceae

Tetraphis

Timmiaceae

Tinımia

Ulota

Zygodon

Plagiotheciaceae

Polytrichaceae

Atrichum

Meiotrichum

Plagiothecium

TABLE 2. THE TEN LARGEST MOSS FAMILIES IN CALIFORNIA.

Pottiaceae	93
Grimmiaceae	61
Brachytheciaceae	50
Bryaceae	42
Mniaceae	37
Orthotrichaceae	35
Dicranaceae	32
Campyliaceae	25
Sphagnaceae	23
Hypnaceae	18

Bartlett and Vitt 1986; Bartram 1924; Best 1897, 1900; Brassard 1969, 1984; Bremer 1980a, b, 1981; Brotherus 1908; Bryan 1997; Corley 1978; Crum 1965a, b, 1997; Crundwell 1957; Crundwell and Nyholm 1964; Delgadillo 1973; Eckel 1997b; Eckel et al. 1997; Flowers 1952; Frahm and Isoviita 1988; Frahm and Vitt 1978; Frye 1917a, b, 1918a, b; Giles 1990a; Gradstein and Sipman 1978; Greven 1994, 1995, 1999a, b, 2003; Hedenäs 1993b, 1996a, b, 1997a, b, c; Ireland 1969a, b, 1985, 1986; Iwatsuki 1981; Koch 1954b; Koponen 1968a, b; Lawrey 1948; Lewinsky 1993; Lewinsky and Hedenäs 1998; Lawton 1972; Ochyra 1982, 1998b; Piippo 1983; Pursell 1994; Robinson 1970, 1976; Saito 1972, 1973; Sayre 1952; Spence 1987; Stark 1996; Steere 1939, 1940a, b, c, d; Stoneburner 1985; Vitt 1972; Williams 1919; Zales 1973; Zander 1981b, 1989, 1998.

Morphologic literature. Allen 1983; Crum 1971, 2001; Field 1963; Goffinet et al. 1999; Griffin 1998; Hill 1902; Ireland 1971; Mueller 1973; Shaw and Crum 1984; Zander 1979b, 1980.

A synopsis of the moss genera and families for California is provided in Table 1. The 10 largest moss families in California include over two-thirds of the species documented for the state (Table 2). On the other end of the spectrum, 11 moss families are represented by a single species in California. The 10 largest moss genera in California are in seven families, and they represent nearly 38 percent of the species recorded for the state (Table 3).

Previous Works

While published references for mosses occurring along the Pacific Coast of North America date back to the late 1800's (Sullivant 1856, 1864; Hampe 1860; Lesquereux 1865, 1868), the first floristic treatment of California mosses with identification keys appeared in volume II of *Botany of California* (Watson 1880). This work, based primarily on the collections of Bigelow, Bolander, and Brewer, listed 181 mosses for California with comments and references on 79 additional mosses thought to be probable based on specimens obtained in adjacent states or in habitats also known to occur in California. Watson built on the work of Sullivant (1856) and

TABLE 3. THE TEN LARGEST MOSS GENERA IN CALIFORNIA.

Bryum	41
Orthotrichum	30
Grimmia	29
Sphagnum	23
Brachythecium	22
Pohlia	19
Racomitrium	18
Didymodon	14
Syntrichia	14
Tortula	14

Lesquereux (1868) that cumulatively accounted for 177 mosses for California. As collecting continued in the early part of the 20th century, many new moss records for California were subsequently published in the Moss Flora of North America (Grout 1928–1940). Koch (1950a) systematically reviewed the herbarium record for mosses attributed to California. He added 39 mosses as new state records based primarily on his collections. His studies concluded that California had 317 mosses verified by specimens, 20 species of doubtful occurrence, and he excluded 68 mosses previously reported for California (Koch 1950a, 1954a). Koch also provided the first detailed assessment of the distribution of mosses for the state (Koch 1951a, 1954a). His efforts were exemplary in analyzing the bryological work conducted in California during the previous 70 years. During the 1970's through the 1990's, several moss floras based on county or other administrative units within California were developed as products of master's theses (Holmberg 1969; Jamieson 1969; Smith 1970; Spjut 1971; Strid 1974; Sigal 1975; McGrew 1976; Toren 1977; Long 1978; Mishler 1978; Harpel 1980a; Bourell 1981; Showers 1982: and Yurky 1990). These studies added new records for the state and contributed additional distribution and habitat information, including one species new to science (Showers 1980). An excellent overview of the history of California bryology was provided by Thiers and Emory (1992).

FUTURE OF BRYOLOGY IN CALIFORNIA

A variety of bryologists and plant enthusiasts continue to collect mosses in California. The senior author has made over 35,000 bryophyte collections in the state in the pursuit of writing a moss flora for California. These collections account for the majority of the new additions to the California moss flora made since the work of Koch (1950a). Additional moss records for California have resulted from bryological collecting by the junior author primarily in the central and southern Sierra Nevada. Large portions of California still need to be systematically collected by bryologists, especially the Great Basin, Desert Mojave and Desert Sonoran geographic subdivisions (Hickman 1993). During the field and herbarium work for this catalogue we

have determined that several moss species are new to science. Genera with undescribed Californian species include Atrichum, Bryum, Homalothecium, Orthodicranum, Orthotrichum, Ptychomitrium, Schistidium, Syntrichia and Tortula. These new taxa will be officially published in journals by us and other collaborators. Besides taxa that we have concluded are new to science, we also encountered many collections that we were not able to identify with a high level of confidence. Future work for monographers, especially within the Pottiaceae, will find much yet to discover within the collections residing in California herbaria. We are also convinced that noteworthy range extensions and mosses new for California remain to be documented.

The level of interest in California mosses is increasing. Various conservation groups concerned with the preservation of plant diversity are now beginning to include cryptogams in field surveys and in habitat conservation plans. For the first time, bryophytes are included in the 6th edition of the California Native Plant Society's *Inventory of rare* and endangered plants of California (CNPS 2001) and as a new component of the California Natural Diversity Database operated by the California Department of Fish and Game. Land management agencies are beginning to recognize and understand the important role bryophytes play in ecosystem function. This awareness is also creating the need for more field bryologists with collection and identification skills. The need for such bryological studies and training continues but few universities today consider floristic or bryogeographical studies to be appropriate for master's or doctoral degrees. The lack of professors trained in floristic botany further handicaps graduate students who wish to pursue these avenues of research, inquiry, or professional botanical employment. Nonetheless, bryology is a field where one can begin to explore without formal educational opportunities, especially if other mentors can be available to assist the budding bryologist. Schofield (1985), Malcolm and Malcolm (2000), Shaw and Goffinet (2000), and Crum (2001) are the four essential bryological works that will provide a foundation for the study of bryophytes. Lawton (1971) and Flowers (1973) are the two primary moss floras useful for the study of California mosses.

Bryological interest in California is currently centered in the northwestern portion of the state as a requirement to implement the Northwest Forest Plan. This federal land-use plan spanning three states (California, Oregon, and Washington) within the range of the northern spotted owl directs various surveys for cryptogams thought to be either rare or with undetermined viability. Many of these taxa are presumed to be restricted to late successional forest habitats. Efforts are now under way to expand the conservation of bryophytes first identified in the Sierra Nevada Ecosystem Project (Shevock 1996) and the subsequent plan amendment pro-

cess outlined in the Sierra Framework to update the 10 national forest land and resource management plans within the Sierra Nevada. The focus of bryological interest in the Sierra Nevada is centered on the conservation and management of fen habitats. Fens in the Siera Nevada comprise about two percent of the land base yet they contain a high percentage of the species documented for this mountain range. It is again government interests, much as it was during the period of land surveys and expeditions of the 1800's to inventory the western United States (Slack 1993), that are providing the current career opportunities for taxonomic and conservation oriented botanists and bryologists.

ACKNOWLEDGMENTS

This work was largely done in the University Herbarium, University of California, Berkeley, a facility that now approaches 200,000 bryophyte specimens from nearly all parts of the world. Our work was made more effective with curatorial support and storage case acquisition provided by the National Science Foundation Grant #DBI 0097026 through Dr. Brent Mishler as Principal Investigator. With the ongoing efforts to produce bryophyte volumes for the Flora North America Project (BFNA), we felt it timely to publish this specimen-based catalogue so that the distribution of mosses recorded for California is accurately reflected in the various BFNA treatments. A project of this magnitude could not really be possible without the kind and generous support of several colleagues who have studied many Californian moss specimens in herbaria. Special recognition is hereby acknowledged for contributions to large and complex genera or families for the California moss flora including Drs. Bruce Allen (Fontinalis and Dicranaceae), Halina Bednarek-Ochyra (Racomitrium), Hans H. Blom (Schistidium), Howard Crum† (Sphagnum), Claudio Delgadillo (Aloina), Jan-Peter Frahm (Campylopus, Campylopodiella, and Atractylocarpus), Lars Hedenäs (Amblystegiaceae and Campyliaceae), Diana Horton (Encalypta), Barbara Murray (Andreaea), Jesús Muñoz (Grimmiaceae), Ryszard Ochrya (Amblystegiaceae), Ronald Pursell (Fissidens), Jon Shaw (Mielichhoferia, Pohlia, and Schizymenium), John Spence (Bryum), Dale Vitt (Orthotrichaceae) and Richard Zander (Pottiaceae).

Other field-oriented biologists and bryologists have been extremely helpful in providing us specimens that either added taxa new to California or noteworthy range extensions. Special thanks to David Toren who has provided significant information on mosses of the North Coast Ranges, especially within Lake County and Mendocino National Forest, to Ken Kellman for his study of the mosses of Santa Cruz County, and to Eve Laeger for numerous mosses obtained primarily from the mountain ranges within the Great Basin and Mojave Desert. Other collectors who have contributed directly to this catalogue include Cheryl Beyer, Mona Bourell, Colin Dillingham, Gail Durham, Sandy Hare, Judy Harpel, Lawrence Janeway, Ronald Robertson, Alan Whittemore and Dana York. Their efforts in supplying us specimens from undercollected regions of the state provided several noteworthy collections to this project. All of their contributions are greatly appreciated.

The comments of an anonymous reviewer and Dr. Judy Harpel improved the manuscript immensely. The use of the California geographic subdivisions map was kindly provided by The Jepson Manual Project and special thanks to Staci Markos for modifying the map to meet our specific needs. We also thank the Council of the California Botanical Society for their support and encouragement to see this catalogue of California mosses published in Madroño.

LITERATURE CITED

- ABRAMOV, I. I. AND L. A. VOLKOVA. 1998. Handbook of mosses of Karelia. Arctoa 7(Suppl. 1):1-390. [Excellent illustrations for several species that occur in California.l
- ABRAMOVA, L. A. AND I. I. ABRAMOV. 1972. On the span of the genus Helodium (Sull.) Warnst. Journal of the Hattori Botanical Laboratory 35:271-381. [Three species recognized.]

ALBERT, P. 1988. Survival of a desiccation-tolerant moss Grimmia laevigata, beyond its observed microdistributional limits. Journal of Bryology 15:219-227.

- ALLEN, B. H. 1983. Isothecium myosuroides Brid. & I. stoloniferum Brid., a quantitative study. The Bryologist 86:358-364.
 - . 2002. Moss flora of Central America. Part 2. Encalyptaceae-Orthotrichaceae. Monographs in Systematic Botany 90:1-699. [Illustrations.]
- AND A. T. WHITTEMORE. 1996. Notes on Isothecium myosuroides and I. obtusatulum (Musci: Brachytheciaceae) in western North America. Evansia 13: 115-119.
- Anderson, L. E. 1943. The distribution of Tortula pagorum (Milde) De Not. in North America. The Bryologist 46:47-66.
 - -. 1990. A checklist of Sphagnum in North America north of Mexico. The Bryologist 93:500-501.
- AND V. S. BRYAN. 1958. Systematics of the autoicous species of Ditrichum subg. Ditrichum. Brittonia 10:121-137.
- -, H. A. CRUM, AND W. R. BUCK. 1990. List of the mosses of North America north of Mexico. The Bryologist 93:448-499.
- Andrews, A. L. 1913. Sphagnaceae in North America Flora. Memoirs of the New York Botanical Garden 15:3-31.
- -. 1924. Hymenostomum in North America. The Bryologist 27:1-3. -. 1932a. The Mielichhoferia of northern North
- America. The Bryologist 35:38–41. 1932b. The California Stablerias. The Bryologist
- 35:49-51. [= Orthodontium.]
- -. 1935. Family Bryaceae. Pp. 184-210 in A. J. Grout (ed.), Moss flora of North America north of Mexico, Vol. 2. Published by the author. Newfane,
- Andrus, R. E. 1979. Sphagnum bartlettianum in the southeastern United States. The Bryologist 82:198-203. [With distribution map for Sphagnum warnstorfii extending to California.]
- -. 1980. A large range extension for Sphagnum henryense. The Bryologist 83:239-242.
- ARTS, T. 1987. Pottia bryoides (Dicks.) Mitt., P. lanceolata (Hedw.) C. Müll., and P. truncata (Hedw.) B. & S. with rhizoidal tubers. Lindbergia 13:130–132.
- AND J-P. FRAHM. 1990. Campylopus pyriformis new to North America. The Bryologist 93:290-294. [Provides illustration.]
- AND P. SOLLMAN. 1991. Remarks on Phascum lep-

- tophyllum C. Müll., an earlier name for Tortula rhizophylla (Sak.) Iwats. & K. Saito. Lindbergia 17:20-27. [Illustrations.]
- Austin, C. F. 1877a. Bryological notes. Botanical Gazette 2:89-90.
- -. 1877b. Bryological notes. Botanical Gazette 2: 142-143.
- -. 1877c. Bryological notes. Bulletin of the Torrey Botanical Club 6:142. [Describes Pleuridium stra-
- -. 1878. Notes on North American mosses. Botanical Gazette 3:29-32.
- BARKMAN, J. J. 1963. A contribution to the taxonomy of Tortula laevipila-T. pagorum complex. Revue Bryologique et Lichénologique 32:183-192.
- BARNES, C. R. 1887. A revision of the North American species of Fissidens I. Botanical Gazette 12:1-8; and part II. 12:25-32.
- -. 1891. Notes on North American mosses II. Botanical Gazette 16:205-207.
- BARTLETT, J. K. AND D. H. VITT. 1986. A survey of species in the genus Blindia (Bryopsida, Seligeriaceae). New Zealand Journal of Botany 24:203-246.
- BARTRAM, E. B. 1924. Studies in *Tortula* as represented in southern Arizona. Bulletin of the Torrey Botanical Club 51:335-340.
- -. 1926. Notes on the genus Husnotiella Cardot. The Bryologist 29:44-46.
- -. 1928. Studies in Funaria from southwestern United States. The Bryologist 31:89-96.
- -. 1930. *Pottia fosbergii* sp. nov. The Bryologist 33:
- -. 1931. Trichostomopsis brevifolia sp. nov. The Bryologist 34:61–63. [With illustration.]
- -. 1945. A new Weissia and a new Tortula from southwestern United States. The Bryologist 48:90-92.
- Bednarek-Ochyra, H. 1995. The genus Racomitrium (Musci: Grimmiaceae) in Poland: taxonomy, ecology and phytogeography. Fragmenta Floristica Geobotanica Series Polonica, Ann II:1-307. [Numerous illustrations for *Racomitrium* taxa occurring in California. In Polish with a 22 pp. English summary.]
- -. 2000. Racomitrium ryszardii (Musci, Grimmiaceae), a new hydrophilous species from the Pacific Northwest with comments on Racomitrium aquaticum in North America. Cryptogamie Bryologie 21: 275-284.
- AND R. OCHYRA. 2000. Racomitrium norrisii sp. nova (Grimmiaceae, Bryopsida), endemic to western North America. Annales Botanici Fennici 37:235-241.
- BEST, G. N. 1897. Revision of the Claopodiums. Bulletin of the Torrey Botanical Club 24:427-432.
- -. 1900. Revision of North American species of Pseudoleskea. Bulletin of the Torrey Botanical Club 27:221–236.
- BIZOT, M. 1954. Remarques sur Tortula papillosissima (Copp.) Broth. Revue Bryologique et Lichénologique 24:268-270.
- . 1965. Nouvelles remarques sur Tortula papillosissima (Copp.) Broth. Revue Bryologique et Lichénologique 25:268-271.
- BLOCKEEL, T. L. 1990. The genus Hennediella Par.: a note on the affinities of Tortula brevis Whitehouse & Newton and T. stanfordensis Steere. Journal of Bryology 16:187-192.
- -, H. W. Matcham, R. Ochyra, R. Schumacker,

- AND A. VANDERPOORTEN. 2001. New national and regional bryophyte records 4. Journal of Bryology 23: 149–152.
- BLOM, H. H. 1996. A revision of the *Schistidium apocar-pum* complex in Norway and Sweden. Bryophytorum Bibliotheca Band 49. J. Cramer, Berlin, Germany. [Illustrations for species occurring in California.]
- 1998. Schistidium in E. Nyholm (ed.), Illustrated flora of Nordic Mosses. Fascicle 4. Nordic Bryological Society, Copenhagen, Denmark. [Illustrations for species occurring in California.]
- BOURELL, M. 1981. A moss flora of the North Coast Range Preserve, California. M.S. thesis. San Francisco State University, San Francisco, CA.
- Bowers, F. D., C. Delgadillo, and A. J. Sharp. 1974. The mosses of Baja California. Journal of the Hattori Botanical Laboratory 40:397–410.
- Bowers, M. C. 1969. *Mnium saximontanum*, a new diploid moss from the southern Rocky Mountains. The Bryologist 72:63–65. [Provides distinction from *Mnium arizonicum*.]
- Bradshaw, R. V. 1926. The mosses of Stanford University and vicinity. The Bryologist 29:33–36.
- Brandegee, K. 1891. Catalogue of the flowering plants and ferns growing spontaneously in the city of San Francisco. Zoe 2:384–386. [Lists 42 mosses as an appendix.]
- Brassard, G. R. 1969. *Mielichhoferia elongata*, a copper moss new to North America found in Arctic Canada. Nature 222:584–585.
- ——. 1979. The moss genus *Timmia*. I. Introduction and revision of *T. norvegica* and allied taxa. Lindbergia 5:39–53.
- ——. 1980. The moss genus *Timmia*. II. Section *Timmiaurea*. Lindbergia 6:129–136.
- . 1984. The moss genus *Timmia*. III. Section *Timmia*. Lindbergia 10:33–40.
- —— AND T. HEDDERSON. 1989. The distribution of *Mielichhoferia macrocarpa*, a North American endemic moss. The Bryologist 86:273–275.
- Bremer, B. 1980a. A taxonomic revision of *Schistidium* I. Lindbergia 6:1–16.
- ——. 1980b. A taxonomic revision of *Schistidium* II. Lindbergia 6:89–117.
- ——. 1981. A taxonomic revision of *Schistidium* III. Lindbergia 7:73–90.
- Britton, E. G. 1902. *Octodiceras julianum*, its propagation, distribution and history. The Bryologist 5:83–85. [=Fissidens fontanus.]
- ——. 1908. The genus Zygodon in North America. The Bryologist 11:60–66.
- BROTHERUS, V. F. 1924–1925. Musci. *In A.* Engler and K.
 Prantl, Die Natürlichen Pfanzenfamilien. Band 10–11. Engelmann, Leipzig, Germany.
- Bryan, V. S. 1999. Synonomy in *Micromitrium*. The Bryologist 102:409–411.
- —— AND L. E. ANDERSON. 1957. The Ephemeraceae in North America. The Bryologist 50:67–102.
- Buck, W. R. 1998. Pleurocarpous mosses of the West Indies. Memoirs of the New York Botanical Garden 82: 1–400. [Excellent illustrations.]
- —— AND D. H. NORRIS. 1996. *Hedwigia stellata* and *H. detonsa* (Hedwigiaceae) in North America. Nova Hedwigia 62:361–370.
- —— AND B. GOFFINET. 2000. Morphology and classification of mosses. Pp. 71–123 in J. Shaw and B. Goffinet (eds.), Bryophyte biology. Cambridge University Press, Cambridge, MA.

- BURLEY, J. S. AND N. M. PRICHARD. 1990. Revision of the genus Ceratodon. Harvard Papers in Botany 2:17–76.
- CALIFORNIA NATIVE PLANT SOCIETY (CNPS). 2001. Inventory of rare and endangered plants of California, 6th ed. Rare Plant Scientific Advisory Committee, D. Tibor, Convening Editor. California Native Plant Society, Sacramento, CA.
- Cano, M. J., J. Guerra, and R. M. Ros. 1992. *Crossidium seriatum* (Pottiaceae, Musci) new to Europe. The Bryologist 95:280–283. [Provides illustrations and distribution map.]
- CAO, T. S. AND D. VITT. 1994. North American-East Asian similarities in the genus *Ptychomitrium* (Bryopsida). The Bryologist 97:34–41. [Illustration of *Ptychomitrium gardneri*.]
- —— AND S. P. CHURCHILL. 1995. New synonyms in *Grimmia* and *Schistidium* (Bryopsida: Grimmiaceae). Nova Hedwigia 60:505–513.
- CARDOT, J. AND I. THÉRIOT. 1900. New and unrecorded mosses of North America I. Botanical Gazette 30:12– 24; pl. 2–5.
- ——. 1904. New and unrecorded mosses of North America II. Botanical Gazette 37:363–382; pl. 16–25.
- CASAS, C., R. M. CROS, AND J. Muñoz. 1993. *Triquetrella arapilensis* y especies afines: su morfologia y distribution geographica. The Bryologist 96:122–131. [In Spanish. Provides excellent illustration for *T. californica* and comparisons between related species.]
- CATCHESIDE, D. G. 1980. Mosses of South Australia. Government Printer, Adelaide, Australia. [Illustration for *Zygodon menziesii*.]
- CHENEY, L. S. 1897. North American species of *Amblystegium*. Botanical Gazette 24:236–291.
- Christy, J. A. 1980. Additions to the moss flora of Oregon. The Bryologist 83:355–358.
- ——, J. H. LYFORD, AND D. H. WAGNER. 1982. Checklist of Oregon mosses. The Bryologist 85:22–36.
- AND D. H. WAGNER. 1996. Guide for the identification of rare, threatened or sensitive bryophytes in the range of the northern spotted owl, western Washington, western Oregon and northwestern California. USDI, Bureau of Land Management, Portland, OR.
- AND J. HARPEL. 1997. Rare bryophytes of the Interior Columbia River Basin and northern Great Basin, USA. Journal of the Hattori Botanical Laboratory 82:61–75.
- CHURCHILL, S. P. 1981. A phylogenetic analysis, classification and synopsis of the genera of the Grimmiaceae (Musci). Pp. 127–144 in Funk and Brooks (eds.), Advances in cladistics. New York Botanical Garden, Bronx, NY.
- . 1985. The systematics and biogeography of *Scouleria* Hook. (Musci: Scouleriaceae). Lindbergia 11: 59–71.
- ——. 1987. Systematics and biogeography of *Jaffue-liobryum* (Grimmiaceae). Memoirs of the New York Botanical Garden 45:691–708.
- CLARKE, G. C. S. AND J. G. DUCKETT (eds.). 1979. Bryophyte systematics. Published for the Systematics Association and British Bryological Society. Academic Press, New York.
- CONARD, H. S. 1951. Fissidens rufulus. The Bryologist 54: 127–128.
- COOKE, W. B. 1941. First supplement to the flora of Mount Shasta. American Midland Naturalist 26:74–84. [18 mosses listed.]
- CORLEY, M. F. V. 1978. Notes on some rare Dicranaceae. Journal of Bryology 10:383–386.

- COVILLE, F. V. 1893. Botany of the Death Valley Expedition. Contributions U.S. National Herbarium 4:229–230. [Bryophytes identified by J. M. Holzinger.]
- CROSBY, M. R. 1980. The diversity and relationships of mosses. Pp. 115–129 in R. J. Taylor and A. E. Levitan (eds.), The mosses of North America. Pacific Division, American Association for the Advancement of Science, California Academy of Sciences, San Francisco, CA.
- ——, R. E. MAGILL, B. ALLEN, AND S. HE. 2000. A checklist of the mosses. Missouri Botanical Garden, St. Louis, MO.
- CRUM, H. A. 1957. Some additions to the California moss flora. Madroño 14:74–79.
 - ——. 1965a. *Hyophilopsis*, a new genus of Pottiaceae.
 The Bryologist 68:68–71. [*Hyophilopsis sprengelii*.]
 ——. 1965b. *Hyophilopsis*, a nomenclatural correction.
 - The Bryologist 68:470. [Neohyophila sprengelii.]
- 1967a. A new species of *Pterygoneurum* from California. Madroño 19:92–94.
- . 1967b. Studies in North American Bryaceae I— II. The Bryologist 70:106–110. [Roellia and Epipter-ygium.]
- —. 1969. Nomenclatural notes on North American mosses. The Bryologist 72:240–246. [Acaulon muticum var. rufescens, Philonotis fontana var. americana, Pottia texana, Scleropodium touretii var. colpophyllum, Stokesiella praelonga var. californica and Stokesiella praelonga var. stokesii.]
- —. 1971. Nomenclatural changes in the Musci. The Bryologist 74:165–174. [Atrichum undulatum var. oerstedianum, Callicladium n. gen. & Grimmia alpicola var. dupretii.]
- . 1972. Mosses of unusual interest from Baja California. Madroño 21:403–404.
- ——. 1980. Comments on *Sphagnum henryense*. Contributions University Michigan Herbarium 14:53–56. [Illustration of *Sphagnum henryense*.]
- . 1984. Sphagnopsida. Sphagnaceae. North American Flora. Series II, Part 11. New York Botanical Garden, Bronx, NY.
- . 1987. Bestia, Tripterocladium & Isothecium: an explication of relationships. The Bryologist 90:40– 42.
- ——. 2001. Structural diversity in bryophytes. University of Michigan Herbarium, Ann Arbor, MI.
- AND L. E. ANDERSON. 1955. Taxonomic studies in Funariaceae. The Bryologist 58:1–15. [*Physcomitrella californica*.]
- _____ AND ______. 1964. Notes on *Physcomitrium collenchymatum*. The Bryologist 67:350–355.
- AND ——. 1981. Mosses of Eastern North America. 2 vols. Columbia University Press, New York, NY.
- —— AND J. A. SNIDER. 1977. Sphagnum quinquefarium in the American West. The Bryologist 80:156–158.
- AND W. C. STEERE. 1958. Some bryophytes from Baja California. Southwest Naturalist 3:114–123. [Illustrations of *Aloina pilifera* and *Crossidium seriatum*.]
- Crundwell, A. C. 1957. The varieties of *Zygodon viridissimus* (Brid.) R. Transactions of the British Bryological Society 3:303–304.
- AND E. NYHOLM. 1964. The European species of

- the *Bryum erythrocarpum* complex. Transactions of the British Bryological Society 4:597–637.
- AND ———. 1974. Funaria muhlenbergii and related European species. Lindbergia 2:222–229.
- —— AND H. L. K. WHITEHOUSE. 1978. Bryum rubens in North America. The Bryologist 81:323–324.
- AND ———. 1981. Some additions to the bryophyte flora of Tenerife. Journal of Bryology 10:103–111. [Illustration of *Bryum pyriferum* tubers.]
- CZERNYADJEVA, I. V. 1995. *Philonotis yezoana* Besch et. Card. ex Card. (Bartramiaceae, Musci) new to Russia. Arctoa 4:15–16. [Illustration.]
- 2000. First certain record of Hygrohypnum bestii (Ren. & Bryhn) Holz. ex Broth. for Eurasia (Russian Far East Kamchatka Peninsula). Arctoa 9:105–108. [Illustration and comparison table separating H. molle, H. duriusculum and H. ochraceum.]
- Delgadillo, M. C. 1973. A new species, nomenclatural changes and generic limits in *Aloina*, *Aloinella* and *Crossidium* (Musci). The Bryologist 76:271–277.
- . 1975. Taxonomic revision of *Aloina, Aloinella,* and *Crossidium* (Musci). The Bryologist 78:245–303.
- DIRKSE, G. M. AND A. C. BOUMAN. 1995. *Crossidium* (Musci: Pottiaceae) in the Canary Islands (Spain). Lindbergia 20:12–25. [Illustrations and identification discussion provided for several Californian species.]
- DISMIER, G. 1911. Revision of the American species of *Philonotis*. The Bryologist 14:44–52.
- DURING, H. J. 1979. Life strategies of bryophytes: a preliminary review. Lindbergia 5:2–18.
- ECKEL, P. M. 1986. *Didymodon australasiae* var. *umbrosus* new to eastern North America. The Bryologist 89: 70–72. [Provides illustration and reference to California.]
- . 1991. *Tortella tortelloides* (Musci: Pottiaceae), new to North America. The Bryologist 94:84–87.
- . 1997a. The moss *Tortella alpicola* Dix. New to Alberta and the Yukon Territory with a discussion of its range and comments on related species. Canadian Field Naturalist 3:320–322.
- ——. 1997b. A re-evaluation of *Tortella* (Pottiaceae: Musci) in conterminous U.S.A. and Canada. Bulletin of the Buffalo Museum of Science 36:117–191.
- ——, J. A. Joy, AND J. C. ELLIOTT. 1997. *Pseudocrossidium obtusulum* (Pottiaceae. Bryopsida) new to Montana with a key to North American species in the genus. Great Basin Naturalist 57:259–262.
- ENROTH, J. 1989. Endangered and rare Finnish mosses II. Dicramum viride and Orthodicranum tauricum (Dicranaceae). Memoranda Society Fauna Flora Fennica 65:23–28. [Illustration of Orthodicranum tauricum.]
- FIELD, J. H. 1963. Notes on the taxonomy of the genus *Philonotis* by means of vegetative characters. Transactions of the British Bryological Society 4:429–433.
- FIFE, A. J. 1979. Taxonomic observations on three species of *Funaria*. The Bryologist 82:204–214. [*Funaria microstoma* with distribution map.]
- FLOWERS, S. 1952. Monograph of the genus *Anacolia*. Bulletin of the Torrey Botanical Club 79:161–185.
- —. 1953. *Tortula papillosissima*, new to North America. The Bryologist 56:160–164.
- ——. 1956. Dicranoweisia crispula and D. cirrata. The

- Bryologist 59:239–244. [Illustrations for *Dicranoweisia crispula* and *D. cirrata*.]
- ——. 1973. Mosses: Utah and the West. Brigham Young University Press, Provo, UT.
- FORMAN, R. T. T. 1962. The family Tetraphidaceae in North America: continental distribution and ecology. The Bryologist 65:280.
- Frahm, J-P. 1980. Synposis of the genus *Campylopus* in North America north of Mexico. The Bryologist 83: 570–588. [California collections for *Campylopus aureus*, *C. introflexus* and *C. subulatus* and key to 15 species in North America.]
- . 1985. Campylopus aureus in the Hawaiian Islands. The Bryologist 88:359–360. [Lists California in species range.]
- . 1994. A contribution to the differentiation of Campylopus subulatus and C. tallulensis in North America. Evansia 11:95–99.
- —— AND P. ISOVIITA. 1988. Type revision of European mosses 2. Atractylocarpus, Campylopus and Paraleucobryum. Lindbergia 14:89–96.
- —— AND D. H. VITT. 1978. A taxonomic study of *Campylopus schimperi* and *C. subulatus* in North America. Brittonia 30:365–372.
- Frantz, T. C. and A. J. Cordone. 1967. Observations on deepwater plants in Lake Tahoe, California and Nevada. Ecology 48:709–714. [Bryophytes determined by Lawton and housed at WTU.]
- Frisvoll, A. A. 1983. A taxonomic revision of the *Racomitrium canescens* group (Bryophyta, Grimmiales). Gunnera 41:1–181.
- . 1988. A taxonomic revision of the *Racomitrium leterostichum* group (Bryophyta, Grimmiales). Gunnera 59:1–288.
- FRYE, T. C. 1917a. Illustrated key to the western Ditrichaceae. The Bryologist 20:49–60.
- ——. 1917b. The Racomitriums of western North America. The Bryologist 20:91–98.
- ——. 1918a. The Racomitriums of western North America. The Bryologist 21:1–16.
- ——. 1918b. Illustrated key to the western Sphagnaceae. The Bryologist 21:37–48.
- ——. 1949. Atrichum selwyni and remarks about related species. The Bryologist 52:201–207.
- GALLOWAY, C. M. 1978. *Orthotrichum flowersii*, a new record for the southwestern United States. The Bryologist 81:354–355.
- GARILLETI, R., F. LARA, AND V. MAZIMPAKA. 2001. Orthotrichum underwoodii sp. nov. (Orthotrichaceae, Bryopsida) from California. The Bryologist 104:268– 273.
- Gier, L. J. 1955. *Physicomitrium collenchymatum*. Kansas Academy of Sciences Transactions 58:330–333.
- GIGNAC, L. D. 2001. Bryophytes as indicators of climate change. The Bryologist 104:411–420.
- GILES, K. S. 1990a. The systematics of the genus *Eurhyn-chium* in western North America. M.S. thesis. San Francisco State University, San Francisco, CA.
- ——. 1990b. Taxonomic status of Eurhynchium brittoniae Grout (Brachytheciaceae: Bryopsida). Taxon 39:655–657.
- GLIME, J. M. AND D. H. VITT. 1987. A comparison of bryophyte species diversity and niche structure of montane streams and stream banks. Canadian Journal of Botany 65:1824–1837.
- GOFFINET, B. AND D. H. VITT. 1998. Revised generic classification of the Orthotrichaceae based on molecular phylogeny and comparative morphology. Pp. 143–

- 159 in Bryology for the Twenty-first century. Manley Publishing and the British Bryological Society, Leeds, U.K.
- , J. SHAW, L. E. ANDERSON, AND B. D. MISHLER. 1999. Peristome development in mosses in relation to systematics and evolution V. Diplolepideae: Orthotrichaceae. The Bryologist 102:581–594.
- Gradstein, S. R. and H. J. M. Sipman. 1978. Taxonomy and world distribution of *Campylopus introflexus* and *C. pilifer* (=*C. polytrichoides*): a new synthesis. The Bryologist 81:114–121. [Provides key.]
- GREENE, S. W. AND A. J. HARRINGTON. 1988. The conspectus of bryological taxonomic literature. Part 1. Index to monograph and regional reviews. J. Cramer, Berlin, Germany.
- Greven, H. C. 1994. The identities of *Grimmia nutans* Bruch, *G. ungeri* Jur. and remarks about other Grimmiaceae on the island of Cyprus. Journal of Bryology 18:303–309. [*Grimmia ungeri* illustrated.]
- —. 1995. Grimmia Hedw. (Grimmiaceae, Musci) in Europe. Backhuys Publishers, Leiden, The Netherlands. [Provides illustrations and color plates for many Grimmia taxa that also occur in California.]
- 1999a. A synopsis of *Grimmia* in Mexico, including *Grimmia mexicana* sp. nov. The Bryologist 102:426–436. [Keys and narratives for many *Grimmia* species occurring in California.]
- 1999b. Key to Grimmia, Coscinodon and Hydrogrimmia in Europe. Journal of Bryology 21:117–121.
- 1999c. Grimmia tergestina Tomm, in north-west Europe; recent finds in Belgium and the Netherlands. Journal of Bryology 16:383–386. [Grimmia tergestina illustrated.]
- ——. 2002. *Grimmia nevadense*, a new species from California. The Bryologist 105:273–275. [Illustration.]
- ——. 2003. Grimmias of the world. Backhuys Publishers, Leiden, The Netherlands. [Provides illustrations and key features for each *Grimmia* species.]
- Griffin, D. III. 1998. Axillary hairs in *Bartramia* section *Strictidum*. Evansia 15:81–83.
- GROUT, A. J. 1928–1940. Moss flora of North America, north of Mexico. 3 vols., published by the author, Newfane, VT.
- GUERRA, J. AND M. J. CANO. 2000. A taxonomic contribution on the European cleistocarpous species of Pottiaceae (Musci). Journal of Bryology 22:91–97.
- AND R. M. CROS. 2003. Pottiaceae: *Phascum, Acaulon, Aschima, Protobryum, Leptophascum.* Pp. 1–27 in J. Guerra et al. (eds.), Flora Briofitica Ibérica. Sociedad Espãnola de Briología, Murcia, Spain.
- HAMPE, E. 1860. Musci Californici novi. Linnaea 30:455–464.
- HARPEL, J. 1980a. A preliminary floristic survey of the mosses in the San Jacinto Mountains. M.S. thesis. California Polytechnic State University, Pomona, CA.
- ——. 1980b. *Orthotrichum pumilum* new to California. The Bryologist 83:201.
- ——. 2000. Noteworthy collections. *Jaffueliobryum raui* (Aust.) Thér. (Grimmiaceae: Musci) new for California. Madroño 46:215.
- HARTHILL, M. P., D. M. LONG, AND B. D. MISHLER. 1979. Preliminary list of southern California mosses. The Bryologist 82:260–267. [Lists 171 taxa.]
- HARTMAN, E. L. 1969. The ecology of the "copper moss"

Mielichhoferia mielichhoferi in Colorado. The Bryologist 72:56–59.

HASTINGS, R. I. 1999. Taxonomy and biogeography of the genus *Coscinodon* (Bryopsida, Grimmiaceae) in North America including a new species. The Bryologist 102:265–286. [Illustrations and distribution maps for *Coscinodon calyptratus* and *C. cribrosus*.]

Hedenäs, L. 1987. On the ontogeny of alar cells in *Dre*panocladus aduncus and *D. exannulatus* and some other species. Journal of Bryology 14:753–759. [Illustrations of alar cell region for both species.]

—. 1989a. On the taxonomic position of *Conardia* Robins, Journal of Bryology 15:779–785.

_____. 1989b. The genera *Scorpidium* and *Hamatocaulis* gen. nov., in northern Europe. Lindbergia 15:8–36. [Illustrations.]

—. 1989c. The genus Sanionia (Musci) in northwestern Europe, a taxonomic revision. Annales Botanici Fennici 26:399–419. [Illustrations.]

—. 1990. The genus *Pseudocalliergon* in northern Europe. Lindbergia 16:80–99. [Illustrations.]

1992. Taxonomic studies on pleurocarpous mosses, with special reference to the *Calliergon-Scorpidium-Drepanocladus* complex in northern Europe. Ph.D. dissertation. University of Stockholm, Sweden.
 1993a. Field and microscope keys to the Fenno-

scandian mosses of the *Calliergon-Scorpidium-Dre*panocladus complex, including some related and similar species. Biodetektor, AB, Sundbyberg, Sweden.

—. 1993b. A generic revision of the Warnstorfia-Calliergon complex. Journal of Bryology 17:447– 479.

——. 1996a. On the interdependence of some leaf characters within the *Drepanocladus aduncus-polycarpus* complex. Journal of Bryology 19:311–324.

. 1996b. Taxonomic notes on *Brachythecium ery-throrrhizon* B. S. G. based mainly on studies of Swedish material. Lindbergia 21:21–25.

——. 1997a. A partial generic revision of *Campylium* (Musci). The Bryologist 100:65–88.

. 1997b. The *Drepanocladus* s. str. species with excurrent costae (Musci: Amblystegiaceae). Nova Hedwigia 64:535–547.

The Bryologist 100:98–101. [Notes on *Palustriella*, *Sanionia*, *Scorpidium* and *Warnstorfia*.]

——. 1998. An overview of the *Drepanocladus sendt-neri* complex. Journal of Bryology 20:83–102.

2003. Amblystegiaceae (Musci). Flora Neotropica Monograph 89:1–107. New York Botanical Garden.

HEINONEN, K. 1971. Racomitrium canescens (Hedw.) Brid. and R. ericoides (Hedw.) Brid. (Bryophyta, Grimmiaceae) in northwestern Europe. Annales Botanici Fennici 8:142–151.

HERMANN, F. J. 1980. Distinctions between Anacolia menziesii and Bartramia stricta. The Bryologist 83:253– 254.

— AND E. LAWTON. 1968. A new species of *Didymodon* (Bryophyta) from Oregon and Washington. Bulletin of the Torrey Botanical Club 95:387–389.

HICKMAN, J. (ed.). 1993. The Jepson manual: higher plants of California. University of California Press, Berkeley, CA.

HIGINBOTHAM, B. W. AND N. HIGINBOTHAM. 1958. *Brachythecium hylotapetum* n. sp. The Bryologist 61:339–350.

HILL, E. J. 1902. *Fissidens grandifrons*, its habitat and propagation. The Bryologist 5:56–58.

HOFMAN, H. 1998. A monograph of the genus *Homalothe-cium* (Brachytheciaceae: Musci). Lindbergia 23:119–159

HOLMBERG, L. C. 1969. A moss flora of Del Norte County. M.S. thesis, Humboldt State University, Arcata, CA. [132 species listed.]

HOLMES, N. T. H. 1976. The distribution and ecology of *Grimmia agassizii* (Sull. & Lesq.) Jaeg. in Teesdale. Journal of Bryology 9:275–278. [Illustrations.]

HOLZINGER, J. M. 1892. The systematic position of *Entosthodon bolanderi*. Botanical Gazette 17:380–381.

——. 1901. On *Limnobium bestii* Ren. & Card. The Bryologist 4:22–24. [=*Hygrohypnum bestii*.]

— 1922. Grimmia brandegei Aust. The Bryologist 25:16–17. [Distinguished from Grimmia plagiopodia.]

HORTON, D. G. 1983. A revision of the Encalyptaceae (Musci), with particular reference to the North American taxa. Part II. Journal of the Hattori Botanical Laboratory 54:353–532.

Howe, M. A. 1894. Notes on California bryophytes I. Erythea 2:97–101.

. 1896. Notes on California bryophytes II. Erythea

——. 1897. Notes on Califonia bryophytes III. Erythea 5:87–94.

IGNATOV, M. S. 1998. Bryophyte flora of Altai Mounains VIII. Brachytheciaceae. Arctoa 7:85–152. [Numerous illustrations for taxa occurring in California.]

AND T. CAO. 1994. Bryophytes of Altai Mounatins IV. The family Grimmiaceae (Musci). Arctoa 3:67–122. [Illustrations for taxa occurring in California.]

— AND J. LEWINSKY-HAAPASAARI. 1994. Bryophytes of Altai Mountains II. The genera *Amphidium* Schimp., *Orthotrichum* Hedw. and *Zygodon* Hook. & Tayl. (Orthotrichaceae: Musci). Arctoa 3:29–57. [Illustrations for taxa occurring in California.]

AND G. L. SMITH MERRILL. 1995. Bryophytes of Altai Mountains VI. The family Polytrichaceae (Musci). Arctoa 5:61–97. [Illustrations for taxa occurring in California.]

——, H. ANDO, AND E. A. IGNATOVA. 1996. Bryophytes of Altai Mountains VII. Hypnaceae and related pleurocarps with bi- or ecostate leaves. Arctoa 6:21–112. [Illustrations for taxa occurring in California.]

— AND T. KOPONEN. 1996. On the taxonomy of some East Asian *Brachythecium* (Brachytheciaceae: Musci). Annales Botanici Fennici 33:285–301. [Illustrations of *Brachythecium rivulare & B. plumosum*.]

—— AND S. A. SURAGINA. 2000. Pseudoleskeella tectorum (Leskeaceae, Musci) in the south-eastern European Russia. Arctoa 9:21–24. [Illustration for P. tectorum.]

—— AND S. HUTTUNEN. 2002. Brachytheciaceae (Bryophyta), a family of sibling genera. Arctoa 11:245–296.

AND E. A. IGNATOVA. 2003. Moss flora of the Middle European Russia, Vol. I. Sphagnaceae-Hedwigiaceae. KMK Scientific Press, Ltd. Arctoa 11(Suppl.1):1–608. [Numerous excellent illustrations for species that occur in California.]

IRELAND, R. R. 1969a. Taxonomic studies on the genus Atrichum in North America. Canadian Journal of Botany 47:353–368.

——. 1969b. A taxonomic revision of the genus *Pla-*

- giothecium for North America north of Mexico. National Museum of Canada Publication in Botany 1.
- 1970. Racomitrium lawtonae, a new moss from British Columbia and Washington. The Bryologist 73:707–712.
- ——. 1976. Alar cells of *Racomitrium lawtonae*. The Bryologist 79:238–241.
- . 1977. The taxonomic status of *Bryum meesioides*. Lindbergia 4:39–44.
- 1978. Trichodon in North America. The Bryologist 81:150–154.
- 1982. Moss flora of the Maritime Provinces. National Museum of Canada Publication in Botany 13:
 1–738. [Excellent illustrations for many taxa occurring in California.]
- . 1985. The genus *Plagiothecium* in North America. Evansia 2:4–9.
- . 1986. Synopsis of the genus *Plagiothecium* for North America. Lindbergia 12:49–56.
- ——. 2001. *Buckiella*, a new genus in the Hypnaceae (Musci). Novon 11:55–62.
- 2004. Dacryophyllum falcifolium, a new North American genus and species (Musci: Hypnaceae) from California. Novon 14:70–74.
- ——— AND W. B. SCHOFIELD. 1967. Fissidens ventricosus in North America. The Bryologist 70:257–261.
 - —— AND N. G. MILLER. 1982. *Grimmia anodon* (Musci: Grimmiaceae) in North America north of Mexico. The Bryologist 85:112–114.
- AND J. R. SPENCE. 1987. Racomitrium pacificum, a new moss species from western North America. Canadian Journal of Botany 65:859–862.
- IWATSUKI, Z. 1970. A revision of *Plagiothecium* and its related genera in Japan and her adjacent areas. Journal of the Hattori Botanical Laboratory 33:331–380.
- . 1981. Taxonomy of mosses. Pp. 233–314 in W. Schultze-Motel (ed.), Advances in bryology. J. Cramer, Vaduz, Germany.
- AND M. R. CROSBY. 1979. Lectotypification of the genus *Isopterygium* Mitt. Journal of the Hattori Botanical Laboratory 45:389–393.
- AND A. J. SHARP. 1958. *Molendoa sendtneriana* in the United States. The Bryologist 61:356–359.
- —— AND T. SUZUKI. 1982. A taxonomic revision of the Japanese species of *Fissidens* (Musci). Journal of the Hattori Botanical Laboratory 51:329–508. [Illustrations.]
- JAMIESON, D. W. 1969. The bryophyta of Prairie Creek Redwoods State Park. M.S. thesis. Humboldt State University, Arcata, CA. [70 mosses, 28 liverworts and 1 hornwort reported.]
- . 1976. A monograph of the genus *Hygrohypnum* Lindb. (Musci), Ph.D. dissertation. University of British Columbia, Vancouver, Canada.
- 1980. Typification of Hygrohypnum duriusculum (De Not.) Jamieson (Musci: Amblystegiaceae). Taxon 29:151–152.
- ——— AND L. C. HOLMBERG. 1969. *Buxbaumia piperi*, new to California. The Bryologist 72:72–73.
- JANSSENS, J. A. 1983. Past and extant distribution of *Dre-panocladus* in North America, with notes on differentiation of fossil fragments. Journal of the Hattori Botanical Laboratory 54:251–298.
- AND R. A. ZANDER. 1980. Leptodontium flexifolium and Pseudocrossidium revolutum, as 60,000 yearold subfossils from the Yukon Territory, Canada. The

- Bryologist 83:486–496. [Distribution map of *Pseudocrossidium revolutum* includes California.]
- JESSUP, S. L. 2000. Hepaticae of the Klamath Mountains I. *Anastrophyllum minutum* in the Siskiyou Mountains of Oregon and California. Evansia 17:137–140. [Lists several mosses as associated species.]
- JONES, E. W. 1970. The ecology of *Buxbaumia aphylla* Hedw. Transactions of the British Bryological Society 6:139.
- KANDA, H. 1978. A revision of the family Amblystegiaceae of Japan II. Journal of Science of Hiroshima University, Serial 6 Division 2, 16:47–119. [Numerous illustrations.]
- Kellman, K. M. 2003. A catalogue of the mosses of Santa Cruz County, California. Madroño 50:61–82. [Lists 190 species and 1 variety.]
- KINDBERG, N. C. 1892. A new California moss. Pittonia 2:243. [=Homalothecium arenarium.]
- KINGMAN, C. C. 1912. A list of mosses collected in southern California. The Bryologist 15:93–95.
- Koch, L. F. 1948. Rediscovery of *Fissidens pauperculus* Howe. The Bryologist 51:30–31.
- 1949a. Preliminary studies of California mosses
 I. The Bryologist 52:84–89.
- . 1949b. The nomenclature of *Hypnum illecebrum*. Revue Bryologique et Lichénologique 18:176–178.
- . 1950a. Mosses of California: an annotated list of species. Leaflets Western Botany 6:1–40. [Lists 317 taxa.]
 - ——. 1950b. Mosses of California II. Zygodon viridissimus. The Bryologist 53:213–215.
- ——. 1951a. The distribution of Californian mosses. Ph.D. dissertation. University of Michigan, Ann Arbor, MI.
- . 1951b. Mosses of California III. *Bryum tortifolium* and *Stroemia obtusifolia*. The Bryologist 54:69–70.
- ——. 1951c. Mosses of California IV. Fissidens milobakeri sp. nov. The Bryologist 54:204–207.
- ——. 1951d. Fissidens pauperculus Howe and Orthodontium gracile Bruch and Schimper: mosses associated with the coast redwood forest. Science 114: 571–572.
- . 1951e. Mosses of Placer County Big Tree Grove and Placer County in California. Wasmann Journal of Biology 9:167–179.
- 1951f. The nomenclature of *Bryum annotinum* Hedwig. Revue Bryologique et Lichénologique 20: 258–259.
- . 1952. Bryophytes of Chetco River Redwood State Park, Oregon. Madroño 11:209–214.
- ——. 1954a. Distribution of Californian mosses. American Midland Naturalist 51:515–538.
- . 1954b. The genus *Pseudoleskea* B.S.G. Revue Bryologique et Lichénologique 24:222–226.
- 1955. Mosses of California V: Pterygoneurum ovatum and P. subsessile. Madroño 13:100–101.
- 1956. Mosses common to California, U.S.A. and the Basque Country but not to Baja California, Mexico. Revue Bryologique et Lichénologique 25:285– 287
- . 1958. Mosses of California VI. Hall Research Natural Area and Mono County. Madroño 14:206– 211. [Lists 72 taxa.]
- —— AND G. J. IKENBERRY. 1954. Preliminary studies of California mosses II. The Bryologist 57:291–300. [Lists 150 taxa.]

- KOPONEN, T. 1968a. Generic revision of Mniaceae Mitt. (Bryophyta). Annales Botanici Fennici 5:117–151.
 - . 1968b. The moss genus *Rhizomnium* (Broth.) Kop. with description of *R. perssonii* species nova. Memoranda Society Fauna Flora Fennici 44:33–50.
 - —. 1971. A monograph of *Plagionnium* sect. Rosulata (Mniaceae). Annales Botanici Fennici 8:305–367.
- - —. 1973a. Rhizomnium (Mniaceae) in North America. Annales Botanici Fennici 10:1–26.
- ——. 1973b. Mnium spinosum in North America. Annales Botanici Fennici 10:102–103. [Illustrations.]
- ———, K. KARTTUNEN, AND S. PIIPPO. 1995. Suomen vesisammalkasvio (water moss plant guide). Bryobrothera 3:1–86.
- LAWTON, E. 1953. *Lorentziella*, a moss genus new to North America. Bulletin of the Torrey Botanical Club 80:279–288. [Illustrations.]
- ——. 1957. A revision of the genus *Lescuraea* in Europe and North America. Bulletin of the Torrey Botanical Club 84:281–307 and 84:337–355.
- ——. 1964. The structure and distribution of *Mnium nudum*. The Bryologist 67:44–47.
- ——. 1965a. A revision of the genus *Homalothecium* in western North America. Bulletin of the Torrey Botanical Club 92:333–354.
- ——. 1965b. Some species of *Brachythecium* and Leskeoideae from western North America. The Bryologist 68:63–68.
- ——. 1966. Fruiting *Hygrohypnum bestii* (Ren. & Bryhn.) Holz. The Bryologist 69:237–240.
- . 1967a. Notes on Scleropodium, with the description of a new species. Bulletin of the Torrey Botanical Club 94:21–25.
- ——. 1967b. Grimmia occidentalis, a new species from western North America. Bulletin of the Torrey Botanical Club 94:461–463.
- ——. 1971. Moss flora of the Pacific Northwest. Hattori Botanical Laboratory Nichinan, Miyazaki, Japan.
- ______. 1972. The genus *Racomitrium* in America and Japan. Journal of the Hattori Botanical Laboratory 35:252–262. [Illustrations.]
- 1979. Grimmia pacifica, a new species from western North America. The Bryologist 82:276–280. [Illustration and key between long narrow-leaved taxa in subgenus Schistidium.]
- —— AND F. J. HERMANN. 1973. A new *Orthotrichum* from Northern California. The Bryologist 76:437–439. [Illustration of *Orthotrichum epapillosum*.]
- Lesquereux, L. 1865. On the mosses of California. Transactions American Philosophical Society 13:1–24.
- . 1868. A catalogue of the species found up to the present time on the northwest coast of the United States and especially in California. Memoirs of the California Academy of Sciences 1:1–38.
- North America. Bradlee Whidden Publisher, Boston, MA.
- LEWINSKY, J. 1974. The genera *Leskeella* and *Pseudoleskeella* in Greenland. The Bryologist 77:601–611. [Illustrations.]
- —. 1984. Orthotrichum Hedw. in South America 1. Introduction and taxonomic revision of taxa with immersed stomata. Lindbergia 10:65–94. [Illustration for Orthotrichum diaphanum.]
- ——. 1987. Orthotrichum (Orthotrichaceae) in South

- America 2. Taxonomic revision of taxa with superficial stomata. Memoirs of the New York Botanical Garden 45:326–370. [Illustrations.]
- ——. 1989. Zygodon Hook & Tayl. in Australia: a taxonomic revision including SEM-studies of peristomes. Lindbergia 15:109–139. [Illustration for Zygodon menziesii.]
- ——. 1993. Monographic studies in *Orthotrichum* (Musci). Bryobrothera 2:1–59.
- LEWINSKY-HAAPASAARI, J., A. E. INDURÁIN, AND C. SCHMIDT. 1995. Orthotrichum consimile Mitt. still in Europe. Lindbergia 20:56–61. [Illustration and discussion on world distribution for Orthotrichum consimile.]
- AND L. HEDENÄS. 1998. A cladistic analysis of the moss genus *Orthotrichum*. The Bryologist 101:519–555. [Excellent overview on the taxonomy of the genus.]
- AND D. H. NORRIS. 1998a. A re-evaluation of *Orthotrichum euryphyllum*. The Bryologist 101:295–302.
- Lewis, M. 1981. Prodromus Bryologiae Andinae II. Bryoerythrophylluu columbianum disjunctively distributed between steppes of northwestern U.S.A. and Bolivia. The Bryologist 84:536–538. [Illustration of Bryoerythrophyllum columbianum.]
- Long, D. G. 1979. A reassessment of the systematic position of *Tortula stanfordensis* Steere and *T. khartoumensis* Pettet. Journal of Bryology 10:377–381.
- Long, D. M. 1978. The ecology and distribution of mosses in a portion of the San Gabriel Mountains, Los Angeles County, California. M.S. thesis. California State Polytechnic University, Pomona, CA.
- LOWRY, R. J. 1948. A cytotaxonomic study of the genus *Mnium*. Memoirs of the Torrey Botanical Club 20:1–42.
- MANUEL, M. G. 1974. A revised classification of the Leucodontaceae and a revision of the subfamily Alsioideae. The Bryologist 77:531–550.
- MASTRACCI, M. 1993. Taxonomic significance of stem and leaf sheath anatomy in *Timmia* Hedw. Journal of Bryology 17:481–487. [Illustrations and *Timmia* key provided.]
- MCCLATCHIE, A. J. 1897. Seedless plants of southern California. Proceedings Southern California Academy Sciences 1:337–398.
- McCleary, J. A. 1972. The mosses of the Channel Islands, California. Madroño 21:435–438. [Lists 76 taxa.]
- McGrew, K. 1976. Bryophytes of the Russian Peak Area, Siskiyou County, California. M.A. thesis. Humboldt State University, Arcata, CA. [111 mosses and 39 liverworts recorded.]
- McIntosh, T. T. 1997. The biogeography of the bryophytes of the semi-arid steppe of south-central British Columbia, Canada. Journal of the Hattori Botanical Laboratory 82:157–169.
- ——. 1989. Bryophyte records for the semiarid steppe of Northwestern North America, including four species new to North America. The Bryologist 92:356– 362.
- Meijer, W. 1951. The genus *Orthodontium*. North-Holland Publication Company, Amsterdam, The Netherlands.
- MERRILL, G. L. S. 1992. Notes on North American Poly-

- trichaceae: Polytrichastrum. The Bryologist 95:270-273.
- MILLER, N. G. AND R. R. IRELAND. 1978. Timmia austriaca (Musci: Timmiacae) in North America. The Bryologist 81:577-581.
- MILLSPAUGH, C. F. AND L. W. NUTTALL. 1923. Flora of Santa Catalina Island. Field Museum National History Botany 5:1-413. [Lists 28 mosses identified by R. S. Williams.]
- MISHLER, B. D. 1978. Mosses of the chaparral: the systematics and ecology of the class Musci in the San Dimas Experimental Forest, California. M.S. thesis. California State Polytechnic University, Pomona, CA.

-. 1984. Systematic studies in the genus Tortula Hedw. (Musci: Pottiaceae). Ph.D. dissertation. Harvard University, Cambridge, MA.

- Mogensen, G. S. and R. H. Zander. 1999. Four moss species new to Greenland: Barbula amplexifolia, Didymodon brachyphyllus, D. michiganensis and Gyroweisia tenuis (Pottiaceae, Musci). Lindbergia 24: 77–83. [Illustrations.]
- MONTAGNES, R. J. S. 1990. The habitat and distribution of Meesia triquetra in North America and Greenland. The Bryologist 93:349-352.
- MOXLEY, G. L. 1928. Bryological notes from southern California. The Bryologist 31:7–10.
- -. 1931. Fissidens bryoides Hedw. in Southern California? The Bryologist 34:63.
- -. 1937. Orthotrichum sp, yes, but which? The Bryologist 40:113-114.
- MUELLER, D. M. J. 1973. The peristome of Fissidens limbatus Sull. University California Publications in Botany 63:1-34.
- Muñoz, J. 1997. The correct name of Grimmia alpestris (Musci, Grimmiaceae). The Bryologist 100:517-519.
- -. 1998a. Materials toward a revision of Grimmia: (Musci: Grimmiaceae): nomenclature and taxonomy of Grimmia longirostris. Annals Missouri Botanical Garden 85:352-363.
- -. 1998b. A taxonomic revision of Grimuia subgenus Orthogrimmia (Musci, Grimmiaceae). Annals Missouri Botanical Garden 85:367-403.
- -. 1998c. Amended description of Coscinodon calyptratus (Grimmiaceae) and major range extension into Eurasia and New Zealand. The Bryologist 101: 89-92.
- -. 1999a. A revision of Grimmia (Musci: Grimmiaceae) in the Americas 1. Latin America. Annals Missouri Botanical Garden 86:118-191.
- . 1999b. *Grimnuia arcuatifolia* and *G. leibergii* (Musci, Grimmiaceae), two neglected species from northwestern North America. Anales Jardin Botanico de Madrid 57:7-13.

. 2000. New synonyms in Grimmia (Grimmiaceae). Journal of Bryology 22:99-102.

- AND F. PANDO. 2000. A world synopsis of the genus Grimmia (Musci, Grimmiaceae). Monographs in Systematic Botany 82:1-133. Missouri Botanical Garden, St. Louis, MO.
- -, J. R. Shevock, and D. Toren. 2002. Grimmia serrana a new species for California. Journal of Bryology 24:143-146.
- MURRAY, B. 1987a. Andreaea schofieldiana and A. megistospora, species novae, and taxonomic criteria for sect. Nerviae (Andreaeapsida). The Bryologist 90: 15–26. [Illustration of A. schofieldiana, reference to California, and key to North American species of costate Andreaea.]

- 1987b. Andreaeaceae. In G. S. Mogensen (ed.), Illustrated moss flora of arctic North America and Greenland 3. Andreaeobryaceae-Tetraphidaceae. Meddelser om Grønland. Bioscience 23:1-36.
- -. 1988. Andreaea in Britain and Ireland. Journal of Bryology 15:17-82.
- NASH, T. H. III, S. L. WHITE, AND J. E. MARSH. 1977. Lichen and moss distribution and biomass in hot desert ecosystems. The Bryologist 80:470-479.
- NICHOLS, G. E. 1910. Field notes on Ephemerum and Nauomitrium. The Bryologist 13:121-123.
- Noguchi, A. 1964. A revision of the genus Claopodium. Journal of the Hattori Botanical Laboratory 27:20-
- -. 1972. Musci Japonici IX. The Leskeaceae. Journal of the Hattori Botanical Laboratory 36:499-529.
- NORRIS, D. H. 1997. The Oregon-California border: important in bryogeography. Journal of the Hattori Botanical Laboratory 82:185-189.
- AND E. J. ENROTH. 1990. Description of Bryolawtonia Norris & Enroth (Thamnobryaceae), with observations on the genus Bestia. The Bryologist 93: 328-331.
- AND D. H. VITT. 1993. Orthotrichum spjutii (Orthotrichaceae), a new species from the northern Sierra of California. Nova Hedwigia 56:259-262.
- NYHOLM, E. 1971. Studies in the genus Atrichum P. Beauv., a short survey of the genus and species. Lindbergia 1:1-33.
- -. 1987-1998. Illustrated flora of Nordic mosses, fascicles 1-4. Nordic Bryological Society, Copenhagen and Lund.
- O'Brien, T. J. 1999. Campylopus introflexus. Noteworthy collections. Madroño 46:113-114.
- OCHYRA, R. 1982. Kindbergia (Brachytheciaceae, Musci), a new name for Stokesiella (Kindb.) Robins, hom. illeg. Lindbergia 8:53-54.
- -. 1989. Animadversions on the moss genus Cratoneuron (Sull.) Spruce. Journal of the Hattori Botanical Laboratory 67:203-242.
- . 1998a. The moss flora of King George Island, Antarctica. Polish Academy of Sciences, W. Szafer Institute of Botany, Cracow, Poland. [Illustrations.]
- -. 1998b. New names and combinations in Schistidium (Musci, Grimmiaceae). Fragmenta Floristica Geobotanica 43:103-108.
- Persson, H. 1956. Studies in "copper mosses." Journal of the Hattori Botanical Laboratory 17:1–18.
- Peterson, W. 1979. A revision of the genera Dicranum and Orthodicranum (Musci) in North America north of Mexico. Ph.D. dissertation. University of Alberta, Edmonton, Canada.
- PHELPS, A. L. 1878. Bryum atwateriae. Botanical Gazette 3:79-80.
- Phippo, S. 1983. On the taxonomy, nomenclature and distribution of Brachythecium starkei (Brachytheciaceae, Musci) and related taxa. Annales Botanici Fennici 20: 339-349.
- PODPĚRA, J. 1973. Bryum generis monographiae prodromus I. Academia, Czechoslovak Academy of Sciences, Prague, Czechoslovakia.
- Pursell, R. A. 1976a. Fissidens aphelotaxifolius (Bryopsida: Fissidentaceae), a new species from the Pacific Northwest of North America. Bulletin of the Torrey Botanical Club 103:35-38.
- -. 1976b. On the typification of certain taxa and structural variation within Fissidens bryoides com-

- plex in eastern North America. The Bryologist 79: 35–41.
- —. 1979. On Fissidens. Nomenclatural and distributional notes on some American species. The Bryologist 82:58–64. [Discussion on Fissidens milobakeri.]
- . 1987. A taxonomic revision of *Fissidens* subgenus *Octodiceras* (Fissidentaceae). Memoirs of the New York Botanical Garden 45:639–660.
- ——. 1994. Taxonomic notes on Neotropical Fissidens. The Bryologist 97:253–271. [Discussion regarding Fissidens crispus and F. curvatus.]
- ——. 1997a. A comparison of *Fissidens obtusifolius* and *F. sublimbatus*. Journal of the Hattori Botanical Laboratory 82:203–212. [Illustration of both species.]
- ——. 1997b. Taxonomic notes on Neotropical *Fissidens* II. An addendum. The Bryologist 100:193–197. [Places *F. limbatus* as a synonym of *F. crispus*.]
- ——. 1997c. Fissidens taylorii, new to North America north of Mexico. The Bryologist 100:525–528. [Illustration of F. taylorii.]
- AND B. H. ALLEN. 1994. A re-evaluation of *Fissidens* subgenus *Pachyfissidens*, with a detailed discussion of *Fissidens grandifrons* and *F. geijskesii*. Journal of the Hattori Botanical Laboratory 75:15–22.
- AND ———. 1996a. A comparison of *Fissidens appalachensis* and *F. bryoides* var. *pusillus*. The Bryologist 99:75–80. [Illustration of *Fissidens bryoides* var. *pusillus*.]
- —— AND ———. 1997b. The Encalyptaceae (Musci) in Maine. Evansia 14:1–6.
- Reese, W. D. 1998. The moss family Ptychomitriaceae in North America north of Mexico. Evansia 15:137– 145.
- Renauld, F. and J. Cardot. 1888. New mosses of North America I. Botanical Gazette 13:197–203. [Lists Webera camptotrachela=Pohlia and Camptothecium amesiae=Homalothecium.]
- . 1889. New mosses of North America II. Botanical Gazette 14:91–100. [Lists Alsia californica var. flagellifera and Eucladium verticillatum.]
- . 1890. New mosses of North America III & IV. Botanical Gazette 15:39–45 and 15:57–62. [Lists Antitrichia californica var. ambigua, Bryum hendersonii and Hylocomium triquetrum var. californicum=Rhytidiadelphus.]
- —. 1893. Bryological Notes. Revue Bryologique et Lichénologique 20:30. [Describes *Pleuridium alter-nifolium* var. *howei*.]
- . 1894. New mosses of North America V. Botanical Gazette 19, pl. 22.
- ROBINSON, H. 1962. Generic revisions of North American Brachytheciaceae. The Bryologist 65:73–146.
- . 1970. A revision of the moss genus *Trichosto-mopsis*. Phytologia 20:184–191.
- 1976. Conardia, a new moss genus for Hypnum compactum (Hook.) C. Müll. Phytologia 33:293–295.
 AND F. J. HERMANN. 1964. Notes on American Grimmias. The Bryologist 67:170–174. [Illustration]

of Grimmia cinclidodontea=Schistidium c.]

- —— AND M. S. IGNATOV. 1997. Brachythecium laetum (Brid.) B.S.G. The correct name for the species commonly known as Brachythecium oxycladon. The Bryologist 100:359–361.
- RUSHING, A. E. 1986. A revision of the genus *Bruchia* Schwägr. (Musci). Journal of the Hattori Botanical Laboratory 60:35–83.

- ——— AND J. A. CHRISTY. 1984. *Bruchia flexuosa* new to western North America. The Bryologist 87:68–69.
- —— AND J. A. SNIDER. 1980. Observations on sporophyte development in *Lorentziella imbricata* (Mitt.) Broth. Journal of the Hattori Botanical Laboratory 47:35–44.
- SAITO, K. 1970. Notes on *Zygodon viridissimus* (Dicks.) Brid. and its variety. Miscellanea Bryologica et Lichenologica 5:91–92.
- . 1972. Taxonomic and phytographic studies of specimens reported as *Molendoa sendtneriana*. Journal of the Hattori Botanical Laboratory 36:163–170.
- 1973. Taxonomic position of the genus *Neohy-ophila* Crum (Pottiaceae). Miscellanea Bryologica et Lichenologia 6:80–81.
- 1975. A monograph of Japanese Pottiaceae. Journal of the Hattori Botanical Laboratory 39:373–537.
 [Several illustrations of Pottiaceae that also occur in California.]
- SAYRE, G. 1935. Splachnaceae. Pp. 89–102 *in* A. J. Grout (ed.), Moss flora of North America, Vol. 2. Published by the author, Newfane, VT.
- . 1940. Mosses of the Santa Barbara Islands. The Bryologist 43:32–35. [Lists 39 mosses.]
- ——. 1946. The taxonomic rank of *Grimmia alpicola*. The Bryologist 49:3–7.
- ——. 1951. The identity of *Grinunia ovalis* and *Grimmia commutata*. The Bryologist 54:91–94.
- . 1952. Key to the genus of *Grimmia* in North America. The Bryologist 55:251–259.
- ——. 1955. *Grimmia mariniana*, a new species from California. The Bryologist 58:323–325.
- SCHATZ, A. 1955. Speculations on the ecology and photosynthesis of the "copper mosses." The Bryologist 58:113–120.
- SCHNOOBERGER, I. 1942. Distribution of *Tortula papillosa* Wils. The Bryologist 45:24–27. [Illustration.]
- Schofield, W. B. 1959. *Mielichhoferia mielichhoferiana* in the southern Appalachians. The Bryologist 62: 248–250. [Map displays California in species range.]
 - . 1966a. *Crumia*, a new genus of the Pottiaceae endemic to western North America. Canadian Journal of Botany 44:609–614.
- ——. 1966b. The identity of *Polytrichum sphaerothe-cium* (Besch.) Broth. Miscellanea Bryologica et Lichenologica 4:33–35.
- . 1966c. A new species of *Trematodon* from western North America. The Bryologist 69:202–204. [Illustration for *T. boasii*.]
- . 1969a. Phytogeography of northwestern North America: bryophytes and vascular plants. Madroño 20:155–207.
- 1969b. Some common mosses of British Columbia. British Columbia Provincial Museum, Victoria, Canada. [Field guide illustrations for many mosses that occur in northwest California.]
- . 1970. A new species of *Dicranella* endemic to western North America. The Bryologist 73:702. [*Dicranella pacifica* with table distinguishing new species from *D. varia*.]
- —. 1980. Phytogeography of the mosses of North America (north of Mexico). Pp. 131–170 in R. J. Taylor and A. E. Levitan (eds.), The mosses of North America. Pacific Division, American Association for the Advancement of Science, California Academy of Sciences, San Francisco, CA.
- -----. 1984. Bryogeography of the Pacific Coast of

- North America. Journal of the Hattori Botanical Laboratory 55:35–43.
- ——. 1985. Introduction to bryology. Macmillan Press, New York. Reprinted by Blackburn Press, 2001.
 - 1994. Bryophytes of Mediterranean climates in British Columbia. Hikobia 11:407–414.
- ——— AND K. A. THOMPSON. 1966. Pseudoparaphyllia in *Porotrichum bigelovii*. The Bryologist 69:376–377.
- —— AND H. A. CRUM. 1972. Disjunctions in bryophytes. Annals of the Missouri Botanical Garden 59: 174–202.
- SEPPELT, R. D. 1982. A monographic revision of *Ditrichum* (Musci: Ditrichaceae). I. Australia and New Zealand species. Journal of the Hattori Botanical Laboratory 51:99–150. [Illustration for *Distichium capillaceum*.]
- . 1999. Trichodon cylindricus and the genus Ditrichum (Ditrichaceae, Bryopsida). Bryobrothera 5: 189–194.
- SHACKLETTE, H. T. 1967. Copper mosses as indicators of metal concentrations. U. S. Geological Survey Bulletin 1198-G. U. S. Geological Survey, Denver, CO.
- SHARP, A. J., H. CRUM, AND P. M. ECKEL. 1994. The moss flora of Mexico. 2 vols. Memoirs of the New York Botanical Garden 69:1–1113.
- SHAW, A. J. 1981a. *Pohlia andrewsii* and *P. tundrae* two new arctic-alpine propaguliferous species from North America. The Bryologist 84:65–74.
- ——. 1981b. Ecological diversification among nine species of *Pohlia* (Musci) in western North America. Canadian Journal of Botany 59:2359–2378.
- . 1981c. A taxonomic revision of the propaguliferous species of *Pohlia* (Musci) in North America. Journal of the Hattori Botanical Laboratory 50:1–81.
- . 1981d. The nomenclature of *Pohlia annotina* (Hedw.) Lindb. and related species. Lindbergia 7:10–22
- . 1981e. The taxonomy of Bryun oblongum and B. blindii. Canadian Journal of Botany 59:1426– 1435
- —. 1982. Pohlia Hedw. (Musci) in North and Central America and the West Indies. Contributions from the University of Michigan Herbarium 15:219–295.
- ——. 1984. Quantitative taxonomic study of morphology in *Epipterygium*. The Bryologist 87:132–142.
- 1985. Nomenclatural changes in the Bryaceae subfamily Mielichhoferioideae. The Bryologist 88: 28–30.
- . 1994a. Systematics of *Mielichhoferia* (Bryaceae: Musci) I. Morphological and genetic analyses of *M. elongata* and *M. mielichhoferiana*. The Bryologist 97:1–12.
- . 1994b. Systematics of *Mielichhoferia* (Bryaceae: Musci) II. Morphological variation among disjunct populations of *M. elongata* and *M. mielichhoferiana*. The Bryologist 97:47–55.
- 2000. Schizymenium shevockii, a new species of moss from California based on morphological and molecular evidence. Systematic Botany 25:188–196.
- ——— AND H. A. CRUM. 1984. Peristome homology in Mielichhoferia and a taxonomic account of North

- American species. Journal of the Hattori Botanical Laboratory 57:363–381.
- AND L. E. ANDERSON. 1988. Factors affecting the distribution and abundance of the "copper moss" *Scopelophila ligulata* in North America. Lindbergia 14:55–58. [Discussion on distribution of *Scopelophila ligulata* and *S. cataractae*.]
- ——, N. J. NIGUIDULA, AND T. M. WILSON. 1992. Reproductive biology of the rare "copper moss" *Mielichhoferia mielichhoferiana*. Contributions University Michigan Herbarium 18:131–140.
- AND H. OWENS. 1995. Ecological and experimental studies in the "copper mosses" *Mielichhoferia elongata* (Bryaceae) and *Scopelophila cataractae* (Pottiaceae). Fragmenta Floristica et Geobotanica 40: 519–531.
- AND R. E. SCHNEIDER. 1995. Genetic biogeography of the rare "copper moss" *Mielichhoferia elongata* (Bryaceae). American Journal of Botany 82:8–17.
- AND B. GOFFINET (eds.). 2000. Bryophyte biology.
 Cambridge University Press, Cambridge, MA.
- Shevock, J. R. 1996. Rare and endangered plants, Vol. 2, chapter 24:691–707. *In* Sierra Nevada Ecosystem Project, Report to the Congress. Wildland Resources Center, University of California, Davis, CA.
- . 2000. Two mosses new to North America with Southern Hemisphere affinities. Evansia 17:97–98. [Lists Atractylocarpus flagellaceus and Zygodon menziesii as new to California and North America.]
- 2003. Moss geography and floristics in California. Fremontia 31:12–20.
- AND D. TOREN. 2001. A catalogue of the mosses for the City and County of San Francisco, California. Madroño 48:1–16. [Lists 128 species.]
- SHOWERS, D. 1980. *Mielichhoferia tehamensis*, sp. nov. from northern California. The Bryologist 83:365–366
- ——. 1982. The mosses of Lassen Volcanic National Park, California. The Bryologist 85:324–328.
- SIGAL, L. L. 1975. Lichens and mosses of California serpentine. M.S. thesis. San Francisco State University, San Francisco, CA. [Lists 31 mosses documented for serpentine.]
- SLACK, N. G. 1993. Botanical exploration of California. Chapter 10 in S. M. Miller (ed.), John Muir, life and work. University of New Mexico Press, Albuquerque, NM.
- SMITH, A. J. E. 1973. On the differences between *Bryum creberrimum* Tayl. and *B. pallescens* Schleich. ex Schwägr. Journal of Bryology 7:333–337.
- ——. 1978. The moss flora of Britain and Ireland. Cambridge University Press, Cambridge, England. [Excellent illustrations for many taxa that occur in California.]
- ——— (ed.). 1982. Bryophyte ecology. Chapman and Hill, New York.
- SMITH, D. K. 1970. Bryoecology of the Mendocino Pygmy Forest Region, California. M.S. thesis. Humboldt State University, Arcata, CA. [Lists 35 mosses, 12 liverworts and one hornwort.]
- . 1980. Funaria americana Lindb. in North America. The Bryologist 83:335–339. [F. americana from California is erroneous.]
- SMITH, G. L. 1971. Conspectus of the genera of Polytrichaceae. Memoirs of the New York Botanical Garden 21:1–83.
- SNIDER, J. A. 1975. A revision of the genus Archidium

- (Musci). Journal of the Hattori Botanical Laboratory 39:105–201.
- Spence, J. R. 1986. *Bryum calobryoides*, a new species from western North America. The Bryologist 89:215–218.
- ——. 1987. A proposed reclassification of *Bryum, Anomobryum* and *Brachymenium* (Musci: Bryaceae). Journal of Bryology 14:659–676.
- ——. 1988a. *Bryum* Hedw. (Bryaceae) in Western North America. The Bryologist 91:73–85.
- ——. 1988b. Checklist of the mosses of the Intermountain West, USA. Great Basin Naturalist 48:394— 401.
- ——. 1996. *Rosulabryum* Genus Novum (Bryaceae). The Bryologist 99:221–225.
- Spiut, R. W. 1971. Mosses of the Marble Mountain Wilderness Area, Siskiyou County, California. M.S. thesis. Humboldt State University, Arcata, CA. [Lists 175 species.]
- STARK, L. R. 1980. *Triquetrella* in North America. The Bryologist 83:363–364.
- . 1996. The status of Weissia sweetii, a species endemic to the southwestern United States. The Bryologist 99:345–348. [Transfers this species to Trichostomum.]
- ——. 1997. Phenology and reproductive biology of Syntrichia inermis (Bryopsida, Pottiaceae) in the Mojave Desert. The Bryologist 100:13–27.
- AND A. T. WHITTEMORE. 1992. Additions to the bryoflora of southern California. The Bryologist 95: 65–67
- AND A. T. WHITTEMORE. 2000. Bryophytes from the northern Mojave Desert. The Southwestern Naturalist 45:226–241.
- STEEN, A. J. 1986. Two collections from Calaveras County yield two new mosses new to California. Evansia 3:
- STEERE, W. C. 1939. *Barbula* in North America north of Mexico. Bulletin of the Torrey Botanical Club 66:93–119
- ——. 1940a. *Tortula* in North America north of Mexico. The Bryologist 43:12–23. [Part 1.]
- ——. 1940b. *Tortula* in North America north of Mexico. The Bryologist 43:45–56. [Part 2.]
- —. 1940c. *Tortula* in North America north of Mexico. The Bryologist 43:76–86. [Part 3.]
- ico. The Bryologist 43:98–109. [Part 4.]

 ——. 1941. *Neckeradelphus*, a new genus in the Neck-
- eraceae. The Bryologist 44:147–153.

 ——. 1951. *Tortula stanfordensis*, a new species from California. The Bryologist 54:119–123.
- 1954. Bryophyta of Santa Catalina Island, California. Madroño 12:180–189. [Lists 47 species.]
- ——. 1967. Metaneckera, nomen novum for Neckera-
- delphus Steere. The Bryologist 70:343–344.
 1969. Asiatic elements in the bryophyte flora of western North America. The Bryologist 72:507–512.
- —, L. E. ANDERSON, AND V. S. BRYAN. 1954. Chromosome studies on California mosses. Memoirs of the Torrey Botanical Club 20:1–75. [Chromosome counts obtained for 55 mosses.]
- Stone, I. G. 1971. The sporophyte of *Tortula pagorum* (Milde) De Not. Transactions of the British Bryological Society 6:270–277. [Sporophyte of *T. pagorum* discovered and described.]
- STONEBURNER, A. 1981. Variation and taxonomy of *Weissia* (Musci: Pottiaceae) in the southwestern United

- States. Ph.D. dissertation. Duke University, Durham, NC
- ——. 1985. Variation and taxonomy in *Weissia* in the southwestern United States. The Bryologist 88:293– 314.
- STRID, T. W. 1974. A distributional study of the mosses of the San Gorgonio Wilderness Area. M.S. thesis. California State Polytechnic University, Pomona, CA. [Lists 59 species; three as new for California.]
- SULLIVANT, W. S. 1856. Report of explorations and surveys; descriptions of the mosses and liverworts. Report to 33rd Congress, 4:185–193; 10 pl. Washington, D.C.
- ——. 1864. Icones Muscorum, or figures and descriptions of most of the mosses peculiar to eastern North America. Cambridge, MA.
- Syed, H. 1973. A taxonomic study of *Bryum capillare* Hedw. and related species. Journal of Bryology 7: 265–326. [Several species of *Bryum* illustrated.]
- TAN, B. C. 1978. Physcomitrella patens (Musci: Funariaceae) in North America. The Bryologist 81:561–567.
- ——. 1979. A new classification for the genus *Physcomitrella* B.S.G. Journal of the Hattori Botanical Laboratory 46:327–336. [*Physcomitrella patens* ssp. *californica* and *Physcomitrella patens* var. *readeri* stat. & comb. nov.]
- ——— AND W. B. SCHOFIELD. 1980. On *Dichodontium* pellucidum and *D. olympicum*. Canadian Journal of Botany 58:2067–2072. [Table of morphological comparisons.]
- ——, R. H. ZANDER, AND T. TAYLOR. 1981. *Pseudocrossidium hornschuchianum* and *P. revolutum* var. *obtusulum* in the New World. Lindbergia 7:39–42. [Illustrations and distribution maps.]
- TAYLOR, R. J. AND A. E. LEVITON (eds.). 1980. The mosses of North America. Pacific Division, American Association for the Advancement of Science, California Academy of Sciences, San Francisco, CA.
- THIERS, B. M. AND K. S. G. EMORY. 1992. The history of bryology in California. The Bryologist 95:68–78.
- Thomson, J. W. and E. H. Ketchledge. 1958. The 1957 forays of the American Bryological Society on the Santa Cruz Peninsula, California. The Bryologist 61: 155–161.
- TOREN, D. 1977. A moss flora of Lake County, California. M.S. thesis. San Francisco State University, San Francisco, CA.
- ------ AND L. L. SIGAL. 1974. New distributional records for mosses in California. Madroño 22:311.
- Vanderpoorten, A. and C. E. Zartman. 2002. The *Bryum bicolor* complex in North America. The Bryologist 105:128–139. [Lists *Bryum barnesii, bicolor, gemmiferum* and *gemmilucens* for California.]
- VITT, D. H. 1971. New taxa in *Orthotrichum* from western North America. The Bryologist 74:159–164. [Description of *Orthotrichum flowersii*.]
- ——. 1972. The infrageneric evolution, phylogeny, and taxonomy of the genus *Orthotrichum* (Musci) in North America. Nova Hedwigia 21:683–711.
- 1973. A revision of the genus *Orthotrichum* in North America north of Mexico. Ph.D. dissertation. Bryophytorum Bibliotheca, Verlag von J. Cramer, Lehre, Germany.
- ——. 1991. Rediscovery of *Orthotrichum holzingeri*: its morphology and habitat in western North America. The Bryologist 94:77–79.
- AND R. J. BELLAND. 1991. The distribution of

- North American bryophytes *Dryptodon patens* (Hedw.) Brid. Evansia 8:41–44.
- —— AND C. DARIGO. 1997. Orthotrichum elegans, a taxon worthy of species rank. Journal of the Hattori Botanical Laboratory 82:329–335. [SEM images of Orthotrichum speciosum.]
- WAGNER, D. H. 1998. Micrographica Muscorum Oregonensis 1. *Racomitrium*. Northwest Botanical Institute. Eugene, OR.
- WARNSTORF, C. 1890. Contributions to the knowledge of North American *Sphagna*. I–IV. Botanical Gazette 15: 127–140; 189–198; 217–227 and 242–255.
- WATSON, S. 1880. Musci. Pp. 353–423 in Botany of California, Vol. 2, in Geological survey of California. John Wiley & Son, University Press, Cambridge, MA.
- Weber, W. A. 1976. New combinations in the Rocky Mountain Flora: Bryophyta, Musci. Phytologica 33: 106. [New combinations for *Orthodicranum tauricum, Schistidium atrichum* and *S. dupretii.*]

—— AND L. D. SIMONE. 1977. *Tetraphis pellucida* and *T. geniculata*: scindulae as diagnostic features in bryophytes. The Bryologist 80:164–167.

- WELCH, W. H. 1960. A monograph of Fontinalaceae. Martius Nijhoff, The Hague, The Netherlands. [Illustrations for several Fontinalis species that occur in California.]
- WERGER, M. J. A. AND H. J. DURING. 1989. A subterranean moss greenhouse in the California desert. The Bryologist 92:411–412. [Lists *Tortula inermis* for Death Valley.]
- Werner, J. 2002. A comparison of *Dichodontium flaves-cens* (Dicks.) Lindb. and *D. pellucidum* (Hedw.) Lindb. (Bryopsida). Journal of Bryology 24:215–221. [Illustrations.]
- WHITEHOUSE, H. L. K. 1971. Some problems associated with the distribution and life history of the moss *Tortula stanfordensis* Steere. The Lizard 4:17–22.
- AND M. E. NEWTON. 1988. *Tortula brevis* sp. nov. and *T. stanfordensis* Steere: morphology, cytology and geographical distribution. Journal of Bryology 15:83–99. [Illustrations of leaf apices.]
- WHITTEMORE, A. T. AND S. SOMMERS. 1999. The bryophytes of Edgewood County Park, San Mateo County Park, California. Evansia 16:143–146.
- WILCZEK, R. AND F. DEMARET. 1976. Les espèces belges du complex *Bryum bicolor* (Musci). Bulletin Jardin Botanic Natural Belgium 46:511–541. [*Bryum* illustrations.]
- WILKINS, P. 1977. Observations on ecology of *Mielichho-feria elongata* and other "copper mosses" in the British Isles. The Bryologist 80:175–181.
- WILLIAMS, H. 1961. *Pottia davalliana* in Ontario and elsewhere in North America. The Bryologist 64:47–50. [Illustration of *Pottia davalliana*.]
- WILLIAMS, R. S. 1901. *Hypnum bestii* Ren. & Card. The Bryologist 4:21–22. [=*Hygrohypnum bestii*.]
- ——. 1919. The genus *Desmatodon* in North America. Bulletin of the Torrey Botanical Club 46:37–220.
- ——. 1920. *Grimmia (Guembelia) brevirostris* sp. nov. The Bryologist 23:52.
- ——. 1935. *Brachythecium reflexum* (Starke) B. & S. The Bryologist 38:30–31. [Illustration.]
- WILSON, P. AND D. H. NORRIS. 1989. *Pseudoleskeella* in North America and Europe. The Bryologist 92:387–396.
- WYATT, R. AND I. J. ODRZYKASKI. 1998. On the origins of

- the allopolyploid moss *Plagiomnium cuspidatum*. The Bryologist 101:263–271.
- WYNNE, F. E. 1943. Range extensions of mosses in western North America. The Bryologist 46:149–155.
- . 1944. Taxonomy of *Drepanocladus*. The Bryologist 47:147–189. [Illustrations.]
- YIP, K. L. 2000. A revision of the genus *Pleuridium* (Musci). Ph.D. dissertation. University of Cincinnati, Cincinnati, OH.
 - ——. 2002. Lectotypification of *Pleuridium subulatum* and *P. acuminatum*. The Bryologist 105:259–261.
- YURKY, P. 1990. A bryophyte flora of Marin County. M.S. thesis. San Francisco State University, San Francisco, CA.
- ——. 1995. A preliminary checklist of bryophytes of Marin County, California. Evansia 12:121–134. [Lists 123 mosses, 65 liverworts and four hornworts.]
- ZALES, W. M. 1973. A taxonomic revision of the genus Philonotis for North America north of Mexico. Ph.D. dissertation, University of British Columbia, Vancouver, Canada.
- Zander, R. H. 1967. The New World distribution of *Scopelophila* (=*Merceya*). The Bryologist 70:405–413.
- ——. 1977a. The tribe Pleuroweisieae (Pottiaceae) in Middle America. The Bryologist 80:233–269.
- ——. 1977b. *Crossidium seriatum* found in the U.S.A. The Bryologist 80:170–171.
- ——. 1978a. New combinations in *Didymodon* (Musci) and a key to the taxa in North America north of Mexico. Phytologia 41:11–32.
- . 1978b. A synopsis of *Bryoerythrophyllum* and *Morinia* (Pottiaceae) in the New World. The Bryologist 81:539–560.
- . 1979b. Patterns of sporophyte maturation dates in the Pottiaceae (Bryopsida). The Bryologist 82: 538–558.
- ——. 1980. Acid-base color reactions: the status of *Triquetrella ferruginea*, *Barbula ineaqualifolia* and *B. calcarea*. The Bryologist 83:228–233.
- 1981a. Descriptions and illustrations of *Barbula*, *Pseudocrossidium* and *Bryoerythrophyllum* from Mexico. Cryptogamie Bryologie et Lichénologie 2: 1–22.
- . 1981b. Didymodon (Pottiaceae) in Mexico and California: taxonomy and nomenclature of discontinuous and nondiscontinuous taxa. Cryptogamie Bryologie et Lichénologie 2:379–422.
- ——. 1983. A reevaluation of *Neohyophila* Crum (Pottiaceae). The Bryologist 86:134–139.
- . 1989. Seven new genera in Pottiaceae (Musci) and a lectotype for *Syntrichia*. Phytologia 65:424–436
- ——. 1993. Genera of the Pottiaceae: mosses of harsh environments. Bulletin of the Buffalo Society of Natural Science 32:1–378. [Excellent illustrations.]
- . 1997. Three nomenclatural changes in Pottiaceae (Musci). The Bryologist 100:520–521. [Provides key for *Barbula convoluta* group in North America.]
- ——. 1998. A phylogrammatic evolutionary analysis of the moss genus *Didymodon* in North America north of Mexico. Bulletin of Buffalo Society of Natural Science 36:81–115.
- -----. 1999. A new species of *Didymodon* (Bryopsida) from western North America and regional key to the taxa. The Bryologist 102:112–115.

——. 2001. A new species of *Didymodon* (Musci) for California. Madroño 48:298–300. [*Didymodon eckeliae*.]

—— AND W. J. Hoe. 1979. Geographic disjunction and heterophylly in *Tortella fragilis* var. *tortelloides* (=*Sarconeuron tortelloides*). The Bryologist 82:84–87. [=*Tortella alpicola*.]

AND R. R. IRELAND. 1979. Propaguliferous *Ceratodon purpureus* in riparian environments. The Bry-

ologist 82:474-478.

—, L. R. STARK, AND G. MARRS-SMITH. 1995. *Didymodon nevadensis*, a new species for North America, with comments on phenology. The Bryologist 98: 590–595

—— AND R. OCHYRA. 2001. *Didymodon tectorum* and *D. brachyphyllus* (Musci, Pottiaceae) in North America. The Bryologist 104:372–377. [Provides illustrations of both species and key to *Didymodon* complex in the Mojave Desert.]

ŻARNOWIEC, J. 2001. A taxonomic monograph of the genus *Drepanocladus aduncus* group (Bryopsida: Amblystegiaceae). Ph.D. dissertation. Lodz Technical University, Bielsko-Biala, Poland.

ZOLOTOV, V. I. 2000. The genus *Bryum* (Bryaceae, Musci) in Middle European Russia. Arctoa 9:155–232. [Illustrations for *Bryum* species that occur in California.]

APPENDIX I

CATALOGUE OF CALIFORNIA MOSSES

Mosses preceded by an asterisk (*) denote those taxa that have not been previously reported in the bryological literature as occurring in California. The codes for the geographic subdivisions are provided in Figure 1. The number of specimens cited is not an indication of rarity or commonness except when fewer than five collections have been found.

Acaulon rufescens A. Jaeger [Pottiaceae]

Literature: Shevock and Toren 2001. As Acaulon muticum Howe 1896; Kellman 2003; Koch 1950a; Toren 1977; Yurky 1995. As Acaulon muticum var. rufescens Crum and Anderson 1981. As Sphaerangium muticum Brandegee 1891; Lesquereux 1868; Lesquereux and James 1884; Watson 1880. Illustrations: Crum and Anderson 1981; Smith 1978. As Acaulon muticum Ignatov and Ignatova 2003.

Geographic subdivisions: CaR, CW, GV, NW, SN. Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, Norris 87165; Humboldt Co.: Highway 36 about 2 miles east of Carlotta, Norris 48206; Lake Co.: Indian Valley Lake near dam, Norris 67538; Monterey Co.: cemetery on Lockwood Road east of Alamo Air Strip, Hunter-Liggett Military Reservation, Norris 87322; Santa Barbara Co.: El Capitan State Beach west of Santa Barbara, Norris 68146; Sierra Co.: near Alleghany about 4 miles from Highway 49, Tahoe National Forest, Norris 67413; Trinity Co.: Trinity River about 4 miles east of Del Loma, Shasta-Trinity National Forest, Norris 72793.

*Acaulon triquetrum (Spruce) C. Müller Hal. [Pottiaceae]

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Smith 1978; Zander 1993.

Geographic subdivisions: CW, DSon, SW.

Selected specimens: San Diego Co.: canyon above Bow Willow Canyon Campground, Anza Borrego State Park, *Norris 77711 & 77720* (confirmed by Zander); San Luis Obispo Co.: Tower Road near west edge of Camp Roberts Military Reservation, *Norris 100879*.

Aloina ambigua (Bruch & W. P. Schimper) Limpricht [Pottiaceae]

Literature: Steere 1954; Steere et al. 1954. As *Aloina aloides* Kellman 2003. As *Aloina aloides* var. *ambigua* Harthill et al. 1979; Koch 1950a; McCleary 1972. As *Tortula ericaefolia* Howe 1897; Millspaugh and Nuttall 1923.

Illustrations: Delgadillo 1975; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CaR, CW, DSon, NW, SN, SW.

Selected specimens: Contra Costa Co.: Pine Canyon near Castle Rocks, Mt. Diablo State Park, Norris 100785; Imperial Co.: about 2 miles east of Mountain Springs County Park, Norris & Piippo 82084; Kern Co.: Rancheria Road about 2 miles from Kern River, Shevock 12846; Lake Co.: Chalk Mountain, North Fork of Cache Creek, Toren 7300 (CAS); Santa Barbara Co: La Jolla Vieja Canyon, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriquez 20873 (determined by Delgadillo); Trinity Co.: Highway 299 about 3 miles west of Big Bar, Shasta-Trinity National Forest, Norris 67557; Tulare Co.: Elk Creek below Potwisha Campground, Sequoia National Park, Norris, Shevock, & Barahona 87575.

Aloina bifrons (De Notaris) Delgadillo [Pottiaceae]

Literature: As *Aloina pilifera* Flowers 1973; Harpel 1980a; Harthill et al. 1979; Lawton 1971; McCleary 1972. As *Aloina rigida* var. *pilifera* Koch 1949a; Steere 1954.

Illustrations: Delgadillo 1975; Flowers 1973; Lawton 1971; Zander 1993.

Geographic subdivisions: CW, DMoj, DSon, GV, SN, SW.

Selected specimens: Fresno Co.: Highway 198 about 4 miles east of Coalinga, *Norris* 68051; Kern Co.: Hart Park northeast of Bakersfield, *Shevock* 12841; Lassen Co.: Amedee Canyon of Honey Lake, *Norris* 80994; Los Angeles Co.: Highway 138 about 3 miles west of Palmdale, *Norris* 68092; Riverside Co.: South Fork San Jacinto River about 7 miles east of Hemet, *Norris* 58045 and Rouse Ridge Road, San Jacinto Mountains, *Harpel* 171 (pers. herb.); San Luis Obispo Co.: Highway 58 about 1 mile east of La Panza Ranch, Los Padres National Forest, *Norris* 76287.

Aloina rigida (Hedwig) Limpricht [Pottiaceae]

Literature: Harthill et al. 1979; Kellman 2003; Koch 1950a; Lawton 1971; Mishler 1978; Sayre 1940.

Illustrations: Crum and Anderson 1981; Delgadillo 1975; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CW, GV, SN, SW.

Selected specimens: Fresno Co.: Warthan Creek about 7 miles from Coalinga, *Norris* 55133; Madera Co.: County Road 29 near Eastman Lake, *Shevock* 14915; Monterey Co.: School Hill, Francis Simes Hastings Reservation, *Linsdale* 301 (UC); Riverside Co.: Santa Margarita Ecological Reserve, SDSU, *Kellman* 1279b (CAS); San Luis Obispo Co.: Highway 58 about 1 mile east of La Panza Ranch, *Norris* 76284; Santa Clara Co.: Alum Rock Park, San Jose, *Steere & Sharp s.n.* (UC); Santa Cruz Co.: near China Grade Road and Highway 236, Big Basin Redwoods State Park, *Kellman* 1307 (CAS).

Alsia californica (W. J. Hooker & Arnott) Sullivant [Leptodontaceae]

Literature: Bradshaw 1926; Brandegee 1891; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Manuel 1974; McCleary 1972; Millspaugh and Nuttall 1923; Sayre 1940; Shevock and Toren 2001; Steere 1954; Sullivant 1856; Thomson and Ketchledge 1958; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995. As Alsia californica var. flagellifera Renauld and Cardot 1889.

Illustrations: Brotherus 1924–1925; Lawton 1971; Manuel 1974; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SW. Selected specimens: Humboldt Co.: Dry Lagoon State Park, *Norris* 46053; Lake Co.: Hidden Valley at Hartman Creek north of Middletown, *Toren & Dearing* 5195 (CAS); Monterey Co.: Highway 1, about 10 miles south of Lucia, Los Padres National Forest, *R. & I. Duell* 1836 (UC); San Luis Obispo Co.: Highway 1 north of Moro Bay about 0.5 mile east of Cambria, *Norris* 68209; Santa Cruz Co.: Zayante Canyon Road, 4 miles south of Summit Road north of Felton, *Norris* 86871. Sonoma Co.: Austin Creek near intersection with Russian River, *Norris* 53138; Yuba Co.: north of County Road 130, 3 miles north of Challenge, *Dillingham* 989 (CAS).

Amblystegium juratzkanum W. P. Schimper [Amblystegiaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Kellman 2003; Koch 1950a; Lawton 1971; Long 1978; McGrew 1976; Mishler 1978; Showers 1982; Spjut 1971; Steere et al. 1954.

Illustrations: Flowers 1973; Lawton 1971. **Geographic subdivisions:** CaR, CW, MP, NW, SN, SW.

Selected specimens: Modoc Co.: north of Middle Alkali Lake northeast of Cedarville, *Norris 47480*; Mono Co.: near Mildred Lake, head of Convict Creek Trail, Inyo National Forest, *Whittemore 1510* (CAS); Riverside Co.: Strawberry Cienaga, San Jacinto Mountains, San Jacinto State Park, *Harpel 819* (pers. herb.); Santa Clara Co.: Big Basin Way (Highway 9) about 2 miles southwest of Saratoga, *R. & I. Duell 2170* (UC); Siskiyou Co.: Haypress Meadows, Marble Mountain Wilderness, Klamath National Forest, *Norris 12409*; Trinity Co.: trail to Packers Peak from Big Flat, Shasta-Trinity National Forest, *Norris 8949*.

Amblystegium serpens (Hedwig) Bruch & W. P. Schimper [Amblystegiaceae]

Literature: Harpel 1980a; Harthill et al. 1979; Kellman 2003; Kingman 1912; Koch 1950a, 1951e, 1958; Lawton 1971; Long 1978; Shevock and Toren 2001; Showers 1982; Spjut 1971; Strid 1974; Toren 1977. As *Hypnum serpens* Lesquereux 1868; Sullivant 1856; Watson 1880.

Illustrations: Buck 1998; Flowers 1973; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Los Angeles Co.: Devils Punchbowl Canyon, San Gabriel Mountains, Angeles National Forest, *Harpel 582* (pers. herb.); Monterey Co.: Arroyo Seco, *Norris 48517*; San Francisco Co.: Golden Gate Park, *Koch 1635* (UC) and *Norris & Shevock 97033*; Tulare Co.: Cedar Creek, South Fork Kaweah River, Sequoia National Park, *Showers 3273* (SFSU) and Kern Plateau off of Sirretta Pass Trail above Big Meadows, Sequoia National Forest, *Shevock & Ng 17553*.

Amblystegium varium (Hedwig) Lindberg [Amblystegiaceae]

Literature: Flowers 1973; Harthill et al. 1979; Kingman 1912; Koch 1950a; Mishler 1978; Toren 1977. As *Orthotheciella varia* Kellman 2003; Ochyra 1998a.

Illustrations: Flowers 1973; Hedenäs 2003; Ireland 1982; Sharp et al. 1994.

Geographic subdivisions: CW, DMoj, SN, SW. Selected specimens: Kern Co.: Kern Plateau, Caldwell Creek near Kernville, Sequoia National Forest, Laeger 310 (CAS) and BLM Short Canyon ACEC west of Highway 14, Laeger & Davis 1290 (CAS) [determined by Hedenäs]; Mariposa Co.: in stream below Highway 49 about 3.3 miles southeast of Mariposa, Shevock 15238; San Bernardino Co.: East Fork Mountain Home Creek, San Bernardino Mountains, San Bernardino National Forest, Wheeler 8231 (CAS, UC); Santa Cruz Co.: along San Lorenzo River, Ben Lomond, Kellman 1477 (CAS); Tulare Co.: South Creek at South Creek Falls, Sequoia National Forest, Norris 87081.

Amphidium californicum (Hampe ex C. Müller Hal.) Brotherus [Rhabdoweisiaceae]

Literature: Bourell 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Koch 1950a, 1951e; Lawton 1971; Long 1978; Spjut 1971; Strid 1974; Toren 1977; Yurky 1995. As Anoectangium californicum Howe 1897. As Amphoridium californicum Lesquereux and James 1884; Moxley 1928. As Zygodon californicus Lesquereux 1868; Watson 1880.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, MP, NW, SN. Selected specimens: Del Norte Co.: Smith River, Jedediah Smith Redwoods State Park, *Norris 67327*; Modoc Co.: near Mayfield Ice Caves (Siskiyou Co.), *Norris & Hermann 22157*; Siskiyou Co.: Upper Cliff Lakes, Klamath National Forest, *Norris 53007*; Sonoma Co.: The Cedars north of Cazadero, *Ertter & Raiche 12859* (UC); Tulare Co.: Potwisha Campground, Marble Fork Kaweah River, Sequoia National Park, *Shevock 12976*.

Amphidium lapponicum (Hedwig) W. P. Schimper [Rhabdoweisiaceae]

Literature: Flowers 1973; Holmberg 1969; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982. As *Zygodon lapponicus* Lesquereux 1868; Spjut 1971; Watson 1880.

Illustrations: Abramov and Volkova 1998; Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE.

Selected specimens: Del Norte Co.: Little Sanger Peak, Siskiyou National Forest, Norris 70874; Lake Co.: west of Forest Road M-3 at Low Gap near Sheetiron Mountain, Mendocino National Forest, Shevock, Bourell, & Toren 15867; Mono Co.: Barney Lake, Toiyabe National Forest, Norris 67090; Siskiyou Co.: trail to Long Gulch Lake southwest of Callahan, Klamath National Forest, Norris 57522; Tehama Co.: Gurnsey Creek east of Mineral, Plumas National Forest, Norris 48113; Tulare Co.: General's Highway west of Clover Creek, Sequoia National Park, Shevock & Tseng 15755.

*Amphidium mougeotii (Bruch & W. P. Schimper) Schimper [Rhabdoweisiaceae]

Illustrations: Abramov and Volkova 1998; Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: near Doctor Rock, Siskiyou Wilderness, Six Rivers National Forest, *Norris 50287*; Fresno Co.: Mist Falls Trail along South Fork Kings River, Kings Canyon National Park, *Shevock & York 14492*; Plumas Co.: about 2 miles below Cresta Power Station, *Norris 52628*; Siskiyou Co.: Duck Lake Trail near Parrot's

Mill Road, Klamath National Forest, *Norvis* 22866; Tuolumne Co.: Stanislaus River at Board Mill near Sourgrass Campground, Stanislaus National Forest, *Norris* 77159.

Anacolia baueri Hampe [Bartramiaceae]

Literature: Moxley 1928. As *Anacolia menziesii* var. *baueri* Koch 1950a; Lawton 1971; McCleary 1972; Toren 1977.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, DMoj, NW, SN, SW.

Selected specimens: El Dorado Co.: Rock Creek Road about 4.5 miles east of Highway 193, Eldorado National Forest, Norris & Piippo 82290; Glenn Co.: along Ivory Mill Road west of town of Elk Creek, Mendocino National Forest, Shevock 15796; Los Angeles Co.: Highway 138 about 3 miles west of Palmdale, Norris 68093; Mariposa Co.: Merced River near South Fork, Sierra National Forest, Norris 69812; Santa Barbara Co.: Torrey Pine Forest, Santa Rosa Island, Channel Islands National Park, Shevock & Norris 20789; Siskiyou Co.: Klamath River, 1 mile west of Ash Creek Bridge, Highway 96, Klamath National Forest, *Norris* 77961; Tulare Co.: Elk Creek near Potwisha Campground, Sequoia National Park, Shevock, Norris, & Barahona 13192.

Anacolia laevisphaera (Taylor) Flowers in Grout [Bartramiaceae]

Literature: Harthill et al. 1979.

Illustrations: Allen 2002; Sharp et al. 1994.

Geographic subdivisions: CaR, SN, SW. **Selected specimens:** Butte Co.: Grubb Road about

3 miles east of Palermo, *Norris* 73582; Fresno Co.: Tollhouse Rock along Tollhouse Road, Sierra National Forest, *Shevock & York* 12715; San Diego Co.: near Campo, *Haring* 423 (UC); Tulare Co.: Marble Falls trail above Potwisha Campground, Sequoia National Park, *Shevock* 12973.

Anacolia menziesii (Turner) Paris [Bartramiaceae]

Literature: Bourell 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Long 1978; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Showers 1982; Sigal 1975; Spjut 1971; Steere 1954; Steere et al. 1954; Strid 1974; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As Anacolia aristifolia Cooke 1941. As Bartramia menziesii Bradshaw 1926; Lesquereux 1868; Watson 1880.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, DMoj, DSon, NW, SN, SW.

Selected specimens: Fresno Co.: Highway 180 at Horseshoe Bend above the Kings River, Sequoia National Forest, *Shevock & York 12324a*; Los An-

geles Co.: slopes of Orizaba Mountain, Santa Catalina Island, *Shevock & Thorne 4033*; Riverside Co.: between Key Ranch and Barker Dam, Joshua Tree National Park, *Norris 50538*; San Francisco Co.: Castro and 30th Streets, San Francisco, *Toren 8020* (CAS); Siskiyou Co.: Salmon River at Nordheimer Creek, Klamath National Forest, *Norris & Hermann 22768*; Tuolumne Co.: slopes of Pilot Ridge, South Fork Tuolumne River, Stanislaus National Forest, *Shevock & Haas 13427*.

*Andreaea alpestris (Thedenius) W. P. Schimper [Andreaeaceae]

Illustrations: Murray 1988.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: Whiskey Lake, Six Rivers National Forest, *Norris* 83366; Inyo Co.: Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris* 46974 & 46975; Siskiyou Co.: trail to Long Gulch Lake southwest of Callahan, Klamath National Forest, *Norris* 57543 (confirmed by Murray) and McCloud River about 5 miles east of McCloud, Shasta-Trinity National Forest, *Norris* & *Hillyard* 103919.

Andreaea blyttii W. P. Schimper [Andreaeaceae]

Literature: Jessup 2000; Koch 1950a; Lawton 1971.

Illustrations: Lawton 1971; Murray 1988. **Geographic subdivisions:** CaR, NW.

Selected specimens: Siskiyou Co.: about 1 mile west of Elk Lick, Klamath National Forest, *Norris* 23231 and McCloud River about 5 miles east of McCloud, Shasta-Trinity National Forest, *Norris & Hillyard* 103916; Tehama Co.: Mill Creek about 0.5 mile beyond Mill Creek Campground, *Norris* 55915.

*Andreaea heinemannii Hampe & C. Müller Hal. [Andreaeaceae]

Illustrations: Murray 1987b.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Calaveras Co.: North Fork Mokelumne River west of Moore Creek, Stanislaus National Forest, Shevock 21742 (determined by Murray); Lake Co.: Boggs Mountain State Forest, Showers 1810 (SFSU) and Cobb Mountain, Toren & Dearing 7114 (CAS) [determined by Murray]; Madera Co.: above Whiskey Creek Falls, Sierra National Forest, Shevock, Norris, & Beyer 20237; Marin Co.: East Peak, Mt. Tamalpais State Park, Robertson 1728 (UC); Mariposa Co.: Highway 41 below Wawona Tunnel, Yosemite National Park, Shevock & Norris 20178; Shasta Co.: Castle Lake at Castle Lake Creek southwest of Mt. Shasta City, Shasta-Trinity National Forest, Norris & Hillyard 103852; Siskiyou Co.: McCloud River, 5 miles east of McCloud, Shasta-Trinity National Forest, Norris & Hillyard 103898; Tehama Co.: Highway 36 at milespost 96, Norris 55953; Tulare Co.: Lloyd

Meadows Basin, Sequoia National Forest, *Shevock* 14259 (confirmed by Murray).

Andreaea nivalis W. J. Hooker [Andreaeaceae]

Literature: Showers 1982.

Illustrations: Ignatov and Ignatova 2003; Lawton 1971; Murray 1988; Smith 1978.

Geographic subdivisions: CaR.

Selected specimens: Shasta Co.: Redding Peak near Cliff Lake, Lassen Volcanic National Park, *Showers 3580* (UC) [confirmed by Murray].

Andreaea rothii Weber & D. Mohr [Andreaeaceae]

Literature: Lawton 1971.

Illustrations: Abramov and Volkova 1998; Ireland 1982; Lawton 1971; Murray 1988; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Lake Co.: east slope of Cobb Mountain, *Toren & Dearing 7115 & 7116* (CAS) [determined by Murray]; Siskiyou Co.: one mile east of Copper Butte, Klamath National Forest, *Norris 50250* (determined by Murray).

Andreaea rupestris Hedwig [Andreaeaceae]

Literature: Jessup 2000; Koch 1950a; Showers 1982; Toren 1977.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Murray 1988; Sharp et al. 1994.

Geographic subdivisions: CaR, MP, NW, SN, SNE.

Selected specimens: Amador Co.: above Kirkwood Lake east of Kirkwood, Eldorado National Forest, Norris 82728; Fresno Co.: slopes above Lower Twin Lake, Kaiser Wilderness, Sierra National Forest, Shevock, Ertter, & Laeger 22857 (confirmed by Murray); Humboldt Co.: headwaters of Oregon Creek north of Trinity Summit Guard Station, Six Rivers National Forest, Norris & Creek 50092; Inyo Co.: above Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, Norris 46979; Modoc Co.: Alcohol Crater Rim, Modoc National Forest, Harpel 16324 (pers. herb.); Shasta Co.: Hot Springs Creek above Devil's Kitchen, Lassen Volcanic National Park, Showers 2398 (UC); Siskiyou Co.: Long Gulch Lake southwest of Callahan, Klamath National Forest, Norris 57500 & 57534 (confirmed by Murray).

Andreaea schofieldiana B. M. Murray [Andreaeaceae]

Literature: Christy and Wagner 1996.

Illustrations: Murray 1987a.

Geographic subdivisions: CaR, NW.

Selected specimens: Del Norte Co.: Whiskey Lake, Six Rivers National Forest, *Norris* 57721 & 83378; Siskiyou Co.: about 1 mile west of Elk Lick, Klamath National Forest, *Norris* 23220 (confirmed by Murray).

Anomobryum julaceum (Schrader ex P. G. Gärtner, B. Meyer & Scherbius) W. P. Schimper [Bryaceae]

Literature: Kellman 2003. As *Anomobryum filiforme* Koch 1950a. As *Pohlia filiformis* Lawton 1971.

Illustrations: Allen 2002; Crum and Anderson 1981; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Contra Costa Co.: Mt. Diablo State Park, Norris 100541; Humboldt Co.: road to Petrolia, 0.5 mile above Ferndale, Peterson 206 (UC) and Highway 96 near Skunk Creek about 3 miles south of Weitchpec, Norris 58309; Mariposa Co.: Yosemite Falls, Yosemite National Park, Koch 1685 (Koch 1950a); Santa Cruz Co.: Quail Hollow Ranch County Park, Kellman 193 (UC) & 948 (CAS) [confirmed by Spence]; Big Basin Redwoods State Park, Schofield 29129 (UC) [determined by Shaw], Empire Grade about 0.5 mile uphill from Smith Grade, Kellman 1455 (CAS) and near China Grade Road and Highway 236, Big Basin Redwoods State Park, Kellman 1314 (CAS); Shasta Co.: Clear Creek below Clear Creek Bridge, Shevock, Toren, & Dearing 23874 and near Whiskeytown Environmental Camp, Whiskeytown National Recreation Area, Shevock & Toren 23888; Sonoma Co.: Calistoga Road near intersection with St. Helena Road about 3 miles north of Highway 12 near Santa Rosa, Robertson 531 (CAS).

Antitrichia californica Sullivant in Lesquereux [Leucodontaceae]

Literature: Bourell 1981; Bradshaw 1926; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McCleary 1972; Millspaugh and Nuttall 1923; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Showers 1982; Spjut 1971; Steere 1954; Thomson and Ketchledge 1958; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995. As Antitrichia californica var. ambigua Renauld and Cardot 1890. Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, MP, NW, SN, SW.

Selected specimens: Lake Co.: Clear Lake State Park, *Norris* 47721; Modoc Co.: Boles Creek southeast of Clear Lake, *Norris* 79170; Monterey Co.: Nacimiento-Ferguson Road at boundary of Hunter-Liggett Military Reservation, *Norris* 87344; Orange Co.: Silverado Canyon, Cleveland National Forest, *Shevock* 3995; Shasta Co.: Fall Creek Road at Dekkas Rock above Lake Shasta, Shasta-Trinity National Forest, *Norris* 84814; Tulare Co.: Wishon Fork Tule River above Wishon Campground, Sequoia National Forest, *Shevock & Morosco* 16802.

Antitrichia gigantea (Renauld & Cardot)

Kindberg [Leucodontaceae]

Literature: As *Antitrichia curtipendula* Christy and Wagner 1996; Harthill et al. 1979; Holmberg

1969; Jamieson 1969; Koch 1950a; Lawton 1971; Lesquereux 1868; Long 1978; Sullivant 1856; Thomson and Ketchledge 1958. As *Antitrichia curtipendula* var. *gigantea* Lesquereux 1868; Watson 1880.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Lawton 1971; Schofield 1969b.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Del Norte Co.: French Hill Road about 3.5 miles above Highway 199 southwest of Gasquet, Six Rivers National Forest, *Norris* 85058; Humboldt Co.: East Fork about 5 air miles north of Mad River, Six Rivers National Forest, *Norris* 83891; Mendocino Co.: Mill Creek County Park Recreational Area about 8 miles east of Ukiah, *Norris* 72636; and Hopland, *Layne s.n.* (UC); San Mateo Co.: Butano Fire Trail, Butano State Park, *Becking* 910614 (UC); Siskiyou Co.: Doe Creek, *Norris* 23077 and McCloud River Preserve, The Nature Conservancy, *Norris* & *Hillyard* 106581; Trinity Co.: Canyon Creek between Ripstein Camp and McKay Camp, *Norris* 8001.

Archidium alternifolium (Dickson ex Hedwig) Mitten [Archidiaceae]

Literature: Kellman 2003. The historic California collections cited in the bryological literature as *Archidium alternifolium* we have determined to represent *Pleuridium subulatum*. This species, however, was recently confirmed for the state.

Illustrations: Grout 1928–1940; Ignatov and Ignatova 2003; Snider 1975.

Geographic subdivisions: CW.

Selected specimens: Santa Cruz Co.: Headwaters of Pleasley Gulch near Wilder Ridge Loop Trail, Wilder Ranch State Park, *Kellman 2249* (CAS) [confirmed by Spence].

Arctoa fulvella (Dickson) Bruch & W. P.

Schimper [Dicranaceae]

Literature: McGrew 1976.

Illustrations: Crum and Anderson 1981; Smith 1978

Geographic subdivisions: CaR, NW.

Selected specimens: Siskiyou Co.: Russian Lake, Klamath National Forest, *McGrew 378* (UC), Little Grayback, near Indian Creek, *Holmberg 921* (UC), Granite Creek between Tickner Creek and Blue Granite Lake, Klamath National Forest, *Norris 52325*, Sawtooth Ridge at crest of Caribou Rim along trail from Big Flat to Caribou Basin, Klamath National Forest, *Norris 9211*; Trinity Co.: crest of ridge above East Weaver Lake, *Norris 9374*.

Atractylocarpus flagellaceus (C. Müller Hal.) Williams [Dicranaceae]

Literature: Shevock 2000. [See also Frahm & Isoviita 1988.]

Illustrations: Sharp et al. 1994. **Geographic subdivisions:** CaR, NW.

Selected specimens: Butte Co.: Upper Bidwell

Park between Big Chico Creek and Sycamore Creek, *Janeway* 6986 (UC); Trinity Co.: Highway 299 about 0.25 mile from road junction to Helena, Shasta-Trinity National Forest, *Shevock, Lin, & Chen 17741* (determined by J-P Frahm) and *Norris* 99803; Highway 299 near Whites Bar Creek west of Big Bar, *Norris* 68431.

Atrichum selwynii Austin [Polytrichaceae]

Literature: Bourell 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Lawton 1971; Smith 1970; Spjut 1971; Stark and Whittemore 1992; Toren 1977; Yurky 1990.

Illustrations: Flowers 1973; Frye 1949; Lawton 1971; Nyholm 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Contra Costa Co.: Mt. Diablo State Park, *Norris 100482*; Humboldt Co.: Tolkan Recreation Area east of Shelter Cove, *Norris 23469*; Mariposa Co.: near Crane Flat Meadow, Yosemite National Park, *Kellman 548* (CAS); Placer Co.: Drum Forebay Road about 1 mile north of Highway 80, Tahoe National Forest, *Norris 81987*; Santa Clara Co.: Highway 9 about 2 miles from Saratoga, *R. & I. Duell 2178* (UC); Trinity Co.: Highway 36 about 4 miles west of Forest Glen, *Norris 23849*.

Atrichum undulatum (Hedwig) Palisot de Beauvois [Polytrichaceae]

Literature: Brandegee 1891; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lesquereux 1868; Steere et al. 1954; Yurky 1990, 1995. As *Catharinea callibryon* Watson 1880. As *Catharinea undulata* Bradshaw 1926.

Illustrations: Abramov and Volkova 1998; Ignatov and Ignatova 2003; Ignatov and Smith Merrill 1995; Ireland 1982; Nyholm 1971; Smith 1978.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Calaveras Co.: Moran Creek l mile north of Avery, *Wagner 4360* (UC); Sonoma Co.: Guerneville, *Cook 244* (UC); Santa Cruz Co.: Quail Hollow Ranch, *Kellman 300* (CAS) and Last Chance Road near Last Chance Creek, *Kellman 896* (CAS).

Aulacomnium androgynum (Hedwig) Schwägrichen [Aulacomniaceae]

Literature: Bradshaw 1926; Bourell 1981; Cooke 1941; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Kingman 1912; Koch 1949a, 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McGrew 1976; Shevock and Toren 2001; Showers 1982; Sigal 1975; Smith 1970; Spjut 1971; Steere et al. 1954; Sullivant 1856; Thomson and Ketchledge 1958; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Kern Co.: Greenhorn Mountains near Greenhorn Summit, Sequoia National Forest, *Shevock 15096*; Lake Co.: Upper Nye Campground, Snow Mountain, Mendocino National Forest, *Shevock, Bourell, & Toren 15851*; Modoc Co.: Joseph Creek, Warner Mountains, Modoc National Forest, *Sanger s.n.* (UC); Riverside Co.: Indian Creek, James Reserve, San Jacinto Mountains, *Harpel 1399* (pers. herb.); Santa Clara Co.: Abobe Creek above Hidden Villa Ranch, *Herre & Wiggins 27* (UC); San Diego Co.: confluence of Doane and French Creek, Palomar Mountains, *Stark 546* (MO); Siskiyou Co.: Elk Creek at Malone Creek south of Happy Camp, Klamath National Forest, *Norris 52231*.

Aulacomnium palustre (Hedwig) Schwägrichen [Aulacomniaceae]

Literature: Flowers 1973; Harthill et al. 1979; Kellman 2003; Koch 1949a, 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; McCleary 1972; McGrew 1976; Showers 1982; Spjut 1971; Watson 1880.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE.

Selected specimens: Butte Co.: Jonesville, Copeland 1551 (UC); Humboldt Co.: Bald Mountain between High Prairie and Snow Camp, Tracy 4600 (UC); Lake Co.: north cirque of Hull Mountain, Mendocino National Forest, Toren & Dearing 7228 (CAS); Mono Co.: Mormon Meadow, Cinnabar Canyon off of Highway 270, 3 miles east of Highway 395 on road to Bodie, Shevock 15341; Siskiyou Co.: near Monument Lake, Marble Mountain Wilderness, Klamath National Forest, Norris & Spjut 12434; Tulare Co.: Mosquito Lakes, Mineral King, Sequoia National Park, Shevock & O'Brien 15965.

Barbula convoluta Hedwig [Pottiaceae]

Literature: Brandegee 1891; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Mishler 1978; Shevock and Toren 2001; Showers 1982; Spjut 1971; Steere 1954; Steere et al. 1954; Sullivant 1856; Toren 1977; Watson 1880; Zander 1997.

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Saito 1975; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, DSon, GV, NW, SN, SW.

Selected specimens: Fresno Co.: Auberry, *Ikenberry 1020* (MO) [determined by Koch; Zander]; Humboldt Co.: False Klamath Cove, Redwood Na-

tional Park, Norris 48302; Inyo Co.: mouth of Cottonwood Canyon, Death Valley National Park, Kellman, Shevock, York, & Knaus 1415a (CAS) [determined by Stark]; Monterey Co.: Hastings Reservation, Linsdale 41-45 (UC) and Pacific Grove, Heller 6485 (MO); Riverside Co.: Devils Slide Trail, San Jacinto Mountains, San Bernardino National Forest, Harpel 949 (pers. herb.); San Francisco Co.: De Laveaga Dell, Aids Memorial Grove, Golden Gate Park, Shevock 19517 and Twin Peaks, Eastwood 57 (MO) [determined by Zander]; Shasta Co.: Millville Plains Road about 6 miles east of Anderson, Norris 23695; Sutter Co.: Philip Road near junction with Fiddyment Road northwest of Roseville, Norris 103783; Tulare Co.: Pixley Vernal Pools Preserve, San Joaquin Valley, McClintock s.n. (CAS, UC).

*Barbula ehrenbergii (Lorentz) Fleischer [Pottiaceae]

Illustrations: Flowers 1973. **Geographic subdivisions:** SNE.

Selected specimens: Mono Co.: Convict Lake Trail near trail junction to Lake Genevieve, John Muir Wilderness, Inyo National Forest, *Shevock & York* 20011.

*Barbula eustegia Cardot & Thériot [Pottiaceae]

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: CW, GV.

Selected specimens: Contra Costa Co.: Mitchell Canyon, Mt. Diablo State Park, *Norris* 100603; Shasta Co.: Highway turnoff for Shasta College north of Redding, *Norris* 56653 & 57784.

Barbula unguiculata Hedwig [Pottiaceae]

Literature: Harpel 1980a; Harthill et al. 1979; Kellman 2003; Koch 1950a; Shevock and Toren 2001.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Saito 1975; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, NW, SW.

Selected specimens: Butte Co.: Grubb Road about 3 miles east of Palermo, Norris 73596; Los Angeles Co.: Ferndale, MacFadden 22740 (MO) [determined by Zander]; Lake Co.: Library Park, Lakeport, Toren 7663 (CAS); Mendocino Co.: Pygmy Forest about 5 miles east of Albion, Norris 11784; Orange Co.: Walker Lee Drive, Rossmoor, Norris 57806; Riverside Co.: Carrizo Creek, Santa Rosa Mountains, Harpel 1392 (pers. herb.); San Francisco Co.: Presidio of San Francisco, Shevock 19360; Ventura Co.: Upper North Fork Matilija Creek, Matilija Wilderness, Los Padres National Forest, Shevock 12556.

Bartramia ithyphylla Bridel [Bartramiaceae]

Literature: Crum and Anderson 1981; Flowers 1973; Koch 1950a, 1958; Lawton 1971; Lesquer-

eux 1868; McGrew 1976; Showers 1982; Spjut 1971; Watson 1880.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Alpine Co.: Winnemucca Lake, Eldorado National Forest, *Norris 71271*; Fresno Co.: Taboose Pass Trail, headwaters of South Fork Kings River, Kings Canyon National Park, *Shevock 13852*; Mono Co.: Tioga Junction Campground, about 2.5 miles north of Tioga Pass on Highway 120, Inyo National Forest, *Norris 48346*; Siskiyou Co.: South Fork Lakes west of Callahan, Klamath National Forest, *Norris 76910*; Tuolumne Co.: Lower Young Lake, Yosemite National Park, *Messick 677* (UC).

Bartramia pomiformis Hedwig [Bartramiaceae]

Literature: Holmberg 1969; Spjut 1971.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW.

Selected specimens: Del Norte Co.: shore of Sanger Lake, Siskiyou National Forest, *Norris 70835*, Smith River at Middle Fork Jones River, *Norris 46235* and Smith River about 16 miles east of Gasquet on Highway 199, *Norris 8894*; Humboldt Co.: Goose Creek, *Norris 56492*; Siskiyou Co.: near Sugar & Salmon Creeks, Marble Mountains, Klamath National Forest, *Halling 1350* (CAS, SFSU), northeast of Cook and Green Pass, Rogue River National Forest, *Shevock & Toren 20014*; Trinity Co.: Onion Lake Road about 7 miles south of Onion Lake, *Norris 72521*.

Bartramia stricta Bridel [Bartramiaceae]

Literature: Brandegee 1891; Harthill et al. 1979; Howe 1897; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McCleary 1972; Sayre 1940; Shevock and Toren 2001; Showers 1982; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995.

Illustrations: Lawton 1971. See also Hermann 1980.

Geographic subdivisions: CaR, CW, GV, NW, SN, SW.

Selected specimens: Humboldt Co.: Trinity River about 2 miles east of Salyer, Shasta-Trinity National Forest, *Norris* 67267; Lake Co.: north end of Bachelor Valley near Hell's Peak, *Toren & Dearing* 6862 (CAS) [confirmed by Griffin III]; Nevada Co.: Slack's Ravine, Highway 20 about 7 miles west of Rough and Ready, *Norris* 67461; Riverside Co.: Santa Margarita River between Temecula and Fallbrook, SDSU Santa Margarita Ecological Reserve, *Shevock & Jessup* 20534; San Francisco Co.: Glen Canyon, *Shevock* 19185; San Luis Obispo Co.: Santa Rosa Creek about 0.5 mile east of Cambria, *Norris* 68215; Shasta Co.: Sacramento River Trail

northeast of Redding, *Norris 105288*; Tehama Co.: Highway 36 about 2 miles southwest of Dales, *Norris 55994*.

Bestia longipes (Sullivant & Lesquereux) Brotherus [Brachytheciaceae]

Literature: Harthill et al. 1979; Kellman 2003; Koch 1950a; Mishler 1978; Steere 1954; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As *Alsia longipes* Bradshaw 1926; Kingman 1912; Lequereux 1868. Misapplied as *Bestia "brevipes*" McCleary 1972.

Illustrations: Grout 1928–1940; Sullivant 1864. Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Alameda Co.: Strawberry Creek east of Hilgard Hall, U. C. Berkeley, Norris 82503; Humboldt Co.: South Fork Trinity River, Tracy 7371 (UC); Lake Co.: base of Mt. Konocti, Clear Lake State Park, Toren 6844 (CAS); Placer Co.: Clover Creek at Sierra College Road, Norris 81932; Santa Barbara Co.: off Highway 154 along old Stagecoach Road at Cold Springs Tavern, Los Padres National Forest, Laeger 526 (CAS) and Water Canyon, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriguez 20817; Santa Cruz Co.: Zayante Canyon Road about 4 miles south of Summit Road north of Felton, Norris 86869; Shasta Co.: Indian Springs, Castle Crags State Park, Norris 103037; Siskiyou Co.: Highway 96 about 2 miles east of Fort Goff, Klamath National Forest, Norris 72272.

Blindia acuta (Hedwig) Bruch & W. P. Schimper [Seligeriaceae]

Literature: Crum and Anderson 1981; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982; Thomson and Ketchledge 1958.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Alpine Co.: Winnemuca Lake, Mokelumne Wilderness, Eldorado National Forest, Norris 71263; Humboldt Co.: South Fork of Tish-Tang-a-Tang Creek east of Hoopa, Norris & Whittemore 52413; Inyo Co.: Treasure Lake, John Muir Wilderness, Inyo National Forest, Norris 71529; Siskiyou Co.: South Sugar Lake, Klamath National Forest, Norris & McGrew 45644; Tulare Co.: Forest Road 14S11 near bridge crossing of Big Meadows Creek, Sequoia National Forest, Shevock & York 13677; Tuolumne Co.: near Olmstead Point, Yosemite National Park, Kellman 504 (CAS).

Brachythecium albicans (Hedwig) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Bradshaw 1926; Flowers 1973; Harthill et al. 1979; Holmberg 1969; Howe 1896; Ireland 1982; Kellman 2003; Koch 1950a, 1951e,

1958; Koch and Ikenberry 1954; Lawton 1971; McCleary 1972; McGrew 1976; Showers 1982; Spjut 1971; Strid 1974; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999; Yurky 1995.

Illustrations: Abramov and Volkova 1998; Flowers 1973; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Fresno Co.: Grizzly Falls along Highway 180, South Fork Kings River, Sequoia National Forest, *Shevock 12438*; Lake Co.: Upper Nye Camp Site just north of Snow Mountain Wilderness boundary, Mendocino National Forest, *Shevock, Bourell, & Toren 15841*; San Mateo Co.: Big Canyon Park at Brittan Avenue just east of Crestview, San Carlos, *Whittemore 4295* (UC); Trinity Co.: Hall City Caves east of Wildwood, Shasta-Trinity National Forest, *Norris 71687*.

Brachythecium asperrimum (C. Müller Hal.) Sullivant [Brachytheciaceae]

Literature: Flowers 1973; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Shevock and Toren 2001; Spjut 1971; Toren 1977. As *Brachythecium washingtonianum* Crum 1957; Koch 1950a, 1958; Koch and Ikenberry 1954. As *Hypnum asperrimum* Watson 1880. As *Hypnum vallium* Lesquereux 1868.

Illustrations: Flowers 1973; Lawton 1971; Robinson 1962.

Geographic subdivisions: NW, SN.

Selected specimens: Fresno Co.: Cedar Grove at Cedar Creek, Kings Canyon National Park, *Shevock 13764*; Humboldt Co.: Highway 299 east of Arcata, *Norris 55082*; San Francisco Co.: Chain of Lakes, Golden Gate Park, San Francisco, *Shevock 19163*; Santa Cruz Co.: Big Basin State Park, *Schofield 6357* (CAN) [determined by Crum]; Tulare Co.: north base of Slate Mountain, Sequoia National Forest, *Shevock 15661*.

Brachythecium bolanderi (Lesquereux) A. Jaeger [Brachytheciaceae]

Literature: Harthill et al. 1979; Howe 1896; Kellman 2003; Kingman 1912; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McGrew 1976; Showers 1982; Toren 1977. As *Hypnum bolanderi* Lawton 1965b; Lesquereux 1868; Watson 1880. Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, MP, NW, SN. Selected specimens: San Luis Obispo Co.: Queen Bee Campground about 1 mile from La Panza Summit, *Norris 55184*; Santa Cruz Co.: Fall Creek, Henry Cowell Redwoods State Park, *Kellman 661* (CAS); Shasta Co.: Pit River at Potem Falls northwest of Round Mountain, *Norris 76324*; Siskiyou Co.: shores of Castle Lake southwest of Shasta City, Shasta-Trinity National Forest, *Norris 99777*, Trail Gulch Lake west of Callahan, Klamath National Forest, *Norris 102544* and 1 mile west of Elk

Lick, Klamath National Forest, *Norris 23206*; Sonoma Co.: Duran County Park near Bodega Marine Laboratory, *Norris 103496*; Tulare Co.: slopes above Oriole Lake, Sequoia National Park, *Shevock 17634*.

*Brachythecium calcareum Kindberg [Brachytheciaceae]

Illustrations: Crum and Anderson 1981.

Geographic subdivisions: NW.

Selected specimens: Siskiyou Co.: Forest Road 40S01 along Jaynes Creek to headwaters, Klamath National Forest, *Norris* 48655 and Bear Creek between junction with Elk and Snowshoe Creek, *Norris* 24166.

Brachythecium collinum (Schleicher ex C. Müller Hal.) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Flowers 1973; Harthill et al. 1979; Holmberg 1969; Howe 1896; Koch 1950a, 1951e, 1958; Lawton 1971; Long 1978; McGrew 1976; Showers 1982; Spjut 1971; Strid 1974. As Hypnum collinum & H. hillebrandi Lesquereux 1868; Watson 1880.

Illustrations: Flowers 1973; Ignatov 1998; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: DMoj, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: north face of Spanish Mountain, John Muir Wilderness, Sierra National Forest, *Shevock & York 12421*; Inyo Co.: slopes of Rogers Peak, Death Valley National Park, *Shevock, York, & Davis 21367*; Lake Co.: Summit Springs Trail, Snow Mountain Wilderness, Mendocino National Forest, *Toren & Dearing 7464* (CAS); San Bernardino Co.: Dollar Lake Trail, San Gorgonio Wilderness, San Bernardino National Forest, *Harpel 2188* (pers. herb.); Tuolumne Co.: White Wolf, Yosemite National Park, *Kellman 499* (CAS).

Brachythecium erythrorrhizon Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Jamieson 1969; Koch 1950a, 1951e; McGrew 1976; Spjut 1971.

Illustrations: Ignatov 1998; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Alpine Co.: Highway 88 at Hope Valley, Toiyabe National Forest, *Norris 48499*; Fresno Co.: Smith Meadows, Sierra National Forest, *Shevock et al. 17458*; Mariposa Co.: Summit Road two miles north of Fish Camp, Sierra National Forest, *Norris 85360*; Santa Barbara Co.: Bates Canyon, Cole Springs Campground, *Norris 55352*; Siskiyou Co.: upper Abbott's Cabin at Big Meadow, Marble Mountain Wilderness, Klamath National Forest, *Spjut 1521 & 1523* (UC) and Big Boulder Lake west of Carrville, Klamath National Forest, *Norris & Streiman 74844*; Tehama Co.:

Tomhead Gulch, Shasta-Trinity National Forest, *Norris* 56906.

Brachythecium fendleri (Sullivant) A. Jaeger [Brachytheciaceae]

Literature: Lawton 1965b.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994.

l al. 1994. Poographic

Geographic subdivisions: DMoj, NW, SN, SNE, SW.

Selected specimens: Kern Co.: Piute Mountain Road, BLM Piute Cypress Natural Area, Piute Mountains, Shevock 12493; Fresno Co.: Stump Springs Road near Aspen Creek, Sierra National Forest, Norris & Shevock 100114; Inyo Co.: slope of Rogers Peak near Hummingbird Spring, Death Valley National Park, Shevock, York, & Davis 21364; Mariposa Co.: Crane Flat Meadow, Yosemite National Park, Kellman 545 (CAS); Riverside Co.: road to Dark Canyon, San Bernardino National Forest, *Harpel 75* (pers. herb.); Siskiyou Co.: Sugar Creek at Sugar Lake west of Callahan, Klamath National Forest, Norris 57302; Tulare Co.: trail to Lake South America, Sequoia National Park, Laeger 175 (CAS) and Moro Rock, Shevock, Lin, & Chen 17762; Tuolumne Co.: Haring Creek Reservoir, Stanislaus National Forest, Norris 100407.

Brachythecium frigidum (C. Müller Hal.) Bescherelle [Brachytheciaeae]

Literature: Bourell 1981; Harpel 1980a; Harthill et al. 1979; Kellman 2003; Lawton 1971; Long 1978; Mishler 1978; Showers 1982; Strid 1974. As *Brachythecium lamprochryseum* Bradshaw 1926; Cooke 1941; Flowers 1973; Howe 1897; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; McGrew 1976; Spjut 1971.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Smith Meadow, Sierra National Forest, *Shevock & York 13588* (determined by Ochrya); Riverside Co.: Deep Springs Trail, San Jacinto Mountains, San Bernardino National Forest, *Harpel 549* (pers. herb.); Siskiyou Co.: Gumboot Creek, South Fork Sacramento River, Shasta-Trinity National Forest, *Norris 99797*; Tehama Co.: South Fork Beegum Creek, Shasta-Trinity National Forest, *Shevock & Ertter 19414*.

Brachythecium holzingeri (Grout) Grout [Brachytheciaceae]

Literature: McGrew 1976. We were unable to locate the McGrew packet cited in her thesis, but we determined another California collection to represent this species.

Illustrations: Lawton 1971. Geographic subdivisions: CW.

Selected specimens: Santa Cruz Co.: Bridge Creek Trail, Forest of Nisene Marks State Park, *Kellman* 2641 (CAS).

*Brachythecium hylotapetum N. Higinbotham & B. Higinbotham [Brachytheciaceae]

Illustrations: Higinbotham and Higinbotham 1958; Lawton 1971.

Geographic subdivisions: NW, SNE.

Selected specimens: Humboldt Co.: near Coyote Peak on Bald Hills Road, *Norris* 22346; Mono Co.: Lower Rock Creek Trail, Inyo National Forest, *Nelson* 555 (UC).

Brachythecium leibergii Grout [Brachytheciaeae]

Literature: Lawton 1965b; McGrew 1976; Showers 1982; Spjut 1971.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW, SN, SNE.

Selected specimens: Del Norte Co.: Bear Basin Creek north of Bear Basin Butte, *Norris* 68862; Butte Co.: French Creek north of Brush Creek Gold Camp, Plumas National Forest, *Norris* 99485; Inyo Co.: above Chocolate Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris* 46889; Siskiyou Co.: Granite Creek between Tickner Creek and Blue Granite Lake, *Norris* 52300; Trinity Co.: Hall City Caves east of Wildwood, Shasta-Trinity National Forest, *Norris* 71680 and trail above Bridge Camp west of Clair Engle Lake, *Norris* 68781; Tulare Co.: Ranger Lakes, Kings Canyon National Park, *Norris* 46549 and Summit Trail at Jacobsen Meadow, Golden Trout Wilderness, Sequoia National Forest, *Laeger* 396 (CAS).

*Brachythecium nelsonii Grout [Brachytheciaceae]

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: SN.

Selected specimens: Tulare Co.: South Fork Tule River at Crawford Road, Sequoia National Forest, *Laeger 345* (CAS).

*Brachythecium oedipodium (Mitten) A. Jaeger [Brachytheciaceae]

Illustrations: Ignatov 1998; Piippo 1983. Geographic subdivisions: CaR, NW, SN.

Selected specimens: Amador Co.: Tiger Reservoir Road above Panther Creek Bridge, *Norris* 103335; Del Norte Co.: Coastal Trail between False Klamath Cove and Requa, Redwood National Park, *Norris* 70363; Fresno Co.: road between Eshom Creek Campground and Redwood Mountain, Whitakers Forest, *Shevock* 18431; Mendocino Co.: Ant Ridge off of Forest Road 25N18, Mendocino National Forest, *Shevock & Isle* 15915; Placer Co.: Dutch Flat Reservoir about 2 miles from town of Dutch Flat, *Norris* 101624; Siskiyou Co.: Highway 96 at Ash Creek Bridge, Klamath River, Klamath National Forest, *Norris* 105195.

Brachythecium plumosum (Hedwig) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Lawton 1971.

Illustrations: Abramov and Volkova 1998; Buck 1998; Ignatov 1998; Ignatov and Koponen 1996;

Ireland 1982; Lawton 1971; Robinson 1962; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: Sanger Lake along Forest Road 4803 east of O'Brien, Siskiyou National Forest, Norris 70816; El Dorado Co.: near Sayles Canyon Trailhead, Eldorado National Forest. Norris 70990; Fresno Co.: east of Idaho Lake, Kaiser Wilderness, Sierra National Forest, Shevock 21011; Nevada Co.: Castle Valley north of Boreal Ski Area, Tahoe National Forest, Norris 86845; Siskiyou Co.: between Bear Cabin and the Elk Creek Trail along Bear Creek, Marble Mountain Wilderness, Klamath National Forest, Spjut 1276 (UC); Trinity Co.: Corral Bottoms Road about 1.5 miles from Big Bar, Shasta-Trinity National Forest, Norris 21037; Tulare Co.: Crawford Road, western slope of Slate Mountain, Sequoia National Forest, Shevock 18431.

Brachythecium populeum (Hedwig) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: As *Hypnum populeum* Lesquereux 1868; Watson 1880.

Illustrations: Abramov and Volkova 1998; Ignatov 1998; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Fresno Co.: Deer Cove Creek along South Fork Kings River, Sequoia National Forest, *Shevock 12455*; Shasta Co.: Squaw Valley Creek southwest of McCloud, Shasta-Trinity National Forest, *Norris & Hillyard 104290*; Siskiyou Co.: junction of South Fork Sacramento River at Soapstone Creek, Shasta-Trinity National Forest, *Norris 102473*; Trinity Co.: Big Creek east of China Peak, *Norris 76832*.

*Brachythecium reflexum (Starke in Weber & D. Mohr) Bruch & W. P. Schimper

[Brachytheciaceae]

Illustrations: Ignatov 1998; Lawton 1971; Smith 1978; Williams 1935. As *Brachythecium bestii* Piippo 1983.

Geographic subdivisions: NW, SNE.

Selected specimens: Del Norte Co.: Highway 199 about 8.2 miles east of Highway 101, *Gist 155* (UC); Inyo Co.: near Dragon Peak above Onion Valley, John Muir Wilderness, Inyo National Forest, *Norris 46708*; Lake Co.: Mt. Sanhedrin above Mill Creek, Mendocino National Forest, *Toren 7140* (CAS) [determined by McFarland].

Brachythecium rivulare Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Holmberg 1969; Moxley 1928; Spjut 1971

Illustrations: Abramov and Volkova 1998; Buck 1998; Flowers 1973; Ignatov 1998; Ignatov and Koponen 1996; Ireland 1982; Koponen et al. 1995; Lawton 1971; Robinson 1962; Smith 1978.

Geographic subdivisions: CaR, MP, NW, SN, SNE.

Selected specimens: Humboldt Co.: Forest Road 10N02 at head of Mill Creek, *Norris 70585*; Inyo Co.: Goodale Creek at BLM Goodale Campground, *Shevock & Norris 16854*; Modoc Co.: Cottonwood Flat Campground, Modoc National Forest, *Norris 68523a*; Mono Co.: Lundy Lakes Trail along Mill Creek below Lake Helen, Inyo National Forest, *Norris 78869*; Placer Co.: road to Bowman Lake about 2 miles from Highway 20, Tahoe National Forest, *Norris 77005*; Tulare Co.: Nobe Young Creek, Sequoia National Forest, *Laeger 12* (CAS) and Oriole Lake, Sequoia National Park, *Norris, Shevock*, & *Barahona 87554*.

Brachythecium rutabulum (Hedwig) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Ireland 1982; Kellman 2003; Kingman 1912; McGrew 1976; Shevock and Toren 2001. Illustrations: Abramov and Volkova 1998; Ignatov 1998; Ireland 1982; Lawton 1971; Smith 1978. Geographic subdivisions: CaR, CW, MP, NW, SN, SNE.

Selected specimens: Contra Costa Co.: Mitchell Canyon, Mt. Diablo State Park, Norris 100609; Fresno Co.: Redwood Creek above Highway 180, Monarch Wilderness, Sequoia National Forest, Shevock & York 12681 (determined by Ochyra); Inyo Co.: South Fork Bishop Creek, Inyo National Forest, Shevock 12549; Lake Co.: Library Park, Lakeport, Toren 7665 (CAS) [determined by McFarland]; Modoc Co.: Deep Creek, 2 miles west of Cederville-Eagleville Road, Norris 18728; Santa Cruz Co.: Scotts Valley, Kellman 1122 (CAS); Sierra Co.: Highway 49 at Chapman Creek, Tahoe National Forest, Kellman 261 (CAS); Tulare Co.: Freeman Grove, Lloyd Meadows Basin, Sequoia National Forest, Shevock 3899 and General's Highway near Ash Mountain Headquarters, Sequoia National Park, Shevock 16747.

Brachythecium salebrosum (Weber & D. Mohr) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Holmberg 1969; Ireland 1982; Shevock and Toren 2001; Spjut 1971.

Illustrations: Ignatov 1998; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, DMoj, NW, SN, SNE.

Selected specimens: Fresno Co.: Taboose Pass Trail, headwaters of South Fork Kings River, Kings Canyon National Park, *Shevock 13855*; Inyo Co.: South Fork Hanaupah Canyon, east base of Telescope Peak, Death Valley National Park, *Shevock York 21340*, *21345 & 21357*; Mono Co.: Mormon Meadow in Cinnabar Canyon off of Highway 270, 3 miles east of Highway 395 on road to Bodie, *Shevock 15337*; Shasta Co.: headwaters of Nelson Creek, Lassen National Forest, *Harpel 16384* (pers. herb.); Siskiyou Co.: Sugar Creek, Klamath National Forest, *McGrew 87* (UC).

Brachythecium starkei (Bridel) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Kellman 2003; McGrew 1976; Spjut 1971.

Illustrations: Flowers 1973; Ignatov 1998; Ireland 1982; Lawton 1971; Piippo 1983.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Del Norte Co.: about 0.5 mile north of Lake Earl, *Norris 70739*; Fresno Co.: Mist Falls Trail about 3 miles from Cedar Grove, South Fork Kings River, Kings Canyon National Park, *Shevock & York 14493* and lower end Fence Meadow, Sierra National Forest, *Laeger 354* (CAS, UC); Humboldt Co.: College Cove about 0.5 mile from Trinidad, *Norris 47760*; San Bernardino Co.: Highway 18 at Castle Rock Trail, Big Bear Lake, San Bernardino National Forest, *Shevock 24087*; Santa Cruz Co.: City of Santa Cruz, *Kellman 1830* (CAS).

Brachythecium velutinum (Hedwig) Bruch & W. P. Schimper [Brachytheciaceae]

Literature: Bourell 1981; Harpel 1980a; Harthill et al. 1979; Howe 1897; Ireland 1982; Kellman 2003; Lawton 1965b, 1971; Long 1978; McGrew 1976; Mishler 1978; Showers 1982; Sigal 1975; Spjut 1971; Toren 1977; Yurky 1990, 1995.

Illustrations: Abramov and Volkova 1998; Ignatov 1998; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SNE, SW.

Selected specimens: Inyo Co.: South Fork Bishop Creek, 4.2 miles south of Highway 168 along South Fork Road, Inyo National Forest, *Shevock 12544*; Los Angeles Co.: Mt. Baldy area, San Gabriel Mountains, Angeles National Forest, *Harpel 1328* (pers. herb.); Plumas Co.: Highway 89 about 3 miles south of Crescent Mills, *Norris 69938*; Riverside Co.: Devils Slide Trail, San Jacinto Wilderness, San Bernardino National Forest, *Shevock, Kramer, Hall, & Ward 24085*; Siskiyou Co.: Jackson Creek at Callahan, Klamath National Forest, *Norris 70497*; Trinity Co.: White Rock Road about 3 miles south of Highway 36, *Norris 56100*; Tulare Co.: Highway 190 at Cedar Slope, Sequoia National Forest, *Shevock 14221*.

Brachythecium venustum De Notaris

[Brachytheciaceae]

Literature: As *Brachythecium petrophilum* Koch 1950a, 1951e; Koch and Ikenberry 1954. As *Brachythecium velutinum* var. *venustum* Holmberg 1969; Lawton 1965b, 1971.

Ilustrations: Lawton 1971.

Geographic subdivisions: CaR, SN.

Selected specimens: Del Norte Co.: Bear Creek north of Bear Basin Butte, *Norris* 68887; Fresno Co.: Reese Creek, Forest Road 10S36, Sierra National Forest, *Shevock & Bourell* 13984; Plumas Co.: Chips Creek at Highway 70 west of Belden, *Norris* 70005; Tulare Co.: Bear Creek along road to Mountain Home State Forest, Sequoia National

Forest, Shevock 3959 and Oriole Lake, Sequoia National Park, Norris, Shevock, & Barahona 87527.

Bruchia bolanderi Lesquereux [Bruchiaceae]

Literature: Christy and Wagner 1996; Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; Rushing 1986; Showers 1982; Watson 1880. **Illustrations:** Grout 1928–1940; Rushing 1986.

Geographic subdivisions: CaR, SN.

Selected specimens: Nevada Co.: Castle Valley, Tahoe National Forest, *Norris* 86857; Plumas Co.: Quincy-LaPorte Road at Onion Valley, Plumas National Forest, *Norris* 83175; Tehama Co.: near southeast entrance station of Lassen Volcanic National Park, *Showers* 3578 (UC); Tulare Co.: Cold Spring below Portugese Pass, Greenhorn Mountains, Sequoia National Forest, *Shevock* 14313; Tuolumne Co.: near Piute Meadow, Emigrant Wilderness, Stanislaus National Forest, *Norris* 77107 and between Tuolumne Meadows and Tioga Pass, Yosemite National Park, *Norris* 100360.

Bruchia flexuosa (Schwägrichen) C. Müller Hal. [Bruchiaceae]

Literature: Kellman 2003; Rushing 1986; Rushing and Christy 1984.

Illustrations: Crum and Anderson 1981; Rushing 1986.

Geographic subdivisions: CW, NW.

Selected specimens: Mendocino Co.: near Willits, *Branscomb 176* (NY); Santa Cruz Co.: meadow area on north side of Empire Grade, milepost 13, *Kellman 1456* (CAS) and "four corners" area of UC Santa Cruz Campus, *Kellman 1459 & 1463* (CAS) [confirmed by Rushing].

Bryoerythrophyllum columbianum (F. J. Hermann & E. Lawton) Zander [Pottiaceae]

Literature: Zander 1979a. As *Didymodon columbianus* Strid 1974.

Illustrations: Hermann and Lawton 1968; Lewis 1981.

Geographic subdivisions: CaR, NW.

Selected specimens: Colusa Co.: Salt Creek near Fox Canyon, Highway 20 about 8.5 miles east of Lake County line, *Norris* 67518; Lake Co.: Manning Creek, Highway 175 about 4 miles west of Lakeport, *Toren, Bourell, Dearing, & Shevock* 6999 (BUF, CAS) [confirmed by Zander]; Shasta Co.: Liberty Gulch, Whiskeytown National Recreation Area, *Hillyard* 499 (UC).

Bryoerythrophyllum recurvirostrum (Hedwig) Chen [Pottiaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; McCleary 1972; Showers 1982; Spjut 1971; Strid 1974; Zander 1978b. As *Didymodon recurvirostris* Koch 1950a; Lawton 1971. As *Didymodon rubellus* Lesquereux 1868; Watson 1880.

Illustrations: Allen 2002; Crum and Anderson

1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994. **Geographic subdivisions:** CaR, NW, SN, SNE, SW

Selected specimens: Mono Co.: Convict Lake Trail about 1.5 miles above Convict Lake, John Muir Wilderness, Inyo National Forest, *Norris 71344*; Riverside Co.: North Fork San Jacinto River, San Jacinto State Park, *Harpel 1141* (pers. herb.); Siskiyou Co.: Jaynes Creek northwest of Klamath River, *Norris 48695*; Tulare Co.: Rock Creek Canyon, Kern River, Sequoia National Park, *J.T. Howell s.n.* (CAS, NY) and Kern Plateau, slopes of Fish Creek near Rodeo Flat, Sequoia National Forest, *Shevock 18407* (determined by Zander); Tuolumne Co.: Douglas Flat, Dardanelles, *R.J. Rodin 6176* (UC).

Bryolawtonia vancouveriensis (Kindberg) Norris & Enroth [Neckeraceae]

Literature: Kellman 2003; Norris and Enroth 1990; Shevock and Toren 2001. As *Bestia holzingeri* Koch 1950a; Koch and Ikenberry 1954. As *Bestia occidentalis* Koch 1950a. As *Bestia vancouveriensis* Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Lawton 1971; McCleary 1972; Yurky 1990. As *Thamnium holzingeri* Howe 1896. As *Porotrichum vancouveriense* Crum 1987; Yurky 1995. Illustrations: Lawton 1971. As *Thamnium holzingeri* Renauld and Cardot 1894.

Geographic subdivisions: CW, NW.

Selected specimens: Alameda Co.: Strawberry Canyon about 0.5 mile above UC Botanic Garden, Norris 82610; Del Norte Co.: Damnation Creek Trail, Del Norte Redwoods State Park, Norris & Taranto 10978 & 10980; Humboldt Co.: Cathedral Trees Trail, Prairie Creek Redwoods State Park, Jamieson 872 (UC); Lake Co.: Grizzly Canyon between Elk Mountain and Horse Mountain, Mendocino National Forest, Toren 7685 (CAS); Marin Co.: trail near Mud Lake, Point Reyes National Seashore, Norris 71809; Mendocino Co.: near Ranger Station, Sinkyone Wilderness State Park, Norris 71753 and North Coast Range Preserve about 11 km north of Branscomb, Bourell 1610 (CAS) [determined by Toren]; San Francisco Co.: Golden Heights Park, Shevock 19202 & Toren 7943 (CAS); Santa Cruz Co.: Spring Trail, Pogonip Park near UC Santa Cruz, Kellman 316 (UC).

Bryum algovicum Sendtner ex C. Müller Hal. [Bryaceae]

Literature: Crum and Anderson 1981; Spence 1988a. As *Bryum angustirete* Flowers 1973; Harthill et al. 1979; Koch 1950a, 1958; Lawton 1971. As *Bryum pendulum* Koch 1950a.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978; Zolotov 2000.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: Kern Co.: Sand Canyon about 3 miles north of Highway 58, southern Piute Mountains, *Hare 99* (CAS); Mono Co.: near Cottonwood

Creek, White Mountains, Inyo National Forest, *Mitchell 63* (UC); Siskiyou Co.; South Fork of Salmon River near junction with West Fork, *Norris* 10109.

Bryum alpinum Hudson ex Withering [Bryaceae]

Literature: Coville 1893; Crum and Anderson 1981; Koch 1950a, 1958; Lawton 1971; McGrew 1976; Spence 1988a.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994; Smith 1978; Zolotov 2000.

Geographic subdivisions: NW, SN.

Selected specimens: Fresno Co.: Baxter Lake, Kings Canyon National Park, Shevock & York 16547; Humboldt Co.: Tish-Tang-a-Tang Creek near Grogans Hole, Norris 47836 (determined by Spence); Tulare Co.: between Redwood Crossing and Long Meadow, Wishon Fork Tule River, Golden Trout Wilderness, Sequoia National Forest, Shevock 10609 (determined by Spence); Tuolumne Co.: Canyon of the South Fork Stanislaus River, J.T. Howell s.n. (CAS) [determined by Andrews].

Bryum amblyodon C. Müller Hal. [Bryaceae]

Literature: Spence 1988a. As Bryum inclinatum Lesquereux 1868; Watson 1880. As Bryum stenotrichum Crum and Anderson 1981; Harthill et al. 1979; Koch 1950a, 1958; Lawton 1971; McGrew 1976; Strid 1974.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Lawton 1971; Ochyra 1998a; **Z**olotov 2000.

Geographic subdivisions: NW, SN, SW.

Selected specimens: Fresno Co.: below Kearsarge Pass, Kings Canyon National Park, *Shevock 14328*; Humboldt Co.: Aikens Creek at road to Fish Lake, *Norris 56387*; Riverside Co.: Highway 243 near milepost 25.10, San Jacinto Mountains, San Bernardino National Forest, *Harpel 1819* (pers. herb.); Sierra Co.: Chapman Creek Campground, Tahoe National Forest, *Tavares 585* (UC) [determined by Andrews]; Tehama Co.: Beegum Basin north of Yolla Bolly Mountain, Shasta-Trinity National Forest, *Norris 57034*.

Bryum argenteum Hedwig [Bryaceae]

Literature: Bourell 1981; Bradshaw 1926; Brandegee 1891; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; Mishler 1978; Shevock and Toren 2001; Showers 1982; Spence 1988a; Steere et al. 1954; Strid 1974; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995; Zolotov 2000.

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton

1971; Ochyra 1998a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, DSon, GV, MP, NW, SN, SNE, SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87175*; Kern Co.: Highway 178, lower Kern River Canyon about 3 miles east of canyon entrance, Sequoia National Forest, *Shevock 9131*; Riverside Co.: between Key Ranch and Barker Dam, Joshua Tree National Park, *Norris 50502*; San Luis Obispo Co.: about 1 mile west of Poso Summit, *Norris 55205*; Shasta Co.: Highway 299 about 2 miles east of Montgomery Creek, *Norris 47538*.

*Bryum badium (Bridel) W. P. Schimper [Bryaceae]

Illustrations: Nyholm 1987–1998. **Geographic subdivisions:** DMoj.

Selected specimens: Inyo Co.: Eagle Spring, Telescope Peak, Death Valley National Park, *York 2680* (CAS) [determined by Spence].

Bryum barnesii Wood in W. P. Schimper [Bryaceae]

Literature: Kellman 2003; Vanderpoorten and Zartman 2002.

Illustrations: Vanderpoorten and Zartman 2002; Wilczek and Demaret 1976.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Humboldt Co.: Highway 36 about 2 miles east of Carlotta, *Norris 48200* (determined by Vanderpoorten); Santa Cruz Co.: Monterey Bay west of Capitola Wharf, *Kellman 1195* (CAS); Shasta Co.: Highway at Shasta College north of Redding, *Norris 57779 & 57783* (determined by Vanderpoorten), about 11 miles east of Anderson to Shingleton Road, *Norris 23731* (determined by Vanderpoorten); Tulare Co.: Clough Cave, Sequoia National Park, *Norris & Shevock 92744* (determined by Vanderpoorten).

Bryum bicolor Dickson [Bryaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Long 1978; McCleary 1972; Mishler 1978; Shevock and Toren 2001; Steere 1954; Toren 1977; Yurky 1990, 1995. As Bryum californicum Brandegee 1891; Lesquereux 1868; Lesquereux and James 1884; Millspaugh and Nuttall 1923; Sayre 1940; Sullivant 1856.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Wilczek and Demaret 1976; Zolotov 2000. As *Bryum dichotomum* Spence 1988a.

Geographic subdivisions: CaR, CW, MP, NW, SN. Selected specimens: Alpine Co.: Highway 4 about 11 miles west of Woodfords, *Koch 1804* (UC); Contra Costa Co.: Gibralter Rock toward summit of Mt. Diablo, *Koch 1566* (UC); Humboldt Co.: Way County Park, *Norris 25297* (determined by

Spence); San Francisco Co.: Lafayette Park, San Francisco, *Shevock 19234*; Santa Clara Co.: San Francisquito Creek, Palo Alto, *Drouet 1333* (UC) [determined by Vanderpoorten]; Shasta Co.: Highway 299 on north side of Haynes Flat about 3 miles west of Burney, *Norris 68547* (determined by Spence); Tehama Co.: Highway 99 about 3 miles south of Vina, *Norris 48226* (determined by Vanderpoorten); Tulare Co.: road 1.2 miles above Buckeye Campground, trailhead for Middle Fork Kaweah River Trail, Sequoia National Park, *Shevock 15207* (determined by Vanderpoorten).

Bryum bimum (Schreber) Turner [Bryaceae]

Literature: Coville 1893; Lesquereux 1868; Spjut 1971.

Illustrations: Abramov and Volkova 1998; Ignatov and Ignatova 2003; Nyholm 1987–1998; Podpěra 1973.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: road to Petrolia about 1.5 mile east of ocean shore, *Norris* 76861.

Bryum blindii Bruch & W. P. Schimper [Bryaceae]

Literature: McGrew 1976; Shaw 1981e; Spence 1988a

Illustrations: Crum and Anderson 1981; Ireland 1982; Lawton 1971.

Geographic subdivisions: GV.

Selected specimens: Butte Co.: Thermalito near Oroville Airport, Thermalito Afterbay, *Ahart 10024, 10025* (UC); Solano Co.: Jepson Prairie Ecological Reserve, *Norris 101397*.

Bryum caespiticium Hedwig [Bryaceae]

Literature: Bourell 1981; Cooke 1941; Coville 1893; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McGrew 1976; Mishler 1978; Spence 1988a; Spjut 1971; Strid 1974; Toren 1977.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE.

Selected specimens: Inyo Co.: South Lake Road, 0.7 mile below South Lake, Inyo National Forest, Shevock 12539; Lake Co.: Hull Mountain, Mendocino National Forest, Toren 857 (UC); Monterey Co.: cemetery on Lockwood Road about 2 km east of Alamo Air Strip, Hunter-Liggett Military Reservation, Norris 87337; Placer Co.: near entrance to Squaw Valley, Tavares & Noack 628 (UC) [determined by Andrews]; Siskiyou Co.: near South Sanger Lake, Norris & McGrew 45628 and trail to Long Gulch southwest of Callahan, Klamath National Forest, Norris 74868.

Bryum calobryoides Spence [Bryaceae]

Literature: Kellman 2003; Spence 1986, 1988a.

Illustrations: Spence 1986.

Geographic subdivisions: CaR, CW, NW, SN, SNE, SW.

Selected specimens: Butte Co.: Upper Bidwell Park between Big Chico Creek and Sycamore Creek, Janeway 6979 (UC); Kern Co.: Pine Tree Canyon, Shevock, Ertter, & Hare 17831 (determined by Spence); Mono Co.: Koenig Lake east of Sonora Pass, Toiyabe National Forest, Norris 57164; Santa Cruz Co.: Laurel Road at Highway 17, Kellman 2673 (CAS) [confirmed by Spence]; Siskiyou Co.: Terrace and Upper Cliff Lakes, Norris 52999; Tehama Co.: west face of North Yolla Bolly Mountain, Shasta-Trinity National Forest, Norris 57072; Trinity Co.: Packer's Peak, Norris 8973 (determined by Spence).

Bryum canariense Bridel [Bryaceae]

Literature: Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; McCleary 1972; McGrew 1976; Shevock and Toren 2001; Showers 1982; Spence 1988a; Spjut 1971; Steere 1954; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As Bryum hendersonii Howe 1896; Renauld and Thériot 1890. As Bryum provinciale Lesquereux and James 1884; Watson 1880. Illustrations: Allen 2002; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CW, DMoj, DSon, NW, SN, SNE.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris* 87206; Humboldt Co.: South Fork Tish-Tang-a-Tang Creek east of Hoopa, *Norris & Whittemore* 52404; Mono Co.: Mormon Meadow and Clearwater Creek, Highway 270 about 3 miles east of Highway 395 on road to Bodie, *Shevock* 15248; San Bernardino Co.: Coyote Canyon, Granite Mountains north of Highway 40 and east of Needles, Mojave National Preserve, *Norris* 87852; San Francisco Co.: Fort Winfield Scott, Presidio of San Francisco, *Shevock* 19369; Tulare Co.: end of County Road 348 near Clough Cave, South Fork Kaweah River, Sequoia National Park, *Shevock* 12998.

Bryum capillare Hedwig [Bryaceae]

Literature: Bourell 1981; Bradshaw 1926; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McCleary 1972; McGrew 1976; Mishler 1978; Shevock and Toren 2001; Showers 1982; Sigal 1975; Smith 1970; Spence 1988a; Spjut 1971; Steere 1954; Steere et al. 1954; Strid 1974; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995. As Bryum sanguilentum Cardot and Thériot 1904; Howe 1896. As Bryum subdrepanocladum Cardot and Thériot

1904. As *Bryum obconicum* Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Millspaugh and Nuttall 1923; Sayre 1940; Sullivant 1856. As *Bryum occidentale* Brandegee 1891; Lesquereux 1868; Lesquereux and James 1884; Sullivant 1856. As *Rosulabryum capillare* Kellman 2003.

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978; Syed 1973; Zolotov 2000.

Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris* 87214; El Dorado Co.: Traverse Creek Botanical Area about 2.5 air miles southeast of Georgetown, Eldorado National Forest, *Shevock* 12247; Monterey Co.: bluffs at the Pinnacles, Hunter Liggett Military Reservation, *Norris* 87292; Sonoma Co.: The Cedars north of Cazadero, *Ertter & Raiche* 12864 (UC); Tulare Co.: General's Highway 0.6 mile west of Clover Creek, Sequoia National Park, *Shevock & Tseng* 15757.

Bryum cyclophyllum (Schwägrichen) Bruch & W. P. Schimper [Bryaceae]

Literature: Spence 1988a. As *Bryum tortifolium* Koch 1951b; McGrew 1976.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Zolotov 2000.

Geographic subdivisions: NW.

Selected specimens: Lake Co.: along Bartlett Springs Road, *J.W. Carmiggelt 50* (UC) and Oakwood Springs, BLM Cow Mountain Recreation Area, *Toren 6889* (CAS) [determined by Spence]; Tehama Co.: west face of North Yolla Bolly Mountain, Shasta-Trinity National Forest, *Norris 57062 & 57070*.

*Bryum elegans Nees in Bridel [Bryaceae]

Illustrations: Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: NW, SN.

Selected specimens: Lake Co.: canyon below Forest Road M-3 at Low Gap, Mendocino National Forest, *Toren, Dearing, & Shevock 7724* (CAS) [determined by Spence]; Nevada Co.: Forest Road 18 at Fall Creek between Bowman Lake and Highway 20, *Shevock, Ertter, & Morosco 15703* (determined by Muñoz; confirmed by Spence).

Bryum erythroloma (Kindberg) Syed [Bryaceae]

Literature: Spence 1988a.

Illustrations: Allen 2002; Sharp et al. 1994; Syed 1973.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: Redwood Valley Road about 0.65 mile from Highway 299, *Farr* 93 (UC) and Johnson Prairie, *Norris* 19039; Lake

Co.: Tule Lake, Mt. Sanhedrin, Mendocino National Forest, *Toren & Dearing 7192* (CAS) [determined by Spence] and Mt. Konocti at Buckingham Bluffs above Clear Lake, *Shevock, Heise, Toren, & Harpel 20605*.

Bryum flaccidum Bridel [Bryaceae]

Literature: Spence 1988a; Whittemore and Sommers 1999.

Illustrations: Syed 1973.

Geographic subdivisions: CaR, NW, MP, SN.

Selected specimens: El Dorado Co.: near Round Lake, Eldorado National Forest, *Norris 71160* (determined by Spence); Lake Co.: Hidden Valley north of Middletown, *Toren & Dearing 7577* (CAS) [determined by Spence]; Modoc Co.: west side of Goose Lake about 4 miles south of Oregon state line, *Norris 18722*; Siskiyou Co.: Soda Creek Road about 4 miles northeast of Highway 5 near Dunsmuir, Shasta-Trinity National Forest, *Norris 84809*; Trinity Co.: Big Canyon at Hayfork Creek, *Norris 56151*; Tulare Co.: below Paradise Ridge overlooking Middle Fork Kaweah River, Sequoia National Park, *Shevock 14632*.

Bryum gemmascens Kindberg [Bryaceae]

Literature: Shevock and Toren 2001; Spence 1988a.

Illustrations: Syed 1973; Wilczek and Demaret 1976.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Fresno Co.: north-facing slope of Red Mountain southwest of Tollhouse, *York 1613* (CAS); Humboldt Co.: East Fork about 5 air miles north of Mad River, Six Rivers National Forest, *Norris 83904*; Lake Co.: Highway 53 about 1 mile south of Highway 20, *Norris 47656* (determined by Spence); San Francisco Co.: Bernal Heights Park, *Toren 7792* (CAS); Tehama Co.: Battle Creek along Highway 36 at milepost 75, *Norris 52571* (determined by Spence); Trinity Co.: Stuart Gap Trailhead, *Norris 56853* (determined by Spence).

Bryum gemmiferum R. Wilczek & Demaret [Bryaceae]

Literature: Blockeel et al. 2001; Kellman 2003; Vanderpoorten and Zartman 2002.

Illustrations: Smith 1978; Vanderpoorten and Zartman 2002; Wilczek and Demaret 1976.

Geographic subdivisions: CW.

Selected specimens: San Mateo Co.: Montara State Beach, *Vanderpoorten 4782* (DUKE); Santa Cruz Co.: Scotts Valley Drive, Scotts Valley, *Kellman 1178* (CAS).

Bryum gemmilucens R. Wilczek & Demaret [Bryaceae]

Literature: Kellman 2003; Shevock and Toren 2001; Spence 1988a.

Illustrations: Smith 1978.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Butte Co.: levee of Feather River north of Gridley, Norris 52542 (determined by Vanderpoorten); Marin Co.: South Novato, Jenkinson s.n. (UC) [determined by Vanderpoorten]; Napa Co.: Crane Park, City of St. Helena, Norris 48240 (determined by Spence; Vanderpoorten); Lake Co.: Chalk Mountain, North Fork Cache Creek, Toren & Dearing 7323 (CAS) and town of Nice, east shore of Clear Lake, Toren 7710 (CAS) [determined by Spence]; San Francisco Co.: Aqua Vista Park, Central Basin, San Francisco, Shevock 18993; Shasta Co.: Sacramento River Trail northeast of Redding, Norris 105297; Siskiyou Co.: Klamath River at Ash Creek Bridge, Klamath National Forest, Norris & Hillyard 105241; Sonoma Co.: at summit ridge behind Armstrong Park, Koch 3532 (UC) [determined by Vanderpoorten].

Bryum gemmiparum De Notaris [Bryaceae]

Literature: Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Long 1978; Mishler 1978; Spence 1988a; Spjut 1971; Strid 1974; Toren 1977.

Illustrations: Crum and Anderson 1981; Flowers 1973; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, DSon, MP, NW, SN, SW.

Selected specimens: Del Norte Co.: Smith River about 10 miles east of Gasquet on Highway 199, Norris 8787; Lake Co.: Soda Creek near Lake Pillsbury, Mendocino National Forest, Toren 5131 (CAS); Modoc Co.: west side Goose Lake about 4 miles south of Oregon state line, Norris 18720; Plumas Co.: Highway 70 near Belden, Norris 69975; Riverside Co.: Lilly Creek, County Park near Idyllwild, San Jacinto Mountains, Harpel 1450 (pers. herb.); San Bernardino Co.: Cottonwood Wash, Granite Mountains, Mojave National Preserve, Laeger & Bucknar 1837 (CAS) [determined by Spence]; Shasta Co.: Highway 299 at Casberry Flat about 1 mile west of Hatchet Mountain Summit, Norris 68581 (determined by Spence).

Bryum laevifilum Syed [Bryaceae]

Literature: Kellman 2003.

Illustrations: Ignatov and Ignatova 2003; Syed 1973.

Geographic subdivisions: CW, SNE.

Selected specimens: Mono Co.: Secret Lake, Toiyabe National Forest, *Norris 77054*; Santa Cruz Co.: Highway 17 at Laurel Road, *Kellman 2702* (CAS) [confirmed by Spence].

Bryum lanatum (Palisot de Beauvois) Bridel [Bryaceae]

Literature: Spence 1988a. As *Bryum argenteum* var. *lanatum* Crum and Anderson 1981; McCleary 1972; Millspaugh and Nuttall 1923; Sayre 1940; Steere 1954; Steere et al. 1954.

Illustrations: Crum and Anderson 1981; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Fresno Co.: South Fork Kings River near Boyden Cave, Monarch Wilderness, Sequoia National Forest, *York 503* (CAS) and Haslett Basin, Sierra National Forest, *Norris, Shevock, & Barahona 87448*; Tulare Co.: Wishon Fork Tule River above Doyle Springs and Camp Wishon, Sequoia National Forest, *Norris, Shevock, & Barahona 87030*.

Bryum lisae De Notaris [Bryaceae]

Literature: Kellman 2003; Shevock and Toren 2001; Spence 1988a. As Bryum cirrhatum Lesquereux 1868; Lesquereux and James 1884; Watson 1880. As Bryum creberrimum Bourell 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Lawton 1971; McCleary 1972; McGrew 1976; Strid 1974; Toren 1977. As Bryum cuspidatum Cooke 1941; Steere 1954. As Bryum intermedium Lesquereux 1868; Millspaugh and Nuttall 1923; Sullivant 1856. As Bryum lisae var. cuspidatum Yurky 1990, 1995. As Bryum lonchocaulon Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a, 1951e; Koch and Ikenberry 1954; Strid 1974.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ireland 1982; Lawton 1971; Smith 1973.

Geographic subdivisions: CaR, CW, NW, SN, SNE, SW.

Selected specimens: Kern Co.: north of Tiger Flat Campground, Greenhorn Mountains, Sequoia National Forest, *Shevock 10628*; Inyo Co.: South Lake Road 0.7 mile below South Lake, Inyo National Forest, *Shevock 12536*; Riverside Co.: Bighorn Overlook along Highway 74 at eastern boundary of San Bernardino National Forest, *Norris 57833*; San Francisco Co.: Presidio of San Francisco, *Shevock 19353*; Tehama Co.: Fork of Beegum Creek about 1.5 miles west of Rat Trap Gap, *Norris 56994* (determined by Spence).

Bryum meesioides Kindberg in Macoun [Bryaceae]

Literature: Ireland 1977; Spence 1988a.

Illustrations: Ireland 1977. Geographic subdivisions: NW.

Selected specimens: According to Spence (personal communication) a California packet was determined to be this species. We have reviewed the Bryum holdings at CAS, MO, NY, UBC and UC and have not been able to locate a collection of Bryum meesioides from California. According to Ireland (1977), the gametophyte of this species is nearly indistinguishable from that of Bryum pallens but several diagnostic characters of the sporophyte readily separate these two related taxa. It is probable that Bryum meesioides remains among undetermined Bryum collections in California herbaria. We expect it to documented for northern California.

*Bryum microerythrocarpum C. Müller Hal. & Kindberg [Bryaceae]

Illustrations: Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Humboldt Co.: near Dickson Butte, *Kirn & Nomura 117b* (UC) and Long Ridge about 26 miles north of Big Hill Road, *Norris 47788* (determined by Spence); Mendocino Co.: Pygmy Cypress Forest about 5 miles east of Albion, *Norris 11785 & 11786*; Santa Cruz Co.: railroad tracks near Rincon Road, Henry Cowell Redwoods State Park, *Kellman 616* (UC); Tehama Co.; Highway 36 at Georgie Dells Road, *Norris 56060*.

Bryum miniatum Lesquereux [Bryaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Howe 1896; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McGrew 1976; Mishler 1978; Showers 1982; Spence 1988a; Spjut 1971; Toren 1977; Watson 1880; Yurky 1990, 1995. As *Bryum atwateriae* Lesquereux and James 1884; Phelps 1878; Watson 1880.

Illustrations: Crum and Anderson 1981; Flowers 1973; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SN, SNE, SW.

Selected specimens: Alpine Co.: Red Lake Creek, Toiyabe National Forest, *Norris* 88124; Del Norte Co.: Smith River along Highway 199 about 9 miles east of junction with Highway 101, Six Rivers National Forest, *Norris* 85001; Mariposa Co.: base of Yosemite Falls, Yosemite National Park, *Koch* 1686 (UC); Napa Co.: Napa-Monticello Road, *Koch* 1367 (UC); Riverside Co.: Fleming Ranch Road, San Jacinto Mountains, San Bernardino National Forest, *Harpel* 2970 (pers. herb.); Santa Cruz Co.: Big Basin State Park, *Kellman* 694 (CAS) [determined by Spence]; Tulare Co.: between Redwood Crossing and Long Meadow, Wishon Fork Tule River, Golden Trout Wilderness, Sequoia National Forest, *Shevock* 10609.

Bryum muehlenbeckii Bruch & W. P. Schimper [Bryaceae]

Literature: Crum and Anderson 1981; Holmberg 1969; Koch 1950a; McGrew 1976; Showers 1982; Spence 1988a; Toren 1977.

Illustrations: Crum and Anderson 1981; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Mariposa Co.: Highway 49 about 3.3 miles southeast of Mariposa at junction with Highway 140, *Shevock 15242*; Shasta Co.: Highway at Shasta College north of Redding, *Norris 57789*; Tulare Co.: below Paradise Ridge overlooking the Middle Fork Kaweah River, Sequoia National Park, *Shevock 14633*.

Bryum pallens Swartz [Bryaceae]

Literature: Holmberg 1969; Koch 1958; McGrew 1976; Showers 1982; Spence 1988a; Spjut 1971; Toren 1977.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1977; Lawton 1971; Zolotov 2000.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Butte Co.: opposite spillway of Oroville Dam, *Norris 52557*; Kern Co.: Pine Tree Canyon about 4 miles west of Highway 14, southern Piute Mountains, *Hare 110* (CAS); Contra Costa Co.: Mitchell Canyon, Mt. Diablo State Park, *Norris 100611*; Lake Co.: head of Mill Creek, Mt. Sanhedrin, Mendocino National Forest, *Toren, Heise, & Dearing 7633* (CAS); Mendocino Co.: Covelo Road about 3.1 miles east of Longvale, *Norris 21727*; Plumas Co.: Feather River Canyon about 1 mile inside Plumas National Forest boundary, *Norris 52620*; Trinity Co.: Underwood Mountain Road

Bryum pallescens Schleicher ex Schwägrichen [Bryaceae]

near junction road to Big Lake, Norris 10915.

Literature: Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; McGrew 1976; Showers 1982; Sigal 1975; Spence 1988a; Spjut 1971; Strid 1974. As *Bryum subrotundum* Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Allen 2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1973, 1978; Zolotov 2000.

Geographic subdivisions: CaR, MP, NW, SN, SNE, SW.

Selected specimens: Humboldt Co.: Beach Lagoon, *Jamieson 857* (UC); Inyo Co.: Taboose Pass Trail, John Muir Wilderness, Inyo National Forest, *Shevock 16616* (determined by Spence); Mendocino Co.: Little Red Mountain, *Sigal s.n.* (UC); Modoc Co.: near Post Canyon north of Adin, *Norris 47412*; San Bernardino Co.: South Fork Meadows, San Gorgonio Wilderness, San Bernardino National Forest, *Harpel 2186* (pers. herb.); Shasta Co.: road to Castle Lake at Castle Lake Creek, Shasta-Trinity National Forest, *Norris & Hillyard 103841*; Siskiyou Co.: Jaynes Creek northwest of Klamath River, *Norris 48693*; Tulare Co.: streamlet above Dorst Creek Campground, Sequoia National Park, *Shevock & Dennis 14100*.

Bryum pseudotriquetrum (Hedwig) Gärtner, B. Meyer & Scherbius [Bryaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McGrew 1976; Shevock and Toren 2001; Showers 1982; Spence 1988a; Steere et al. 1954; Strid 1974; Toren 1977; Watson 1880; Yurky 1990, 1995. As Bryum crassirameum Holmberg 1969; Howe 1896; Koch 1950a; Koch and Ikenberry 1954; Spjut 1971. As Bryum firmum Cooke

1941. As *Bryum flagellosum* Koch 1950a, 1958; Koch and Ikenberry 1954. As *Bryum pseudotrique-trum* var. *crassirameum* Toren 1977; Yurky 1990.

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1978; Zolotov 2000.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE. SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87161*; Riverside Co.: Vista Grand Guard Station, San Jacinto Mountains, San Bernardino National Forest, *Harpel 977* (pers. herb.); Shasta Co.: Highway 89 about 21 miles east of McCloud, *Norris & Hermann 22646*; Tulare Co.: Big Meadows off of Forest Road 14S11, Sequoia National Forest, *Shevock & York 13673*; Tuolumne Co.: Pilot Ridge, Stanislaus National Forest, *Shevock 13274*.

Bryum pyriferum Crundwell & H. Whitehouse [Bryaceae]

Literature: Kellman 2003; Shevock and Toren 2001.

Illustrations: Crundwell and Whitehouse 1981. **Geographic subdivisions:** CaR, CW, DMoj.

Selected specimens: Lake Co.: west of Butte Rock near Yolo County line, *Toren & Dearing 8616* (CAS) [confirmed by Spence]; San Bernardino Co.: Clark Mountain, Mojave National Preserve, *Laeger 1308* (CAS) [determined by Spence]; San Francisco Co.: Alcatraz Island, Golden Gate National Recreation Area, *Toren, Shevock, & Thomas 8459* (CAS) [confirmed by Spence]; Santa Cruz Co.: Enchanted Loop Trail along Baldwin Creek, Wilder Ranch State Park, *Kellman 2583* (CAS) and Aptos Creek, *Kellman 2041* (CAS) [determined by Spence].

Bryum radiculosum Bridel [Bryaceae]

Literature: Spence 1988a.

Illustrations: Crum and Anderson 1981; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: Gasquet Toll Road at Eighteen Mile Creek, *Norris 55685* (determined by Spence); San Mateo Co.: Spring Canyon Road, Filioi Center just north of Woodside, *Whittemore 4415* (CAS).

Bryum rubens Mitten [Bryaceae]

Literature: Crum and Anderson 1981; Crundwell and Whitehouse 1978; Spence 1988a; Yurky 1990, 1995.

Illustrations: Ignatov and Ignatova 2003; Smith 1978; Zolotov 2000.

Geographic subdivisions: CW, NW.

Selected specimens: Lake Co.: off of Morgan Valley Road, BLM Knoxville Recreation Area, *Toren & Dearing 7066* (CAS) [determined by Spence]. Marin Co.: San Pedro Road at milepost 4.91, *Yurky 388* (SFSU).

Bryum subapiculatum Hampe [Bryaceae]

Literature: Kellman 2003; Spence 1988a.

Illustrations: Ignatov and Ignatova 2003; Sharp et al. 1994; Zolotov 2000.

Geographic subdivisions: CW.

Selected specimens: Santa Cruz Co.: near Rincon, Henry Cowell Redwoods State Park, *Kellman 616* (CAS) [determined by Spence] and near Felton, *Kellman 1318* (CAS), and Yellow Bank Creek, *Kellman 2090* (CAS).

Bryum tenuisetum Limpricht [Bryaceae]

Literature: Crum and Anderson 1981; Lawton 1971; Spence 1988a; Toren 1977.

Illustrations: Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: GV, SN.

Selected specimens: Fresno Co.: Roaring River Falls above South Fork Kings River, Kings Canyon National Park, *Shevock 13760*; Solano Co.: Campus of the University of California, Davis, *Norris* 48232.

Bryum torquescens Bruch [Bryaceae]

Literature: Howe 1896; Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Millspaugh and Nuttall 1923; Sayre 1940; Shevock and Toren 2001; Spence 1988a; Sullivant 1856; Watson 1880. Illustrations: Smith 1978; Syed 1973.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Kern Co.: Highway 178 about 2 miles west of Live Oak Campground east of Bakersfield, *Norris 70110* (determined by Spence); Fresno Co.: below West Meadow near Sand Flat, Sierra National Forest, *Shevock 14195*; Lake Co.: Robinson Creek east of Highway 29 along Bridge Arbor Road, *Toren & Dearing 8667* (CAS) [confirmed by Spence]; San Francisco Co.: Lone Mountain Campus, University of San Francisco, *Shevock 19334*.

Bryum turbinatum (Hedwig) Turner [Bryaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Kingman 1912; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; McGrew 1976; Spence 1988a; Strid 1974; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Lawton 1971; Smith 1978; Zolotov 2000.

Geographic subdivisions: CaR, CW, NW, MP, SN, SNE, SW.

Selected specimens: Del Norte Co.: Whiskey Lake, Six Rivers National Forest, *Norris 57707a*; Lassen Co.: Termo-Grasshopper Road about 12 miles west of Termo, *Norris & Hermann 22639*; Mono Co.: Barney Lake, Toiyabe National Forest, *Norris 67107*; Riverside Co.: Round Valley, San Jacinto State Park, *Harpel 1068* (pers. herb.); Siskiyou Co.: headwaters of Preston Peak, Klamath National Forest, *Norris 23242*; Tulare Co.: Lloyd

Meadows Basin, Sequoia National Forest, *Shevock* 4433 and Mosquito Lake Trail, Mineral King, Sequoia National Park, *Shevock & O'Brien 15934* (determined by Spence).

Bryum uliginosum (Bridel) Bruch & W. P. Schimper [Bryaceae]

Literature: Flowers 1973; Koch 1950a; Watson 1880. As *Bryum cernuum* Lesquereux 1868; Watson 1880.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978; Zolotov 2000.

Geographic subdivisions: SN.

Selected specimens: Tulare Co.: between Redwood Crossing and Long Meadow, Wishon Fork Tule River, Golden Trout Wilderness, Sequoia National Forest, *Shevock 10604* and headwaters of Freeman Creek, 0.5 mile east of Quaking Aspen, Sequoia National Forest, *Shevock 10638*.

Bryum violaceum Crundwell & Nyholm [Bryaceae]

Literature: Crum and Anderson 1981; Kellman 2003; Lawton 1971; Spence 1988a; Toren 1977; Yurky 1990, 1995.

Illustrations: Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978; Zolotov 2000.

Geographic subdivisions: CaR, CW, DMoj, DSon, NW, SN, SW.

Selected specimens: Contra Costa Co.: Mt. Diablo State Park, *Norris* 100525; Fresno Co.: Middle Fork Kings River near LeConte Ranger Station, Kings Canyon National Park, *Shevock & Haultain* 18628 (determined by Allen); Lake Co.: end of Hells Peak Road, *Toren* 843 (CAS); Marin Co.: Pike County Gulch, *Yurky* 309 (SFSU); Monterey Co.: Sam Jones Road about 1 km east of Piojo Airstrip, Hunter-Liggett Military Reservation, *Norris* 87220 & 87221; San Bernardino Co.: Pachalka Spring, Clark Mountain, Mojave National Preserve, *Laeger, Newman & Adams* 1800 (CAS) [determined by Spence]; Santa Cruz Co.: Bonny Doon, *Kellman* 917 (CAS).

Bryum weigelii Sprengel [Bryaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Flowers 1973; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982; Spence 1988a; Spjut 1971. As Bryum duvallii Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Zolotov 2000.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Humboldt Co.: Jacoby Creek Road near Quarry southeast of Arcata, *Norris* 68250 (determined by Spence); Mariposa Co.: Half Moon Meadow, Yosemite National Park, *Shevock*, *Wilken*, & *Fritzke* 18501 (determined by Spence);

Siskiyou Co.: Scott Camp Creek Basin, *Norris* 53094; Tulare Co.: Big Meadow off of Forest Road 14S11, Sequoia National Forest, *Shevock & York* 13663.

Buckiella undulata (Hedwig) Ireland [Hypnaceae]

Literature: As *Hypnum undulatum* Lesquereux 1868; Watson 1880. As *Plagiothecium undulatum* Holmberg 1969; Howe 1897; Ireland 1985, 1986; Jamieson 1969; Koch 1950a; Lawton 1971; Smith 1970. See also Ireland 2001.

Illustrations: Ireland 1985; Lawton 1971.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: trail between Requa and False Klamath Cove, Redwood National Park, *Norris 24064*; Humboldt Co.: north of Elk Grove Park Headquarters, Prairie Creek Redwoods State Park, *Shevock 16738* and Highway 101 at Seawood Drive about 2 miles north of Trinidad, *Shevock 16730*; Marin Co.: Old Pine Trail, Point Reyes National Seashore, *Robertson 1872* (UC) & *1886* (CAS); Mendocino Co.: County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, *Norris 11688* and Near Little River, *Boyd & Kelly s.n.* (CAS).

*Buxbaumia aphylla Hedwig [Buxbaumiaceae]

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: shores of Lake Prairie, *Norris* 50408; east of Korbel Road about 12 miles from Blue Lake, *D.E. Jackson* 876 (UC).

Buxbaumia piperi Best [Buxbaumiaceae]

Literature: Christy and Wagner 1996; Holmberg 1969; Jamieson 1969; Jamieson and Holmberg 1969; Lawton 1971; Toren and Sigal 1974.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW.

Selected specimens: Del Norte Co.: Gasquet-Orleans Road, 0.5 mile from Big Flat Road, Six Rivers National Forest, Norris & Piippo 82421; Humboldt Co.: Bill Hill Road at South Fork Mill Creek, Norris 58647, Forest Road 10N02, head of Mill Creek, Six Rivers National Forest, Norris 70567 and Redwood Valley Road about 1 mile north of Highway 299, Norris 48281; Mendocino Co.: Jackson State Forest near Mendocino, Oberlander s.n. (SFSU), Mendocino Woodlands Camp about 20 km east of Mendocino, Toren 613 (SFSU) and Toren & Bourell 1478 (SFSU); Siskiyou Co.: Shadow Creek about 6 miles northeast of Cecilville, Norris 70553 and Haypress Meadows, Marble Mountain Wilderness, Klamath National Forest, Norris 12419.

Buxbaumia viridis (A. P. de Candolle) Mougeot & Nestler [Buxbaumiaceae]

Literature: As *Buxbaumia indusiata* Spjut 1971. **Illustrations:** Lawton 1971.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: near Pilot Rock, Six Rivers National Forest, *McFarland 01JRM61202* (UC) [determined by Harpel]; Mendocino Co.: Demonstration Forest, Highway 128 near Navarro, *Parsons 113* (SFSU), *Desjardin 2581* (SFSU) and *Giles 121* (SFSU); Trinity Co.: Forest Road 33N45 about 2 miles east of Big Creek Campground, Klamath National Forest, *Jennings 99-012* (UC) [determined by Harpel].

Calliergonella cuspidata (Hedwig) Loeske [Hypnaceae]

Literature: Ireland 1982; Kellman 2003; Lawton 1971; Shevock and Toren 2001.

Illustrations: Buck 1998; Hedenäs 1993a, 2003; Ireland 1982; Kanda 1978; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CW, NW.

Selected specimens: Alameda Co.: Mountain View Cemetery, *J.T. Howell s.n.* (UC); Humboldt Co.: bog at Big Lagoon County Park, *Norris* 46062 & 46063; San Francisco Co.: campus lawns at San Francisco State University, *Showers* 450 (UC) and *Desjardin* 2691 (SFSU), McLaren Park, *Shevock* 19136 and Fort Mason, Golden Gate National Recreation Area, *J.T. Howell s.n.* (CAS); Santa Cruz Co.: City of Santa Cruz, *Kellman* 1826 (CAS).

*Campylium chrysophyllum (Bridel) J. M. Lange [Campyliaceae]

Illustrations: Buck 1998; Flowers 1973; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978. As *Campyliadelphus chrysophyllus* Hedenäs 2003. **Geographic subdivisions:** SN, SNE.

Selected specimens: Inyo Co.: Lone Pine Creek at Alabama Hills, *Shevock & Norris 16856*; Mono Co.: above Mildred Lake, John Muir Wilderness, Inyo National Forest, *Norris 71395*; Tulare Co.: Crescent Meadow at Giant Forest, Sequoia National Park, *Shevock 16670* and Holby Meadow near the Ponderosa, Sequoia National Forest, *Shevock 16532*.

Campylium hispidulum (Bridel) Mitten [Campyliaceae]

Literature: Spjut 1971.

Illustrations: Flowers 1973; Ireland 1982; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: NW, SN.

Selected specimens: Siskiyou Co.: west end English Lake, Marble Mountain Wilderness, Klamath National Forest, *Spjut 1598* (UC); Jaynes Creek at headwaters, northwest of Klamath River, Klamath National Forest, *Norris 48680* (determined by Giles); Tulare Co.: Twisselmann Botanical Area near Sirretta Pass, Kern Plateau, Sequoia National Forest, *Sheyock 18418*.

Campylium polygamum (W. P. Schimper) C. E. O. Jensen [Campyliaceae]

Literature: As Campylium polygamum var. fluitans Koch 1950a. As Drepanocladus polygamus Hedenäs 1997a.

Illustrations: Flowers 1973; Ireland 1982; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, NW, SN, SNE. **Selected specimens:** Fresno Co.: Rowell Meadow, Jennie Lakes Wilderness, Sequoia National Forest, Shevock & York 13706 & 13715 (determined by Ochyra); Inyo Co.: Warm Springs, White Mountains, Laeger 1455 (CAS) [determined by Hedenäs]; Lake Co.: Tule Lake, Mt. Sanhedrin, Toren 5101 (CAS) and Shevock, Ertter, Toren, & Dearing 19487; Mendocino Co.: pond off of Ant Ridge, Mendocino National Forest, Shevock & Isle 15912; Plumas Co.: Gray Eagle Valley floating in ponds, Leiberg 5495 (EGB); Siskiyou Co.: trail to English Lake between wilderness boundary and Abbott Ranch, Klamath National Forest, Spjut 1379 (UC); Tulare Co.: Crescent Meadow, Giant Forest, Sequoia National Park, Shevock 16672 (determined by Ochyra).

Campylium stellatum (Hedwig) C. E. O Jensen [Campyliaceae]

Literature: Koch 1958.

Illustrations: Buck 1998; Flowers 1973; Hedenäs 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Fresno Co.: Taboose Pass Trail, headwaters of South Fork Kings River, Kings Canyon National Park, *Shevock 13871*; Inyo Co.: trail from Onion Valley to Robinson Lake, Inyo National Forest, *Norris 46615*; Siskiyou Co.: trail from Cedar Lake to Cliff Lake, *Norris 52989* and Parks Creek at Forest Road 17, Shasta-Trinity National Forest, *Norris & Hillyard 104052*; Trinity Co.: Big Flat, *Norris 8930*.

*Campylopodiella stenocarpa (Wilson in Seemann) P. Müller & Frahm [Dicranaceae]

Illustrations: As *Atractylocarpus stenocarpus* Sharp et al. 1994.

Geographic subdivisions: SN.

Selected specimens: Tulare Co.: Lion Meadows Creek near Little Kern River, Golden Trout Wilderness, Sequoia National Forest, *Norris* 67935 (determined by Frahm).

Campylopus introflexus (Hedwig) Bridel [Dicranaceae]

Literature: Frahm 1980; O'Brien 1999; Shevock and Toren 2001; Showers 1982.

Illustrations: Frahm 1985; Smith 1978. Geographic subdivisions: CaR, CW, NW, SW.

Selected specimens: Humboldt Co.: three miles north of Manila on stabilized dunes, *Montalvo s.n.* (UC), Golf Course Road about 0.25 mile west of

Club House, Bayside Golf Course, Norris 53102; Lake Co.: south shore Clear Lake at Sulfur Bank Mine, Toren 8027 (CAS); Marin Co.: Limantour Beach, Point Reves National Seashore, O'Brien 3353 (UC); Mendocino Co.: end of Simpson Land, Pygmy Cypress Forest, Showers & Toren 3258 (UC) [determined by Frahm] and Little River, Fern Canyon, He 40001 (MO); Monterey Co.: Cortez Road near Viscaino Road near Pebble Beach, Yadon s.n. (UC); San Francisco Co.: Mt. Davidson, Toren 7760 (CAS) [determined by Frahm]; San Mateo Co.: Pacifica, San Pedro County Park, Bourell 7000 (CAS); Santa Barbara Co.: Los Sauces Trail, Santa Cruz Island, Channel Islands National Park, Robertson 2154 (CAS); Shasta Co.: Boiling Springs Lake, Lassen Volcanic National Park, Showers 1909 (UC) [determined by Frahm].

Campylopus pyriformis (F. Schultz) Bridel [Dicranaceae]

Literature: Shevock and Toren 2001.

Illustrations: Arts and Frahm 1990; Smith 1978.

Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: lawn area at Embarcadero near Piers 29 and 31, Shevock 19102 (determined by Frahm).

Campylopus schmidii (C. Müller Hal.) A. Jaeger [Dicranaceae]

Literature: Christy and Wagner 1996. As Campylopus aureus Frahm 1980, 1985. As Campylopus atrovirens Holmberg 1969.

Illustrations: Frahm 1980, 1985.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Stony Creek Trail near Gasquet, Six Rivers National Forest, Nelson 93 (UC), Gasquet, Schofield 28813 (MICH), bog about 2 miles north of Gasquet, Six Rivers National Forest, Norris 8167; Humboldt Co.: Big Lagoon north of Patricks Point State Park, Bourell 2005 (CAS, MO); Mendocino Co.: Pygmy Cypress Forest along Summers Road east of Fort Bragg, Norris 23457 & 23462 (determined by Frahm).

Campylopus subulatus W. P. Schimper in Rabenhorst [Dicranaceae]

Literature: Frahm 1994; Kellman 2003; Shevock and Toren 2001.

Ilustrations: Smith 1978.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Del Norte Co.: Stony Creek about 1 mile north of junction with Smith River, Norris 52767 (determined by Frahm) and French Hill Road about 3.5 miles above Highway 199 southest of Gasquet, Six Rivers National Forest, Norris 85055 (MO); San Francisco Co.: Mt. Davidson, Shevock 19291 and Panhandle of Golden Gate Park, Shevock 18887 (determined by Frahm); Santa Cruz Co.: Scotts Valley, Kellman 1123 (CAS); Shasta Co.: Dry Creek Road at first bridge off of Highway 36 northeast of Redding, Norris 72342, 3.7 km east of Anderson, *Norris* 47645 (determined by Frahm) and Sacramento River Trail northeast of Redding, Norris 105298.

Ceratodon purpureus (Hedwig) Bridel [Ditrichaceae]

Literature: Bourell 1981; Bradshaw 1926; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McCleary 1972; McGrew 1976; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Showers 1982; Smith 1970; Spjut 1971; Steere 1954; Steere et al. 1954; Strid 1974; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990. As Ceratodon purpureus var. xanthopus Lesquereux 1868; Sullivant 1856; Watson 1880.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1978; Zander and Ireland 1979.

Geographic subdivisions: CaR, CW, GV, MP, NW, SN, SNE, SW.

Selected specimens: Butte Co.: levee of Feather River north of Gridley, Norris 52540; Modoc Co.: near Mayfield Ice Caves (Siskiyou Co.), Norris & Hermann 22519; San Diego Co.: Cameron Station Campground, Cleveland National Forest, Norris 57804; San Francisco Co.: Twin Peaks, San Francisco, Shevock 18862 & 19142; Sonoma Co.: South Ridge Trail above Lake Sonoma at Skaggs Springs Road, Norris 86938; Tulare Co.: Chamise Flats along Kern River 2.3 miles south of Roads End, Sequoia National Forest, Shevock, Norris, & Barahona 13028.

Ceratodon stenocarpus Bruch & W. P.

Schimper [Ditrichaceae]

Literature: Kellman 2003.

Ilustrations: Burley and Prichard 1990; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SN. **Selected specimens:** Mariposa Co.: Road to Mariposa Grove near Wawona Entrance Station, Yosemite National Park, Shevock 21434; Monterey Co.: Cemetery on Lockwood Road about 2 km east of Alamo Air Strip, Hunter-Liggett Military Reservation, Norris 87334 and Fish & Game Office on Garden Road, Lind s.n. (CAS) [determined by Robinson]; Santa Barbara Co.: Orcutt Hill, Bratt s.n. (SBBG); Santa Cruz Co.: Mount Hermon Road near Felton, Kellman 2803 (CAS); Shasta Co.: Mill Creek Road at Boulder Creek Trail, Whiskeytown National Recreation Area, Norris & Hillyard 105365; Tehama Co.: Highway 36 at Georgie Dells Road, Norris 56067.

Claopodium bolanderi Best [Leskeaceae]

Literature: Bourell 1981; Holmberg 1969; Koch 1950a, 1951e; Lawton 1971; McGrew 1976; Noguchi 1964; Showers 1982; Spjut 1971; Toren 1977; Yurky 1990, 1995.

Illustrations: Lawton 1971; Noguchi 1964. Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Del Norte Co.: Whiskey Lake, Six Rivers National Forest, Norris 83372; Humboldt Co.: South Fork Tish-Tang-a-Tang Creek east of Hoopa, Norris & Whittemore 52367; Lake Co.: Mt. Sanhedrin, Shevock, Ertter, Toren, & Dearing 19492; Marin Co.: Sir Francis Drake Blvd. Near Lagunitas, Yurky 402 (SFSU); Placer Co.: Bowman Lake west of Truckee, Tahoe National Forest, Norris 76955; Shasta Co.: Castle Lake at Castle Lake Creek, southwest of Mt. Shasta City, Shasta-Trinity National Forest, Norris & Hillyard 103845; Siskiyou Co.: Scotts Camp Creek Basin, Norris 53077; Tuolumne Co.: Forest Road 3N01 at Clavey Creek, Stanislaus National Forest, Norris 78792.

Claopodium crispifolium (W. J. Hooker) Renauld & Cardot [Leskeaceae]

Literature: Bourell 1981; Holmberg 1969; Jamieson 1969; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Noguchi 1964; Spjut 1971; Yurky 1990, 1995. As *Hypnum crispifolium* Sullivant 1856; Watson 1880.

Illustrations: Lawton 1971; Noguchi 1964. Geographic subdivisions: CaR, CW, NW.

Selected specimens: Del Norte Co.: South Fork Smith River about 3 miles from Big Flat, *Norris 74237*; Marin Co.: Cataract Trail near Alpine Lake, *Yurky 403* (SFSU); Mendocino Co.: Fox Creek, Branscomb Reserve, *Norris 47188*; San Mateo Co.: Pilarcitos Canyon below Lake Pilarcitos, *Steere s.n.* (UC); Shasta Co.: Damnation Pass Road at Lunch Gulch, *Norris & Hermann 22563*; Trinity Co.: Highway 36 at Clear Creek about 3 miles west of Forest Glen, *Norris 68729*.

Claopodium whippleanum (Sullivant) Renauld & Cardot [Leskeaceae]

Literature: Best 1897; Bourell 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McCleary 1972; Mishler 1978; Noguchi 1964; Sayre 1940; Shevock and Toren 2001; Showers 1982; Sigal 1975; Smith 1970; Steere 1954; Steere et al. 1954; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As Claopodium leuconeuron Bradshaw 1926; Howe 1896; Kingman 1912; Millspaugh and Nuttall 1923. As Claopodium whippleanum var. leuconeuron McCleary 1972. As Hypnum whippleanum Sullivant 1856; Watson 1880.

Illustrations: Lawton 1971; Noguchi 1964; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, DMoj, NW, SN, SW.

Selected specimens: Riverside Co.: Deep Springs Trail, San Jacinto State Park, San Jacinto Mountains, *Harpel 554* (pers. herb.); San Bernardino Co.:

Kingston Peak, Kingston Wilderness, Mojave Desert, Laeger & Bogan 1765 (CAS); San Francisco Co.: Mt. Davidson, Shevock 19297; Santa Barbara Co.: Windmill Canyon, Santa Rosa Island, Channel Islands National Park, Shevock 20904; Siskiyou Co.: Soda Creek about 4 miles northeast of Interstate 5 near Dunsmuir, Shasta-Trinity National Forest, Norris 84804; Sonoma Co.: Hamilton Ranch, 1 mile from Old Adobe east of Petaluma, Koch 337 (UC); Tulare Co.: General's Highway, 2.1 miles above Potwisha Campground and 0.2 miles below Hospital Rock, Middle Fork Kaweah River, Sequoia National Park, Shevock 15180.

Conardia compacta (C. Müller Hal.) H. Robinson [Campyliaceae]

Literature: Ireland 1982. As Amblystegium compactum Cheney 1897; Flowers 1973; Koch 1950a; Koch and Ikenberry 1954; Lesquereux 1868; Steere 1954. As Rhynchostegiella compacta Harthill et al. 1979; Lawton 1971; Long 1978; McCleary 1972. Illustrations: Flowers 1973; Hedenäs 1989a, 1993a, 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: DMoj, DSon, NW, SN, SNE, SW.

Selected specimens: Inyo Co.: Pine Creek Trail less than 0.5 mile from end of Pine Creek Road, Inyo National Forest, Shevock, Halford, & Nelson 15308; Lake Co.: along road to Harlin Springs south of Boggs Mountain, Toren & Dearing 7281 (CAS); Mariposa Co.: Highway 49 above Hells Hollow near milepost 32, Shevock 18749; Siskiyou Co.: Shasta Springs, Howe 127 (UC); Tulare Co.: Coy Flat Road, 0.25 mile south of bridge crossing of Middle Fork Tule River below Camp Nelson, Sequoia National Forest, Norris, Shevock, & Barahona 87663 & 87679; Ventura Co.: road to summit of Mt. Pinos about 1 mile below Chula Vista Campgound, Los Padres National Forest, Laeger 1718 (CAS).

*Conostomum tetragonum (Hedwig) Lindberg [Bartramiaceae]

Illustrations: Crum and Anderson 1981; Smith 1978.

Geographic subdivisions: SN, SNE.

Selected specimens: Alpine Co.: near Winnemucca Lake, Mokelumne Wilderness, Eldorado National Forest, *Norris 71243*; Mono Co.: Conness Lakes, Inyo National Forest, *Janeway 7703* (UC).

Coscinodon calyptratus (Drummond) C. E. O. Jensen in Kindberg [Grimmiaceae]

Literature: Hastings 1999; Yurky 1995. As *Grimmia calyptrata* Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a; Lawton 1971; Lesquereux and James 1884; Spjut 1971.

Illustrations: Flowers 1973; Hastings 1999; Lawton 1971; Muñoz 1998c.

Geographic subdivisions: DMoj, MP, SNE, SW. Selected specimens: Amador Co.: about 3 miles

west of Salt Springs Reservoir, Eldorado National Forest, *Norris & Shevock 103258*; Lassen Co.: Highway 139, 3 miles north of Susanville, *Whittemore 731a* (confirmed by Muñoz), and Termo-Grasshopper Road about 12 miles west of Termo, *Norris 22640*; Inyo Co.: on road to Schulman Grove, Ancient Bristlecone Pine Forest Botanical Area, White Mountains, Inyo National Forest, *Norris 46854*; Modoc Co.: Middle Alkali Lake northeast of Cedarville, *Norris 47496*, North Fork Pit River about 12 miles south of Davis Creek, *Norris 23624* and low hills north of Adin, *Norris 47421*; Riverside Co.: Highway 243 at milepost 10.77, San Jacinto Mountains, San Bernardino National Forest, *Harpel 87* (pers. herb.).

Cratoneuron filicinum (Hedwig) Spruce [Cratoneuraceae]

Literature: Harpel 1980a; Harthill et al. 1979; Koch 1949a, 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; Mishler 1978; Showers 1982; Spjut 1971; Strid 1974.

Illustrations: Flowers 1973; Hedenäs 1993a, 2003; Ireland 1982; Koponen et al. 1995; Lawton 1971; Ochyra 1989; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, DMoj, MP, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Redwood Creek above Highway 180, Monarch Wilderness, Sequoia National Forest, Shevock & York 12682 (determined by Ochyra); Lake Co.: headwaters of Bear Creek, Snow Mountain Wilderness, Mendocino National Forest, Toren & Dearing 7490 (CAS); Los Angeles Co.: Dorr Canyon northwest slope of Mt. Burham, Angeles National Forest, Wheeler 8829 & 8830 (CAS, UC) [determined by Hedenäs]; Mono Co.: Koenig Lake near Leavitt Lake east of Sonora Pass, Toiyabe National Forest, Norris 57209; Nevada Co.: Sagehen Creek Biological Station, Tahoe National Forest, Tavares 1965 (UC); Trinity Co.: above Big Boulder Lake west of Carrville, Shasta-Trinity National Forest, Norris & Streimann 74842: Tulare Co.: Deep Creek, Little Kern River, Golden Trout Wilderness, Sequoia National Forest, Norris 67881.

Crossidium aberrans Holzinger & E. B. Bartram [Pottiaceae]

Literature: Flowers 1973; Kellman 2003; Lawton 1971; Stark and Whittemore 1992.

Illustrations: Delgadillo 1975; Dirkse and Bouman 1995; Flowers 1973; Lawton 1971; Sharp et al. 1994; Zander 1993.

Geographic subdivisions: CW, DMoj, DSon, GV, SW.

Selected specimens: Imperial Co.: about 2 miles east of Mountain Springs County Park, Colorado Desert, *Norris & Piippo 82086*; Inyo Co.: Fall Canyon, Grapevine Mountains, Death Valley National Park, *Laeger 834* (CAS); Kern Co.: Mesquite Canyon northwest of Garlock, El Paso Mountains, Mojave Desert, *Norris 87134*; Blunt-nosed Leopard

Lizard Preserve, San Joaquin Valley, *Shevock* 10268; Monterey Co.: Arroyo Seco Creek about 4 miles west of Greenfield, *Norris* 48509; San Diego Co.: canyon above Bow Willow Canyon Campground, Anza Borrego State Park, *Norris* 77723 and Sentenac Canyon along San Felipe Creek, 3.5 miles east of Scissors Crossing along Highway 78, *Stark* 472c (MO) [determined by Delgadillo].

Crossidium crassinerve (De Notaris) Juratzka [Pottiaceae]

Literature: As *Crossidium desertorum* Flowers 1973; Harthill et al. 1979; Koch 1950a; McCleary 1972; Sayre 1940.

Illustrations: Cano et al. 1992; Crum and Anderson 1981; Delgadillo 1975; Dirkse and Bouman 1995; Flowers 1973; Zander 1993.

Geographic subdivisions: CW, DMoj, DSon, GV, SN, SW.

Selected specimens: Fresno Co.: Pine Flat Reservoir near Trimmer, Sierra National Forest, *Norris* 50942; Imperial Co.: end of Clark Lane south of Coyote Wells, Colorado Desert, *Norris & Piippo* 82072; Inyo Co.: near Scottys Castle, Grapevine Mountains, Death Valley National Park, *Shevock* 21334; Kern Co.: Mesquite Canyon northwest of Garlock, El Paso Mountains, Mojave Desert, *Norris* 87149 and Kern River along Highway 178, Sequoia National Forest, *Norris* 50769; San Luis Obispo Co.: about 1 mile west of Poso Summit, *Norris* 55209.

Crossidium seriatum H. Crum & W. C. Steere [Pottiaceae]

Literature: Stark and Whittemore 1992; Zander 1977b.

Illustrations: Crum and Steere 1958; Zander 1993. **Geographic subdivisions:** DMoj, DSon, GV, SN, SW.

Selected specimens: Inyo Co.: Trail Canyon, Panamint Mountains, Death Valley National Park, *York* 2342 (CAS); Kern Co.: about 2 miles east of Lost Hills adjacent to Interstate 5 and about 200 m southeast of junction with Highway 46, *Taylor* 14747 (UC); Riverside Co.: road to Twentynine Palms about 8 miles west of Desert Center, *Norris* 57932; San Diego Co.: Santa Margarita Ecological Reserve, SDSU, *Kellman* 1395 & 1400 (CAS); Tulare Co.: Elk Creek near Potwisha Campground, Sequoia National Park, *Norris*, *Shevock*, & *Barahona* 87574; road to Buckeye Campground, Sequoia National Park, *Norris*, *Shevock*, & *Barahona* 87604.

Crossidium squamiferum (Viviani) Juratzka [Pottiaceae]

Literature: Kellman 2003; Koch 1950a. As *Barbula chloronotos* Lesquereux 1868; Watson 1880. As *Crossidium griseum* Flowers 1973; Koch 1950a. As *Crossidium squamiferum* var. *pottioideum* Harpel 1980a; Harthill et al. 1979; Toren 1977. As *Tortula membranifolia* Coville 1893.

Illustrations: Delgadillo 1975; Dirkse and Bouman 1995; Flowers 1973; Ignatov and Ignatova 2003; Sharp et al. 1994; Zander 1993.

Geographic subdivisions: CW, DMoj, DSon, NW, SN, SNE, SW.

Selected specimens: Contra Costa Co.: Donner Canyon, Mt. Diablo State Park, Shevock & Ertter 20332; Fresno Co.: Warthan Creek about 7 miles west southwest of Coalinga, Norris 55132; Inyo Co.: Eco Canyon west of Inyo Mine, Death Valley National Park, York 2496 (CAS); Kern Co.: Mesquite Canyon northwest of Garlock, El Paso Mountains, Mojave Desert, Norris 87143; Riverside Co.: Highway 74 at Bighorn Overlook, San Bernardino National Forest, Norris 57853; San Diego Co.: Borrego Palm Canyon, Anza Borrego State Park, Colorado Desert, Norris 50571; Trinity Co.: Highway 299 about 1 mile east of Del Loma, Shasta-Trinity National Forest, Norris 70691; Tulare Co.: Elk Creek near Potwisha Campground, Sequoia National Park, Norris, Shevock, & Barahona 87577; Ventura Co.: above Blue Rocks Springs, Norris 55429, *55437*, *55440*, & *55447*.

Crumia latifolia (Kindberg) W. B. Schofield [Pottiaceae]

Literature: Bourell 1981; Christy and Wagner 1996; Harthill et al. 1979; Long 1978; Mishler 1978; Schofield 1966a; Shevock and Toren 2001; Toren 1977; Yurky 1990, 1995. As *Merceya latifolia* Koch 1950a; Koch and Ikenberry 1954; Moxley 1928; Thomson and Ketchledge 1958. As *Scopelophila latifolia* Flowers 1973; Lawton 1971.

Illustrations: Flowers 1973; Lawton 1971; Schofield 1966a; Zander 1993.

Geographic subdivisions: CaR, CW, DMoj, DSon, NW, SN, SNE, SW.

Selected specimens: Butte Co.: near Bidwell Bar, Feather River, Schofield 23138 (MO); Humboldt Co.: Tish-Tang Campground south of Hoopa, Norris 47305; Kern Co.: Cache Creek east of Horse Canyon, southern Piute Mountains, Shevock & Hare 14909; Los Angeles Co.: Twin Falls at La Cienega Camp North Fork San Gabriel Canyon north of Azusa, Angeles National Forest, F. & R. Drouet 3471 (UC); San Bernardino Co.: Caruthers Canyon, New York Mountains, Mojave National Preserve, Laeger & Davis 1334 (CAS); Santa Barbara Co.: canyon about 1 mile south of Bates Canyon Campground, Los Padres National Forest, Norris 55380; Santa Clara Co.: Stevens Canyon Road just east of Eden Canyon Road junction, Whittemore 5110 (MO); Trinity Co.: Highway 36 about 4 miles east of Wildwood, Shasta-Trinity National Forest, Norris 73561.

*Cynodontium jenneri (W. P. Schimper in Howie) Stirton [Dicranaceae]

Illustrations: Lawton 1971; Nyholm 1987–1998; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Madera Co.: Miller Meadow

below Minarets Pack Station, Sierra National Forest, Norris & Hillyard 105543.

*Cynodontium tenellum (Bruch & W. P. Schimper) Limpricht [Dicranaceae]

Illustrations: Ignatov and Ignatova 2003; Lawton 1971.

Geographic subdivisions: SN.

Selected specimens: Tulare Co.: Paradise Creek Trail near Buckeye Campground, Middle Fork Kaweah River, Sequoia National Park, *Shevock* 15191.

Dacryophyllum falcifolium Ireland [Hypnaceae]

Literature: Ireland 2004. Illustrations: Ireland 2004. Geographic subdivisions: CW.

Selected specimens: Monterey Co.: Old Coast Road near South Fork Little Sur River, El Sur Ranch, *Kellman 3037* (CAS); Santa Cruz Co.: South Fork Fall Creek from Blue Cliff above Lime Kilns. Henry Cowell Redwoods State Park, *Kellman 704* (CAS) and Empire Grade at Cave Gulch, U.C. Santa Cruz property, *Kellman & Shevock 2671* (CAS).

Dendroalsia abietina (W. J. Hooker) E. Britton in Brotherus [Cryphaeaceae]

Literature: Bourell 1981; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; Manuel 1974; Mishler 1978; Showers 1982; Smith 1970; Spjut 1971; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As Alsia abietina Bradshaw 1926; Lesquereux 1868; Moxley 1928; Watson 1880. As Alsia circinalis Kingman 1912. As Leptodon circinatus Sullivant 1856.

Illustrations: Brotherus 1924–1925; Lawton 1971; Manuel 1974; Sharp et al. 1994; Sullivant 1856. Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Del Norte Co.: Smith River along Highway 199 about 9 miles east of junction with Highway 101, Six Rivers National Forest, Norris 85025; El Dorado Co.: Highway 50 at Ice House Road, Norris & Piippo 82284; Santa Barbara Co.: near Bates Canyon Campground, Norris 55378; Santa Cruz Co.: Pine Mountain Trail, Big Basin Redwoods State park, Kellman 2510 (CAS); Siskiyou Co.: near Cook and Green Pass about 1 mile west of White Mountain, Klamath National Forest, Norris 50187; Tulare Co.: trail below Crystal Cave to Cascade Creek, Sequoia National Park, Shevock, Whitmarsh, & Johnson 17168.

*Dichelyma uncinatum Mitten [Fontinalaceae]

Illustrations: Lawton 1971; Welch 1960.

Geographic subdivisions: NW.

Selected specimens: Mendocino Co.: Outlet Creek about 2 miles south of Willits, *Norris* 67593, Little Outlet Creek Bridge at Highway 101 about 5 miles north of Willits, *Duell* 680 (UC).

Dichodontium flavescens (Dickson) Lindberg [Dicranaceae]

Literature: Howe 1897. Illustrations: Werner 2002.

Geographic subdivisions: SN, SNE.

Selected specimens: Alpine Co.: Silver Creek at Carson River, Toiyabe National Forest, *Norris* 78978; El Dorado Co.: South Fork American River, Highway 50 at Bridal Veil Falls, Eldorado National Forest, *Norris* 58415; Fresno Co.: Redwood Creek, Windy Gulch Grove, Sequoia National Forest, *Norris*, *Shevock*, & *York* 87947, 87951 and Dinkey Creek, Sierra National Forest, *Norris* 88208; Inyo Co.: Lone Pine Creek east of Movie Road, along Whitney Portal Road, *Norris* & *Shevock* 92912; Tulare Co.: near Atwell Mills Campground, East Fork Kaweah River, Sequoia National Park, *Norris* 46431 and Slate Mountain Botanical Area near junctions of Forest Trails 31E14 and 31E31, Sequoia National Forest, *Shevock* 15693.

*Dichodontium olympicum Renauld & Cardot [Dicranaceae]

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Mono Co.: Lundy Lakes Trail along Mill Creek below Lake Helen, Inyo National Forest, *Norris* 78864, 78887 & 78890; Siskiyou Co.: between Louise, O'Brien and Eastern Creeks on eastern slopes of Little Grayback, *Holmberg* 947 (UC); Tuolumne Co.: about 2 miles east of Tuolumne Meadows toward Tioga Pass, Yosemite National Park, *Norris* 100356.

Dichodontium pellucidum (Hedwig) W. P. Schimper [Dicranaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Long 1978; Showers 1982; Spjut 1971; Strid 1974; Tan and Schofield 1980; Thomson and Ketchledge 1958; Toren 1977.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978; Werner 2002.

Geographic subdivisions: CaR, CW, MP, NW, SN, SW.

Selected specimens: Alpine Co.: Silver Creek at Carson River, Toiyabe National Forest, *Norris* 78978; Fresno Co.: Avalanche Creek at Cedar Grove, South Fork Kings River, Kings Canyon National Park, *Shevock 13770*; Humboldt Co.: Forest Road 5E21 at East Fork about 5 air miles north of Mad River, Six Rivers National Forest, *Norris* 83887; Lake Co.: beyond Towhead Flat, Mt. Sanhedrin, Mendocino National Forest, *Toren 5077* (CAS); Riverside Co.: Middle Spring along Devils Slide Trail, San Jacinto Mountains, San Bernardino National Forest, *Harpel 941* (pers. herb.); Shasta Co.: Highway 299 north side of Haynes Flat about

3 miles west of Burney, *Norris* 68563; Siskiyou Co.: Shadow Creek at Callahan about 6 miles northeast of Cecilville, Klamath National Forest, *Norris* 70552.

*Dicranella crispa (Hedwig) W. P. Schimper [Dicranaceae]

Illustrations: Ignatov and Ignatova 2003; Lawton 1971; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Siskiyou Co.: mouth of West Fork Clear Creek, Siskiyou Mountains, Klamath National Forest, *Wheeler 8281* (CAS, UC).

Dicranella heteromalla (Hedwig) W. P. Schimper [Dicranaceae]

Literature: Crum and Anderson 1981; Howe 1897; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Shevock and Toren 2001; Yurky 1990, 1995. As *Dicranum heteromallum* Lesquereux 1868; Watson 1880.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: trail between Requa and False Klamath Cove, Redwood National Park, Norris 24029 and Sanger Lake, Six Rivers National Forest, Norris 7773 & 7775; Glenn Co.: Cottonwood Glade east of Plaskett Meadows, Mendocino National Forest, Norris 47961; Humboldt Co.: Goose Creek, Norris 56531; Marin Co.: South Novato, Jenkinson s.n. (UC); Mendocino Co.: east of Highway 1 just south of Caspar, Pygmy Cypress Forest, Tavares & Sharsmith 732 (UC); San Francisco Co.: Mt. Davidson, Shevock 18928; Santa Cruz Co.: Waddell Creek near Redwoods Camp 2, Big Basin Redwoods State Park, Kellman 782 (CAS); Sonoma Co.: Bodega Marine Laboratory, Norris 103450.

*Dicranella hilariana (Montagne) Mitten [Dicranaceae]

Illustrations: Crum and Anderson 1981; Grout 1928–1940; Sharp et al. 1994. As *Dicranum debile* Cardot and Thériot 1900; Sullivant 1864.

Geographic subdivisions: CW.

Selected specimens: Santa Cruz Co.: City of Capitola, *Kellman 1052* (CAS) [determined by Frahm].

Dicranella howei Renauld & Cardot [Dicranaceae]

Literature: Cardot and Thériot 1900; Crundwell and Nyholm 1977; Howe 1896; Kellman 2003; Shevock and Toren 2001; Whitemore and Sommers 1999. Misapplied as *Anisothecium varium* Koch 1950a; Koch and Ikenberry 1954; Steere 1954; Steere et al. 1954. Misapplied as *Dicranella varia* Bourell 1981; Bradshaw 1926; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Jamieson 1969; Lawton 1971; McCleary 1972; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Toren 1977;

Yurky 1990, 1995. Misapplied as *Dicranum varium* Lesquereux 1868; Watson 1880. As *Dicranella rubra* Millspaugh and Nuttall 1923. As *Dicranum palustre* Lesquereux 1868.

Illustrations: Crundell and Nyholm 1977; Smith 1978

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Butte Co.: opposite spillway of Oroville Dam, *Norris* 52580; Fresno Co.: Peterson Mill Road at junction with Forest Roads 10S18 & 10S43, about 6 miles east of Highway 168, Sierra National Forest, *Shevock & York* 14970; Humboldt Co.: Humboldt Bay at foot of L Street, Eureka, *Norris* 57794; Lake Co.: Erickson Ridge Road to Mt. Sanhedrin, Mendocino National Forest, *Toren* 5085 (CAS); Nevada Co.: Washington Road, 2.7 miles from Highway 20, Tahoe National Forest, *Shevock & Toren* 20713; San Francisco Co.: Coastal Bluff Trail, Golden Gate National Recreation Area, *Shevock* 18806; Santa Cruz Co.: Eagle Creek below Columbine Trail Crossing, Henry Cowell

*Dicranella pacifica W. B. Schofield [Dicranaceae]

Redwoods State Park, Kellman 631 (CAS).

Illustrations: Lawton 1971.

Notes: See Schofield (1970) for a table of characters separating *D. pacifica* from *D. varia*.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Bear Basin Butte, Six Rivers National Forest, *Norris* 8095.

*Dicranella palustris (Dickson) Crundwell ex. Warburg [Dicranaceae]

Illustrations: Crum and Anderson 1981; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Siskiyou Co.: Long Gulch Lake southwest of Callahan, Klamath National Forest, *Norris* 57476.

*Dicranella rufescens (Withering) W. P. Schimper [Dicranaceae]

Illustrations: Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Geographic subdivisions: NW, SN.

Selected specimens: Calaveras Co.: about 1 mile west of Salt Springs Reservoir, Stanislaus National Forest, *Norris & Shevock 103254*; Lake Co.: Library Park, City of Lakeport, *Toren 8430* (CAS) and *Toren & Shevock 8514* (CAS) [determined by Allen]; Mendocino Co.: location not specified beyond T12N, R13W, sections 21–23, *Hamilton 87* (UC).

*Dicranella schreberiana (Hedwig) Hilferty ex H. Crum & Anderson [Dicranaceae]

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: slopes about 2.5 miles from Highway 299 at Redwood Valley,

Duell 1891 (UC) and above South Quarry Road off Jacoby Creek Road near Arcata, Norris 57660.

Dicranella subulata (Hedwig) W. P. Schimper [Dicranaceae]

Literature: Crum and Anderson 1981; Koch 1950a; Lawton 1971. As *Dicranum subulatum* Lesquereux 1868; Watson 1880.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971. **Geographic subdivisions:** NW.

Selected specimens: Humboldt Co.: Van Duzen River floodplain about 3 miles east of Carlotta, *Norris* 19604 and Salmon Creek Road about 3 miles above mouth of Salmon Creek, *Nomura & Kirn* 79 (UC).

Dicranoweisia cirrata (Hedwig) Lindberg in Milde [Seligeriaceae]

Literature: Bourell 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux and James 1884; Long 1978; Mishler 1978; Moxley 1928; Shevock and Toren 2001; Showers 1982; Sigal 1975; Smith 1970; Spjut 1971; Steere et al. 1954; Toren 1977; Yurky 1990, 1995. As Weissia cirrata Lesquereux 1868; Sullivant 1856; Watson 1880.

Illustrations: Flowers 1956; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SW. **Selected specimens:** Lake Co.: Clear Lake State Park, Norris 47731; Plumas Co.: forest campsite along Highway 24 and North Fork Feather River, Koch 1873 (UC); Riverside Co.: Riverside County Park near Idyllwild, San Jacinto Mountains, Harpel 1465 (pers. herb.); San Francisco Co.: Mt. Sutro, Shevock 19180; Santa Barbara Co.: Orcutt Hill, Bratt s.n. (SBBG); Santa Cruz Co.: Zayante Canyon Road about 4 miles south of Summit Road north of Felton, Santa Cruz Mountains, Norris 86868; Siskiyou Co.: Soda Creek Road about 4 miles northeast of Highway 5 near Dunsmuir, Shasta-Trinity National Forest, Norris 84791; Tulare Co.: County Road M-220 at Bear Creek, Sequoia National Forest, Norris, Shevock, & Barahona 87651.

Dicranoweisia contermina Renauld & Cardot [Seligeriaceae]

Literature: Howe 1897; Koch 1950a. Misapplied in California as *Dicranoweisia crispula* Bradshaw 1926; Flowers 1973; Lesquereux and James 1884; Showers 1982; Spjut 1971; Strid 1974. As *Dicranoweisia crispula* var. *contermina* Holmberg 1969; Lawton 1971; McGrew 1976.

Notes: *Dicranoweisia crispula* has historically been reported for California, however, based on our examination of the specimens residing in California herbaria, we view these plants, primarily of rock outcrops, to be *Dicranoweisia contermina*. We ex-

pect *Dicranoweisia crispula* to be located within the Sierra Nevada. See Appendix III for more information.

Illustrations: Crum and Anderson 1981; Flowers 1956, 1973; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, MP, NW, SN, SNE.

Selected specimens: Modoc Co.: Big Valley Mountains, *Baker & Nutting s.n.* (UC); Placer Co.: Bowman Lake Road at Grouse Mountain Road west of Truckee, Tahoe National Forest, *Norris 76983*; Siskiyou Co.: near Monument Lake, Marble Mountain Wilderness, Klamath National Forest, *Norris & Spjut 12453*; Trinity Co.: slopes above Lake Eleanor west of Trinity Center, *Norris 76881*; Tulare Co.: Crabtree Meadows near Mount Whitney, Sequoia National Park, *Shevock 18546*.

Dicranum fuscescens Turner [Dicranaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Shevock and Toren 2001; Showers 1982; Smith 1970; Spjut 1971; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Del Norte Co.: Stony Creek about 1 mile north of Gasquet, Six Rivers National Forest, Norris & Piippo 82459; Humboldt Co.: Foothill Trail, Prairie Creek Redwood State Park, Norris 46007; Lake Co.: east slope of Garrett Mountain, Mendocino National Forest, *Toren 7171* (CAS); Mendocino Co.: Comptche Road about 3 miles east of Mendocino, Pygmy Cypress Forest, Norris 10739 (determined by Peterson); Santa Cruz Co.: West Waddell Creek, Big Basin Redwoods State Park, Kellman 2479 (CAS); Siskiyou Co.: near Cook and Green Pass about 1 mile west of White Mountain, Klamath National Forest, Norris 50196; Tuolumne Co.: Dodds, Strawberry Lake near Pinecrest, Stanislaus National Forest, Morse 1934 (UC) [determined by Peterson].

Dicranum howellii Renauld & Cardot [Dicranaceae]

Literature: Bourell 1981; Howe 1896; Kellman 2003; Lawton 1971; Shevock and Toren 2001; Toren 1977. Misapplied as *Dicranum scoparium* Holmberg 1969; Jamieson 1969; Koch 1950a; Koch and Ikenberry 1954; Lesquereux 1868; Spjut 1971; Watson 1880; Yurky 1995. As *Dicranum bonjeanii* Holmberg 1969; Koch 1950a, 1951e; Spjut 1971; Yurky 1990.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Butte Co.: about 2 miles northeast of Forbestown, Plumas National Forest, *Dillingham 1011* (CAS) and arm of Oroville Lake near Bloomer Hill, *Janeway 7745* (UC); Del Norte

Co.: Whiskey Lake, Six Rivers National Forest, *Norris* 83369; Humboldt Co.: Emerald Creek east of Orick, *Norris* 24591; Mendocino Co.: Eel River about 3 miles south of Piercy, *Norris* 72142; San Francisco Co.: Mt. Davidson, *Shevock* 19290; Santa Cruz Co.: Whites Lagoon, Forest of Nisene Marks State Park, *Kellman* 774 (CAS); Shasta Co.: Soda Creek Road about 3 miles northeast of Highway 5 near Dunsmuir, Shasta-Trinity National Forest, *Norris* 84783; Siskiyou Co.: Clear Creek below Young's Valley, *Norris* & *Ignatov* 74747; Trinity Co.: Hennessy Ridge Road about 1 mile west of eastern border of Six Rivers National Forest, *Norris* 77269.

Dicranum scoparium Hedwig [Dicranaceae]

Literature: Lawton 1971.

Illustrations: Abramov and Volkova 1998; Ignatov and Ignatova 2003; Lawton 1971.

Notes: Although attributed to California in the bryological literature, all but one of the California specimens we examined labeled as *Dicranum scoparium* are actually *D. howellii*.

Geographic subdivisions: NW.

Selected specimens: Siskiyou Co.: Granite Creek between Tikner Creek and Blue Granite, *Norris* 52329.

*Dicranum sulcatum Kindberg in Macoun [Dicranaceae]

Illustrations: Peterson 1979.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Del Norte Co.: Highway 199 at Elk Valley Campground near Oregon border, Siskiyou National Forest, *Norris 9848*; Humboldt Co.: Ten Taypo Trail, Prairie Redwoods State Park, *Norris 56794*; Marin Co.: trail near Mud Lake, Point Reyes National Seashore, *Norris 71828*; Mendocino Co.: about 5 miles east of Albion, Pygmy Cypress Forest, *Norris 11791* and Gibney Lane about 1.2 miles east of Highway 1 near Fort Bragg, *Becking s.n.* (UC); Siskiyou Co.: between Louise and Indian Creek, slopes of Little Grayback, Klamath National Forest, *Holmberg 948* (UC).

*Dicranum undulatum Schrader ex Bridel [Dicranaceae]

Illustrations: Lawton 1971.

Notes: The occurrence of this species in California is viewed as a recent introduction that may spread to other areas in the San Francisco Bay Area.

Geographic subdivisions: CW.

Selected specimens: Alameda Co.: U. C. Berkeley Campus, Valley Life Sciences Building, *Kersh & Norris 4* (UC) and *Shevock 21626* (confirmed by Ireland).

Didymodon australasiae (W. J. Hooker & Greville) Zander [Pottiaceae]

Literature: Shevock and Toren 2001. As *Trichostomopsis brevifolia* Bartram 1931; Harthill et al. 1979; Koch 1950a, 1951e; McCleary 1972; Steere

1954. As *Trichostomopsis diaphanobasis* Harthill et al. 1979. As *Trichostomopsis faye* Harthill et al. 1979; Koch 1950a; McCleary 1972; Steere 1954. As *Trichostomopsis australasiae* Lawton 1971.

Illustrations: Allen 2002; Bartram 1931; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CW, DMoj, DSon, SW. Selected specimens: Inyo Co.: Titus Canyon, Death Valley National Park, Norris 10206f; Kern Co.: Sand Canyon Road just north of Highway 58, Shevock 13237; Lake Co.: Chalk Mountain north of Cache Creek, Toren & Dearing 7310 (CAS); Los Angeles Co.: San Fernando Valley, MacFadden 21719 (MO); Riverside Co.: Snakeye Springs, Indian Cove, Joshua Tree National Park, Norris 57992; San Diego Co.: Box Canyon, Anza Borrego State Park, Colorado Desert, Norris 50630; San Francisco Co.: Golden Gate Park, Shevock 18896 (determined by Zander); San Luis Obispo Co.: about 1 mile west of Poso Grade, Norris 55215; Tuolumne Co.: along Highway 120 about 5 miles below Jamestown, Ikenberry 394 (MO) [determined by Grout].

Didymodon brachyphyllus (Sullivant in Whipple) Zander [Pottiaceae]

Literature: Kellman 2003. As Barbula brachyphylla Harpel 1980a; Harthill et al. 1979; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McCleary 1972; Mishler 1978; Sayre 1940; Spjut 1971; Steere 1954; Steere et al. 1954; Sullivant 1856; Toren 1977; Watson 1880; Yurky 1990. As Didymodon vinealis var. brachyphyllus Yurky 1995.

Illustrations: Lawton 1971; Mogensen and Zander 1999; Sharp et al. 1994; Zander and Ochyra 2001. Geographic subdivisions: CW, NW, SN, SNE, SW. Selected specimens: Contra Costa Co.: Vasco Caves Preserve, East Bay Regional Parks, Shevock, O'Brien, & Jessup 15025 (determined by Zander); Lake Co.: Highway 20 about 10 miles east of Highway 53 junction, Toren & Dearing 7317 (CAS) [confirmed by Zander]; Marin Co.: Shell Beach Trail, Yurky 325 (SFSU); Riverside Co.: Garnet Queen Creek, Santa Rosa Mountains, Harpel 2355 (pers. herb.); San Diego Co.: French Creek, Palomar Mountains, Stark 771 (MO); Tulare Co.: Highway 190 at Soda Creek near Moorehouse, Sequoia National Forest, Shevock 15650 (determined by Zander); Ventura Co.: San Nicolas Island, Weber & Bratt 100684 (MO).

Didymodon eckeliae Zander [Pottiaceae]

Literature: Zander 2001. Illustrations: Zander 2001. Geographic subdivisions: SW.

Selected specimens: San Diego Co.: about 13 km northeast of Lakeside, Barona Indian Reservation, *Wiggins s.n.* (NY).

*Didymodon fallax (Hedwig) Zander [Pottiaceae]

Illustrations: Ignatov and Ignatova 2003. As *Barbula fallax* Crum and Anderson 1981; Lawton 1971; Smith 1978.

Geographic subdivisions: CW.

Selected specimens: Alameda Co.: Berkeley, *Morse s.n.* (NY); Santa Clara Co.: Big Basin Way, Highway 9 about 1 mile from Saratoga, *Duell 2148* (NY) [determined by Zander].

*Didymodon ferrugineus (W. P. Schimper ex Bescherelle) M. O. Hill [Pottiaceae]

Illustrations: Allen 2002; Ignatov and Ignatova 2003.

Geographic subdivisions: CaR, NW.

Selected specimens: Siskiyou Co.: Mud Creek Dam along Forest Road 40N56, southeast slopes of Mt. Shasta, Shasta-Trinity National Forest, *Norris & Hillyard 104089*.

Didymodon insulanus (De Notaris) M. O. Hill [Pottiaceae]

Literature: Shevock and Toren 2001. As Barbula cylindrica Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McCleary 1972; Mishler 1978; Sayre 1940; Steere 1954; Toren 1977; Yurky 1990, 1995. As Barbula flexifolia Brandegee 1891; Lesquereux and James 1884. As Barbula insulana Lesquereux 1868. As Barbula subfallax Brandegee 1891; Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Millspaugh and Nuttall 1923. As Barbula virescens Brandegee 1891; Lesquereux and James 1884. As Didymodon vinealis var. flaccida Lawton 1971; Whittemore and Sommers 1999; Yurky 1990, 1995.

Illustrations: Lawton 1971.

Geographic subdivisions: CW, SN.

Selected specimens: Alameda Co.: Little Yosemite Canyon View Trail, Sunol Regional Park, Whitte-more 5428b (MO); El Dorado Co.: Bridal Veil Falls, Highway 50, Eldorado National Forest, Whittemore 4000 (MO); San Mateo Co.: Sylvan Trail, Edgewood County Park, Whittemore & Sommers 5259 (MO); Santa Cruz Co.: Rincon Gorge, Henry Cowell Redwoods State Park, Kellman 363 (CAS); Tulare Co.: Belknap Grove near Camp Nelson, Middle Fork Tule River, Sequoia National Forest, Norris 50902.

Didymodon nicholsonii Culmann [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Didymodon vinealis* var *nicholsonii* Showers 1982.

Illustrations: Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SW. **Selected specimens:** Alameda Co.: Little Yosemite Canyon View Trail, Sunol Regional Park, *Whitte-*

more 5452 (MO); Butte Co.: North Fork Feather River Canyon above Highway 70, Plumas National Forest, Janeway 5370 (MO); Fresno Co.: Deer Cove Creek adjacent to Highway 180, South Fork Kings River, Sequoia National Forest, Shevock 12457; Lake Co.: near Lake Pillsbury, Mendocino National Forest, Toren 7138a (BUF, CAS) [confirmed by Zander]; Riverside Co.: Santa Rosa Mountain, Norris 57875; Santa Cruz Co.: Laguna Creek, Kellman 1522 (CAS); Sonoma Co.: Wolf Creek Road about 4 miles east of Gualala River, Norris 86944.

Didymodon norrisii Zander [Pottiaceae]

Literature: Kellman 2003; Zander 1999.

Illustrations: Zander 1999.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Contra Costa Co.: near Castle Rocks, Mt. Diablo State Park, Shevock & Ertter 20347; Humboldt Co.: near Kneeland, Norris 7884 (BUF, UC); Lake Co.: Manning Creek, Highway 175 about 4 miles west of Lakeport, Toren, Bourell, Dearing, & Shevock 6940 (CAS) and Toren 7402 (CAS), Hell's Peak near Blue Lakes, Toren 636 (CAS), The Slides west of Lake Pillsbury, Mendocino National Forest, Toren 7534 (CAS) [determined by Zander], Shevock, Ertter, Toren, & Dearing 19488, and Bartlett Mountain Road at High Valley Ridge, Mendocino National Forest, Norris 10606; Madera Co.: Forest Highway 81 between Fish Creek and Slide Creek, Sierra National Forest, Shevock & Norris 19785; Nevada Co.: road to Downieville about 3 miles from Nevada City, Norris 67384; Santa Cruz Co.: Eagle Rock Lookout Tower near Bonny Doon, Kellman 890 (CAS); Tehama Co.: Hogback Road about 4 miles east of Highway 99, Shevock & Ertter 22251; Tulare Co.: near Brush Creek along Kern River, Sequoia National Forest, Toren 7936 (CAS); Tuolumne Co.: Highway 108 east of Long Barn, 6.1 miles east of Mi-Wok Ranger Station, Stanislaus National Forest, Shevock 18586 (determined by Toren).

Didymodon occidentalis Zander [Pottiaceae]

Literature: Whittemore and Sommers 1999. As *Barbula rubiginosa* Harthill et al. 1979; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Spjut 1971; Toren 1977.

Illustrations: Lawton 1971.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Colusa Co.: Highway 20 at milepost 74, Norris 52515, 52522, & 52526; Contra Costa Co.: Mitchell Canyon, Mt. Diablo State Park, Norris 100606; Fresno Co.: Warthan Creek about 7 miles southwest of Coalinga, Norris 55124; Kern Co.: Round Mountain Road, 5.79 miles east of junction with Granite Road and 1.9 miles west of Eastmont Road, north of Oildale, Shevock 14841; San Luis Obispo Co.: near Black Mountain and Navajo Camp about 1.5 miles west of road junction, Norris 55244.

Didymodon revolutus (Cardot) R. S. Williams [Pottiaceae]

Literature: As *Husnotiella revoluta* Bartram 1926; Grout 1928–1940; Harthill et al. 1979; Koch 1949a, 1950a; Koch and Ikenberry 1954.

Illustrations: Allen 2002; Crum and Anderson 1981; Sharp et al. 1994.

Geographic subdivisions: CW, MP, SN.

Selected specimens: Contra Costa Co.: Pine Canyon near Castle Rocks, Mt. Diablo State Park, Norris 100792; Lassen Co.: Highway 139 about 16 miles south of Adin, Norris 21462 & 21466; Modoc Co.: Alturas, North Fork Pit River, Richards & Drouet 1263 (UC); Placer Co.: American River Canyon at junction of Highway 49 and Foresthill Road, Whittemore 4339 (MO); San Luis Obispo Co.: Boy Scout Road about 1 mile east of Twin Bridges, Camp Roberts Military Reservation, Norris 100885; Sonoma Co.: Adobe Canyon, Koch 285 (UC) and near Kenwood, Koch s.n. (MO) [determined by Bartram]; Tulare Co.: Limestone Campground, Kern River Canyon, Sequoia National Forest, Norris, Shevock, & Barahona 87102; Tuolumne Co.: about 5 miles below Jamestown, Ikenberry 394 (CAS) [determined by Koch].

Didymodon rigidulus Hedwig [Pottiaceae]

Literature: Bourell 1981; Flowers 1973; Kellman 2003; Lawton 1971; Shevock and Toren 2001; Sigal 1975; Yurky 1990, 1995. As Barbula acuta Koch 1950a; Lawton 1971. As Barbula rigidula Kingman 1912; Harthill et al. 1979; Koch 1950a; Long 1978; Watson 1880. As Didymodon mexicanus var. subulatus Harthill et al. 1979; McCleary 1972. As Didymodon rigidulus var. icmadophilus Zander 1981b, 1993. As Trichostomum rigidulum Lesquereux 1868; Lesquereux and James 1884; Moxley 1928.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CW, NW, SN, SW. Selected specimens: Alameda Co: Brushy Peak northeast of Livermore, Norris 87188; Fresno Co.: divide above Boyden Cave, Monarch Wilderness, Sequoia National Forest, Shevock & York 12330 and Warthan Creek about 7 miles west southwest of Coalinga, San Joaquin Valley, Norris 55135; Lake Co.: Highway 53 about 1 mile south of Highway 20, Norris 47687; Marin Co.: Bootjack Trail, Mt. Tamalpais State Park, Yurky 860 (SFSU); San Benito Co.: Clear Creek, San Benito Mountain, BLM Clear Creek Recreation Area, Shevock, Norris, & Hamon 20303 (determined by Zander); San Bernardino Co.: Highway 40 about 15 miles east of Barstow, Mojave Desert, Norris 68082; San Diego Co.: Matagual Creek, Volcan Mountains, Stark 611 (BUF); San Francisco Co.: Golden Gate Park, Shevock 19515; Siskiyou Co.: Elk Creek at Malone Creek south of Happy Camp, Norris 52250.

Didymodon tophaceus (Bridel) Lisa [Pottiaceae]

Literature: Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Kingman 1912; Koch 1950a; Lawton 1971; Long 1978; McCleary 1972; Millspaugh and Nuttall 1923; Mishler 1978; Shevock and Toren 2001; Sigal 1975; Steere 1954; Toren 1977; Yurky 1990, 1995. As Desmatodon hendersonii Koch 1950a; McCleary 1972; Millspaugh and Nuttall 1923; Steere 1954; Steere et al. 1954. As Trichostomum tophaceum Lesquereux 1868; Lesquereux and James 1884; Sullivant 1856; Watson 1880.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, DMoj, DSon, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: just below bridge crossing of Highway 180 at Boyden Cave, Sequoia National Forest, Shevock 12459; Inyo Co.: Cottonwood Canyon, Cottonwood Mountains, Death Valley National Park, Shevock, Kellman, York, & Knaus 20559; Napa Co.: near Lake Berryessa about 4 miles east of Pope Valley, Norris 48257; Nevada Co.: Washington Road about 2.5 miles from Highway 20, Tahoe National Forest, Shevock & Toren 20711; Riverside Co.: Bay Tree Springs, San Jacinto Mountains, San Bernardino National Forest, Harpel 1848 (pers. herb.); Santa Barbara Co.: La Jolla Vieja Canyon, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriquez 20867; Santa Clara Co.: Alum Rock Park, San Jose, Schofield 12697 (UC); Siskiyou Co.: Sawyers Bar to Forks of the Salmon Road about 2 miles east of Forks of the Salmon, Norris 22760.

Didymodon umbrosus (C. Müller Hal.) Zander [Pottiaceae]

Literature: Shevock and Toren 2001.

Illustrations: Eckel 1986; Sharp et al. 1994.

Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: Aqua Vista Park, China Basin, San Francisco, *Shevock* 18997 (determined by Zander).

Didymodon vinealis (Bridel) Zander [Pottiaceae]

Literature: Kellman 2003; Koch and Ikenberry 1954; Shevock and Toren 2001; Showers 1982; Whittemore and Sommers 1999. As Barbula bakeri Cardot and Thériot 1904. As Barbula semitorta Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Sullivant 1856. As Barbula vinealis Bourell 1981; Bradshaw 1926; Brandegee 1891; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Koch 1950a, 1951e; Lawton 1971; Lesquereux and James 1884; Long 1978; McCleary 1972; Millspaugh and Nuttall 1923; Mishler 1978; Moxley 1928; Sigal 1975; Smith 1970; Spjut 1971; Steere 1954; Steere et al. 1954; Sullivant 1856; Thomson and Ketchledge 1958; Toren 1977; Watson 1880. Probably misapplied as Barbula arcto-

carpa Millspaugh and Nuttall 1923; Lesquereux and James 1884. As *Tortula elata* Brandegee 1891. **Illustrations:** Allen 2002; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994; Smith 1978. **Geographic subdivisions:** CaR, CW, DMoj, DSon, GV, MP, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Marble Falls Trail above Potwisha Campground, Marble Fork Kaweah River, Sequoia National Park, Shevock 12951; Humboldt Co.: Forest Road 5E21 at East Fork about 5 air miles north of Mad River, Six Rivers National Forest, Norris 83890; Mariposa Co.: road to Big Sandy about 2 miles east of Fish Camp, Sierra National Forest, Norris 85337; Santa Barbara Co.: canyon about 1 mile south of Bates Canyon Campground, Norris 55357; Shasta Co.: County Road A17 at junction of road to Black Butte, Norris 23746; Tulare Co.: Dark Canyon along Forest Road 24S05 just south of White River Campground, Sequoia National Forest, Shevock 14300 and Mineral King Road, 0.5 mile east of Silver City, Sequoia National Park, Shevock 17665 (determined by Zan-

*Discelium nudum (Dickson) Bridel [Disceliaceae]

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Lawton 1971.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: between False Klamath Cove and Requa, Redwood National Park, *Norris 24047, 70386 & 70723*; Humboldt Co.: Patrick's Point near Arcata, *Schofield 16971* (UBC).

Distichium capillaceum (Hedwig) Bruch & W. P. Schimper [Ditrichaceae]

Literature: Crum and Anderson 1981; Koch 1949a, 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Showers 1982; Watson 1880.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Seppelt 1982; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, MP, NW, SN, SNE.

Selected specimens: Alpine Co.: Winnemucca Lake, Mokelumne Wilderness, Eldorado National Forest, *Norris 71269*; Inyo Co.: South Fork Bishop Creek, 4.2 miles south of Highway 168 on South Lake Road, Inyo National Forest, *Shevock 12546*; Modoc Co.: above Patterson Lake, South Warner Wilderness, Modoc National Forest, *Harpel 2271* (pers. herb.); Mono Co.: Lundy Lakes Trail below Helen Lake, Inyo National Forest, *Norris 78888*; Siskiyou Co.: Taylor Lake, Klamath National Forest, *Norris 83410*.

Distichium inclinatum (Hedwig) Bruch & W. P. Schimper [Ditrichaceae]

Literature: Koch 1950a; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Showers 1982; Watson 1880.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, SN, SNE.

Selected specimens: Alpine Co.: Winnemucca Lake, Mokelumne Wilderness, Eldorado National Forest, Norris 71260; Fresno Co.: between Twin Lakes and Round Meadow, Kaiser Wilderness, Sierra National Forest, Shevock & Clines 21406; Inyo Co.: slopes above Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, Norris 46967; Long Lake along Rock Creek Trail toward Morgan Pass, John Muir Wilderness, Inyo National Forest, Shevock 13823; Mono Co.: Mildred Lake, John Muir Wilderness, Inyo National Forest, Norris 71400; Tulare Co.: Primrose Lake, Sequoia National Park, J.T. Howell s.n. (CAS).

Ditrichum ambiguum Best [Ditrichaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Lawton 1971; Shevock and Toren 2001; Spjut 1971; Toren 1977; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Lawton 1971

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Glenn Co.: about 0.5 mile north of Lone Star Camp, Norris 47970; Humboldt Co.: Coyote Peak on Bald Hills Road, Norris 22341; Lake Co.: Forest Road 18N34, about 1 mile east of The Slides west of Lake Pillsbury, Mendocino National Forest, Toren & Bourell 5047 (CAS); Mendocino Co.: Ornbaun Creek near Mountain View Road, Norris 53183; Santa Cruz Co.: Ice Cream Grade, 1.6 miles west of junction with Empire Grade, Whittemore 4439 (MO); Sonoma Co.: Gualala River near Soda Spring, Norris 86983; Trinity Co.: Rattlesnake Creek at Hell Gate Campground east of Forest Glen, Norris 23817; Tulare Co.: Clover Creek off of General's Highway, Marble Fork Kaweah River, Sequoia National Park, Shevock 15631 (determined by Toren).

Ditrichum heteromallum (Hedwig) E. Britton [Ditrichaceae]

Literature: Jamieson 1969; Koch 1950a; Spjut 1971.

Illustrations: Ignatov and Ignatova 2003; Lawton 1971; Smith 1978.

Geographic subdivisions: CW, NW.

Selected specimens: Humboldt Co.: James Irvine Trail, Prairie Creek Redwood State Park, *Jamieson 195* (UC) and Big Lagoon, *Glade s.n.* (MO); Lake Co.: Manning Creek, Highway 175 about 4 miles west of Lakeport, *Toren 7339* (CAS); Monterey Co.: Mill Creek Picnic Area, *Norris 48568*.

Ditrichum montanum Leiberg [Ditrichaceae]

Literature: Spjut 1971. Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW.

Selected specimens: Humboldt Co.: near Round Prairie about 3 miles north of Highway 299, *Norris* 52896; Siskiyou Co.: Haypress Meadows, Marble Mountain Wilderness, Klamath National Forest, *Norris* 12321, Marble Valley Guard Station along trail to Paradise Lake, *Spjut* 1185 (UC) and Doe Creek, *Norris* 23064.

*Ditrichum pusillum (Hedwig) Hampe [Ditrichaceae]

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: NW, SN.

Selected specimens: Humboldt Co.: Coyote Peak on Bald Hills Road, *Norris 22351*; Placer Co.: Canyon Creek near Dutch Flat, *MacFadden 9612* (MO).

Ditrichum schimperi (Lesquereux) Kuntze [Ditrichaceae]

Literature: Holmberg 1969; Howe 1897; Kellman 2003; Koch 1950a; Lawton 1971; Shevock and Toren 2001; Smith 1970; Steere et al. 1954; Yurky 1990, 1995. As *Leptotrichum schimperi* Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Lawton 1971.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Calaveras Co.: South Comanche shore near Burson, Steen 840326-3 (MO); Del Norte Co.: Bear Basin Butte, Norris 8106; Marin Co.: Inverness Ridge above Inverness, J.T. Howell s.n. (CAS, UC); Lake Co.: sulfur hot springs near Anderson Springs, Toren & Dearing 7254 (CAS); Mariposa Co.: Highway 140 at Slate Creek Bridge, Shevock & Toren 22483; Mendocino Co.: Pygmy Forest along County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, Norris 11722; San Francisco Co.: Mt. Davidson, Shevock 18926; San Mateo Co.: Flume Trail west of Nature Center, Filoli, north of Woodside, Whittemore 4399 (MO); Santa Cruz Co.: Sempervirens Falls, Big Basin Redwood State Park, Koch 2063 (UC) and Henry Cowell Redwoods State Park, Kellman 595 (UC).

Drepanocladus aduncus (Hedwig) Warnstorf [Campyliaceae]

Literature: Bourell 1981; Bradshaw 1926; Harthill et al. 1979; Ireland 1982; Janssens 1983; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Long 1978; Shevock and Toren 2001; Showers 1982; Spjut 1971; Toren 1977; Wynne 1944; Żarnowiec 2001. As *Hypnum aduncum* Brandegee 1891; Coville 1893; Lesquereux 1868; Sullivant 1856; Watson 1880.

Illustrations: Buck 1998; Flowers 1973; Hedenäs 1987, 1993a; Ireland 1982; Janssens 1983; Kanda 1978; Koponen et al. 1995; Lawton 1971; Sharp et al. 1994; Smith 1978; Żarnowiec 2001.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Humboldt Co.: near McClellan Mountain about 5 miles east of Bridgeville, *Norris 45814*; Lake Co.: near Upper Nye Camp north of Snow Mountain Wilderness boundary, Mendocino National Forest, *Shevock, Bourell, & Toren 15844* (CAS); Modoc Co.: Big Sage Reservoir north of Alturas, *Norris 68476*; San Bernardino Co.: Bluff Lake, San Gorgonio Wilderness, San Bernardino National Forest, *Harpel 597* (pers. herb.); San Francisco Co.: Stonestown at 19th Avenue, San Francisco, *Toren 8061* (CAS); Tulare Co.: Headwaters of Freeman Creek, 0.5 mile east of Quaking Aspen, Sequoia National Forest, *Shevock 10639*.

Drepanocladus capillifolius (Warnstorf) Warnstorf [Campyliaceae]

Literature: Janssens 1983; Wynne 1943; Żarnowiec 2001.

Illustrations: Hedenäs 1993a; Janssens 1983; Koponen et al. 1995; Lawton 1971; Wynne 1943; Żarnowiec 2001.

Geographic subdivisions: SN, SNE.

Selected specimens: Sierra Co.: Little Truckee River, 13 miles east of Truckee, *MacFadden s.n.* (DUKE) [cited by Żarnowiec 2001] and north shore of Independence Lake, Tahoe National Forest, *Norris 99453*; Tulare Co.: Big Meadows off of Forest Road 14S11, Sequoia National Forest, *Shevock & York 13668*.

Drepanocladus polycarpos (Blandow ex Voit) Warnstorf [Campyliaceae]

Literature: Żarnowiec 2001. Illustrations: Żarnowiec 2001. Geographic subdivisions: SN, SNE.

Selected specimens: Fresno Co.: near Marvin Pass, Jennie Lakes Wilderness, Sequoia National Forest, Shevock & York 13698 (determined by Ochyra); Inyo Co.: near Bishop Creek, Sabrina Basin, Inyo National Forest, Shevock 15294 (determined by Ochyra); Kern Co.: Kelso Creek near Rocky Point, Piute Mountains, Shevock, Laeger, Adams, & Benson 20268 (determined by Ochyra); Sierra Co.: Sagehen Creek, Tahoe National Forest, Tavares & Noack 624 (NY, UC); Tulare Co.: Oriole Lake, Sequoia National Park, Shevock 17618 (determined by Ochyra) and Soda Creek, Golden Trout Wilderness, Sequoia National Forest, Laeger 447 (determined by Ochyra).

*Drepanocladus sordidus (C. Müller Hal.) Hedenäs in W. R. Buck [Campyliaceae]

Literature: Misapplied as *Drepanocladus sendt-neri* Hedenäs 1998; Janssens 1983. Misapplied as *Hypnum sendtneri* Howe 1896.

Illustrations: Buck 1998; Hedenäs 2003. Geographic subdivisions: MP, SN, SNE.

Selected specimens: Modoc Co.: Big Sage Reservoir north of Alturas, *Norris* 68483; Mono Co.:

Tioga Pass Campground about 2.5 miles north of Tioga Pass, Inyo National Forest, *Norris 48363*.

Encalypta ciliata Hedwig [Encalyptaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Harthill et al. 1979; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Showers 1982; Spjut 1971; Toren 1977; Watson 1880.

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Flowers 1973; Horton 1983; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Pursell and Allen 1997b; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: El Dorado Co.: Silver Creek at Rat Castle Campground, Eldorado National Forest, Norris 58538; Humboldt Co.: headwaters of South Fork Tish-Tang-a-Tang Creek east of Hoopa, Norris & Whittemore 52369 & 52405; Mariposa Co.: near Wawona Tunnel at Discovery Point, Yosemite National Park, Shevock & Toren 21485; Mendocino Co.: Eastman Creek about 1 mile east of Dos Rios on Highway 162, Norris 55008; Siskiyou Co.: Malone Creek south of Happy Camp, Klamath National Forest, Norris 52213; Tehama Co.: headwaters of Beegum Creek above intersection with Forest Road 35, about 1.5 miles west of Rat Trap Gap, Shasta-Trinity National Forest, Norris 57007 (determined by Horton); Tulare Co.: road to Mineral King about 0.5 mile east of Silver City, Sequoia National Park, Shevock 17656.

*Encalypta intermedia Juratzka [Encalyptaceae] Illustrations: No illustration located for this species.

Geographic subdivisions: DMoj, DSon, SN, SNE. Selected specimens: Inyo Co.: road from Big Pine to Opal Canyon, north entrance to Saline Valley, Inyo National Forest, *Norris* 79267 & 79269 and Rodgers Peak near Hummingbird Spring, Panamint Mountains, Death Valley National Park, *Shevock, York, & Davis* 21361; Kern Co.: Forest Road 27S02 along ridge, 4.2 miles above Saddle Springs, Piute Mountains, Sequoia National Forest, *Shevock* 15517 (determined by Horton); Trinity Co.: Stuart Gap Trailhead, *Norris* 56873 (determined by Horton).

*Encalypta procera Bruch [Encalyptaceae]

Illustrations: Crum and Anderson 1981; Horton 1983; Ignatov and Ignatova 2003; Ireland 1982; Pursell and Allen 1997b.

Geographic subdivisions: SN.

Selected specimens: Fresno Co.: Windy Gulch above Boyden Cave, Monarch Wilderness, Sequoia National Forest, *Shevock & York 13623* (determined by Horton).

Encalypta rhaptocarpa Schwägrichen [Encalyptaceae]

Literature: Crum and Anderson 1981; Flowers 1973; Koch 1950a; Lesquereux 1868; Spjut 1971.

As Leersia rhaptocarpa Howe 1897. As Leersia trachymitria Coville 1893. As Encalypta vulgaris var. rhaptocarpa Lawton 1971.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, MP, NW, SN, SNE.

Selected specimens: Inyo Co.: east side of Army Pass, John Muir Wilderness, Inyo National Forest, *J.T. Howell s.n.* (CAS); Modoc Co.: Big Sage Reservoir northwest of Alturas, *Norris 68498*; Mono Co.: Convict Creek above Convict Lake, Inyo National Forest, *Shevock 13795* (determined by Horton); Plumas Co.: Highway 89 about 3 miles south of Cresent Mills, Plumas National Forest, *Norris 69961* (determined by Horton); Siskiyou Co.: Beaver Creek about 4 miles north of intersection with Klamath River, *Norris 55811* (determined by Horton); Tulare Co.: Tule River near Camp Nelson, Sequoia National Forest, *Norris, Shevock, & Barahona 78683*.

Encalypta vulgaris Hedwig [Encalyptaceae]

Literature: Harpel 1980a; Harthill et al. 1979; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Showers 1982; Sigal 1975; Steere et al. 1954; Toren 1977; Watson 1880. As Encalypta vulgaris var. mutica McCleary 1972; Steere 1954.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, DMoj, MP, NW, SN, SNE, SW.

Selected specimens: Lake Co.: Chalk Mountain, north fork Cache Creek, *Toren & Dearing 7311* (CAS) [determined by Horton]; Los Angeles Co.: Highway 138 about 3 miles west of Palmdale, *Norris 68099* and West Fork San Gabriel River, San Gabriel Mountains, Angeles National Forest, *Harpel 2209* (pers. herb.); Mendocino Co.: Eel River about 5 miles south of Dos Rios, *Norris 67610*; Modoc Co.: Loveness Road near Highway 139 about 4 miles north of Canby, *Norris 22468*; Trinity Co.: near Coopers Bar, Shasta-Trinity National Forest, *Norris 71969*; Tulare Co.: General's Highway near Ash Mountain Headquarters, Middle Fork Kaweah River, Sequoia National Park, *Shevock & L. Norris 10168* (determined by Horton).

Entosthodon attenuatus (Dickson) Bryhn [Funariaceae]

Literature: Harthill et al. 1979; Kellman 2003; Koch 1950a; Yurky 1990, 1995. As *E. templetoni* Lesquereux 1868; Lesquereux and James 1884.

Illustrations: Allen 2002; Grout 1928–1940.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: from junction with Highway 199, 5 miles southeast on County Road 427, *Silver 898* (UC) and Smith River at

Highway 199, Jedediah Smith Redwood State Park, *Norris* 68929; Marin Co.: road to Point Reyes National Seashore, *J.T. Howell* 21436 (MO, NY) [determined by Koch; Fife]; Mendocino Co.: location not specified, *Bolander s.n.* (UC); San Luis Obispo Co.: Boy Scout Road at the Palisades, Camp Roberts Military Reservation, *Norris* 100926; San Mateo Co.: near Searsville, *Bolander s.n.* (UC); Santa Cruz Co.: south side of Empire Grade at milepost 13, *Kellman* 1457 (CAS) and upper U.C. Santa Cruz Campus at "four corners," *Kellman* 1461 (CAS).

Entosthodon bolanderi Lesquereux [Funariaceae]

Literature: Brandegee 1891; Harthill et al. 1979; Holzinger 1892; Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; McCleary 1972; Shevock and Toren 2001; Watson 1880. As *Funaria bolanderi* Bartram 1928; Sayre 1940.

Illustrations: Grout 1928–1940; Sharp et al. 1994. **Geographic subdivisions:** DMoj, SN, SNE.

Selected specimens: Kern Co: Highway 178 about 1 mile west of Walker Pass, Scodie Mountains, Norris 87126, Mesquite Canyon northwest of Garlock, El Paso Mountains, Mojave Desert, Norris, Shevock and Barahona 87139; San Diego Co.: Sea bluffs, La Jolla, MacFadden 16872 (MO); San Francisco Co.: San Francisco, Bolander s.n. (NY); Trinity Co.: near Coopers Bar, Shasta-Trinity National Forest, Norris 71979; Tulare Co.: County Road M-99 at Limestone Campground north of Kernville, Sequoia National Forest, Norris, Shevock, & Barahona 87101.

Entosthodon californicus (Sullivant & Lesquereux) H. Crum & L. E. Anderson [Funariaceae]

Literature: Harthill et al. 1979; Lawton 1971; Toren 1977. As *Funaria californica* Bartram 1928; Howe 1897; Koch 1950a, 1951e; Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Grout 1928–1940; Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Butte Co.: Big Chico Creek at northeast boundary of Bidwell Park, Norris 70065; Fresno Co.: Red Mountain east of Humphreys Station, Shevock & York 13259; Lake Co.: Manning Creek, Highway 175 about 4 miles west of Lakeport, Toren, Bourell, Dearing, & Shevock 7001 (CAS); Mendocino Co.: Little Lake Road about 2 miles east of Mendocino, *Largent s.n.* (UC) and near Robinson Creek southwest of Ukiah, Steere s.n. (NY); Shasta Co.: County Road A17 at intersection of road to Black Butte, Norris 23734 & 23744 and Highway 44 about 13 miles east of Redding, Norris 71925; Siskiyou Co.: about 1 mile west of Seiad Valley, Norris 58284 & 58290; Tulare Co.: Yucca Point Trail near Ash Mountain, Sequoia National Park, Shevock & Whitmarsh 16994.

87046.

*Entosthodon drummondii Sullivant in Sullivant & Lesquereux [Funariaceae]

Illustrations: Grout 1928-1940.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Butte Co.: south of Chico on Neal Road to Paradise about 0.5 mile east of Highway 99, *Norris 10609*; Humboldt Co.: Alliance Road at 14th Street, City of Arcata, *Norris 67955*; Monterey Co.: Sam Jones Road near Piedras Altas, Hunter-Liggett Military Reservation, *Norris 87267*; Trinity Co.: Rush Creek Road about 4 miles from Lewiston, Shasta-Trinity National Forest, *Norris 71966*.

Entosthodon kochii H. Crum & L. E. Anderson [Funariaceae]

Literature: Crum and Anderson 1955. Illustrations: Crum and Anderson 1955. Geographic subdivisions: CW, NW, SN.

Selected specimens: Marin Co.: Lucas Valley Road about 2–3 miles east of Nicassio, *Robertson 916* (CAS); Mariposa Co.: Highway 140 at Bear Creek Bridge along Merced River (BLM land at Briceburg), *Koch 1733a* (MICH); Mendocino Co.: U.C. Hopland Field Station, *Kellman 2230* (CAS, MO); San Luis Obispo Co.: Nacimiento River at Twin Bridges, Camp Roberts Military Reservation, *Norris 100950 & 100957*.

*Entosthodon rubrisetus (E. B. Bartram) Grout [Funariaceae]

Illustrations: As *Funaria rubriseta* Bartram 1928. **Geographic subdivisions:** SN, SNE.

Selected specimens: Kern Co.: Erskine Creek Canyon, 3 miles south of Lake Isabella Blvd., Piute Mountains, *Shevock & Tan 13047* and between Erskine Creek Canyon entrance and Liebel Ranch, *Shevock 13356*; Inyo Co.: Highway 395 just south of Cinder Cone Road, *Shevock 14789*; San Bernardino Co.: Ord Mountain near Daggett, *Haring 313* (NY).

*Entosthodon tucsoni (E. B. Bartram) Grout [Funariaceae]

Illustrations: As *Funaria tucsoni* Bartram 1928. **Geographic subdivisions:** SN.

Selected specimens: Fresno Co.: trail to Boulder Creek from Boyden Cave, Monarch Wilderness, South Fork Kings River, Sequoia National Forest, *Shevock & York 14513*.

Ephemerum serratum (Schreber ex Hedwig) Hampe [Ephemeraceae]

Literature: Brandegee 1891; Bryan and Anderson 1957; Crum and Anderson 1981; Kellman 2003; Koch 1950a; Lesquereux 1868; Shevock and Toren 2001; Toren 1977; Watson 1880. As *Ephemerum minutissimum* Crum 1957. As *Ephemerum serratum* var. *angustifolium* Lesquereux and James 1884. Illustrations: Bryan and Anderson 1957; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Lake Co.: near Hell's Peak, Toren 1476 (CAS) [determined by Bryan] and Highway 53 about 1 mile south of Highway 20, Norris 47709; Madera Co.: near Eastman Lake, Shevock 14933a; San Francisco Co.: Mission Dolores, San Francisco, Bolander s.n. (DUKE); Santa Barbara Co.: Santa Inez Mountains about 4 miles south of Solvang, Norris 68160; Santa Cruz Co.: University of California, Santa Cruz, Norris 55679; Shasta Co.: Highway 299 about 9 miles east of Bella Vista, Norris 47595, 47596, & 47598; Tulare Co.: Coffee Campground off of Highway 190, Tule

River Canyon, Sequoia National Forest, Norris

Epipterygium tozeri (Greville) Lindberg [Mniaceae]

Literature: Bourell 1981; Crum 1967b; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Shaw 1984; Shevock and Toren 2001; Smith 1970; Stark and Whittemore 1992; Steere et al. 1954; Sullivant 1856; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As Bryum tozeri Lesquereux 1868; Watson 1880. As Webera tozeri Bradshaw 1926; Brandegee 1891; Lesquereux and James 1884.

Illustrations: Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SW. Selected specimens: Butte Co.: Brush Creek, Dillingham 805 (UC); Humboldt Co.: near Round Prairie about 3 miles north of Highway 299 on Wiregrass Ridge, Norris 52894 (determined by Shaw); Monterey Co.: Campground at Pfeiffer-Big Sur State Park, Norris 75886; San Francisco Co.: Golden Gate Park, Shevock 18836; Santa Barbara Co.: Windmill Canyon, Santa Rosa Island, Channel Islands National Park, Shevock 20886; Shasta Co.: road to Olinda about 2.3 miles east of Anderson, Norris 47629; Sonoma Co.: Russian Gulch about 1 mile from bridge, Koch 3502 (UC).

Eucladium verticillatum (Hedwig in Bridel) Bruch & W. P. Schimper [Pottiaceae]

Literature: Crum and Anderson 1981; Harthill et al. 1979; Howe 1897; Kellman 2003; Kingman 1912; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McCleary 1972; Mishler 1978; Moxley 1928; Steere 1954; Thomson and Ketchledge 1958; Toren 1977; Yurky 1990, 1995; Zander 1977a.

Illustrations: Brotherus 1924–1925; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Saito 1975; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CaR, CW, DMoj, DSon, GV, NW, SN, SNE, SW.

Selected specimens: Del Norte Co.: mouth of Damnation Creek, Del Norte Redwood State Park, *Norris & Taranto 10958*; Inyo Co.: Hole in the Rock Springs, Death Valley National Park, *Norris*

10201; Lake Co.: Cooper Creek near Hell's Peak, Toren 642 (SFSU); Riverside Co.: near Ortega Oaks Campground, Cleveland National Forest, Norris 58145; Santa Clara Co.: Penitencia Creek, Alum Rock Park, Mueller & Schofield 6922 (UC); Shasta Co.: County Road A16, 14 miles east of Platina, Norris 23773; Tulare Co.: Road M-99 at Limestone Campground, Kern River, Sequoia National Forest, Shevock 14315; Yolo Co.: Highway 16 about 2 miles northwest of Rumsey, Norris 70324.

Eurhynchium hians (Hedwig) Sande Lacoste [Brachytheciaceae]

Literature: Ireland 1982; Kellman 2003; Shevock and Toren 2001.

Illustrations: Ignatov 1998; Ireland 1982.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Fresno Co.: Taboose Pass Trail, headwaters of South Fork Kings River, Kings Canyon National Park, *Shevock 13860*; Santa Cruz Co.: Baldwin Creek, Wilder Ranch State Park, *Kellman 2581* (CAS); Siskiyou Co.: McKinney Creek at junction with West Fork about 6 miles south of Highway 96, Klamath National Forest, *Norris 84914*.

Eurhynchium pulchellum (Hedwig) Jennings [Brachytheciaceae]

Literature: Harthill et al. 1979; Holmberg 1969; Ireland 1982; Koch 1950a; McCleary 1972; McGrew 1976; Showers 1982; Spjut 1971; Steere 1954; Yurky 1990, 1995. As Eurhynchium diversifolium Wynne 1943. As Eurhynchium strigosum Bradshaw 1926; Lesquereux 1868; Sayre 1940. As Eurhynchium strigosum var. scabrisetum Sayre 1940. As Eurhynchium substrigosum Flowers 1973; Koch 1950a, 1951e, 1958; Lawton 1971; Spjut 1971. As Hypnum strigosum Howe 1897; Watson 1880.

Illustrations: Abramov and Volkova 1998; Buck 1998; Flowers 1973; Ireland 1982; Lawton 1971; Smith 1978; Ignatov 1998.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Alpine Co.: Highway 4 at Stanislaus Meadows Trailhead, Stanislaus National Forest, Norris 78997; Del Norte Co.: Doctor Rock, Six Rivers National Forest, Norris 50284; Fresno Co.: Redwood Creek, Windy Gulch Redwood Grove, Sequoia National Forest, Norris, Shevock, & York 87940; Plumas Co.: Onion Valley Creek near Pacific Crest Trail, Plumas National Forest, Norris 83184; Siskiyou Co.: South Fork Lakes west of Callahan, Klamath National Forest, Norris 76902; Tulare Co.: Clover Creek, Marble Fork Kaweah River, Sequoia National Park, Shevock 15633; Tuolumne Co.: Porcupine Creek Trail near Tuolumne Meadows, Yosemite National Park, Norris 100380.

*Eurhynchium striatum (Schreber ex Hedwig)
W. P. Schimper) [Brachytheciaceae]

Illustrations: Smith 1978.

Geographic subdivisions: CaR, SN.

Selected specimens: Plumas Co.: Forest Road 22N94, un-named tributary to South Fork Middle Fork Feather River, Plumas National Forest, *Dillingham 747* (CAS), Dixie Canyon about 0.5 mile from Highway 89, *Shevock, Ertter, & Morosco 15736*, just south of Turkeytown, 1 air mile east of Blue Nose Mountain and 10 miles northeast of LaPorte, Plumas National Forest, *Ahart 10501* (UC), Domingo Spring, 8 miles northwest of Chester, Lassen Natonal Forest, *Dillingham 965* (CAS).

Fabronia ciliaris (Bridel) Bridel [Fabroniaceae]

Literature: As *Fabronia octoblepharis* Kingman 1912.

Illustrations: Lawton 1971; Sharp et al. 1994. **Geographic subdivisions:** CW, NW, SN, SW.

Selected specimens: Lake Co.: Highway 53 about 1 mile south of Highway 20, Norris 47677; Los Angeles Co.: La Tuna Canyon, Verdugo Hills, MacFadden 8097 (MO) [determined by Grout]; Monterey Co.: Sam Jones Road about 1 km east of Piojo Airstrip, Hunter-Liggett Military Reservation, Norris 87260; Nevada Co.: Slacks Ravine along Highway 20 about 7 miles west of Rough and Ready, Norris 67484; Shasta Co.: County Road A17 at intersection with Black Butte Road, Norris 23747, Interstate 5 about 3 miles north of the Tehama County line, Norris 48217 and Shasta College turnoff north of Redding, Norris 57766; Sutter Co.: Philip Road near junction with Fiddyment Road northwest of Roseville, Norris 103669.

Fabronia pusilla Raddi [Fabroniaceae]

Literature: Bradshaw 1926; Harthill et al. 1979; Howe 1896; Kellman 2003; Koch 1950a, 1951e; Lawton 1971; Lesquereux 1868; Long 1978; Mishler 1978; Thomson and Ketchledge 1958; Toren 1977; Watson 1880.

Illustrations: Lawton 1971; Sharp et al. 1994. **Geographic subdivisions:** CaR, CW, DMoj, NW, SN, SW.

Selected specimens: Contra Costa Co.: Mount Diablo State Park about 1.5 miles from entrance, *Koch 1552* (UC); Inyo Co.: South Fork Hanaupah Canyon, east base of Telescope Peak, Death Valley National Park, *Shevock & York 21354*; Kern Co.: Horse Canyon, tributary of Cache Creek, 4 miles north of Highway 58, southern Piute Mountains, *Shevock & Hare 14900*; San Bernardino Co.: Waterman Canyon, San Bernardino National Forest, *Harpel 2400* (pers. herb.); Tehama Co.: Antelope Creek Canyon near Microwave Station about 10 miles east of Red Bluff, *Berti 415* (UC); Trinity Co.: Hall City Caves east of Wildwood, Shasta-Trinity National Forest, *Norris 71664*; Ventura Co.: Howard Creek Trail about 1 mile east of Highway

399, Norris 55483; Yuba Co.: Highway 20 near Timbuctoo, Norris 67488.

Fissidens adianthoides Hedwig [Fissidentaceae]

Literature: Barnes 1887; Frantz and Cordone 1967; Grout 1928–1940; Koch 1950a.

Illustrations: Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Placer Co.: off of Chambers Point submerged at a depth of 244 feet in Lake Tahoe with *Fissidens bryoides* and *F. grandifrons*, Lake Tahoe Basin Management Unit, *Frantz s.n.* (WTU) [determined by Lawton; confirmed by Pursell].

Fissident appelotaxifolius Pursell

[Fissidentaceae]

Literature: McGrew 1976; Pursell 1976a.

Illustrations: Pursell 1976a.

Geographic subdivisions: NW, SN.

Selected specimens: Madera Co.: tributary of Owl Creek 0.75 mile east of Whisky Falls, Sierra National Forest, *Shevock, Norris, Beyer, & Price 20225* (confirmed by Pursell); Siskiyou Co.: Lower Russian Lake overflow, Klamath National Forest, *McGrew* 322 (HSC) [determined by Pursell].

Fissidens bryoides Hedwig var. bryoides [Fissidentaceae]

Literature: Barnes 1887; Bourell 1981; Bradshaw 1926; Crum and Anderson 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Moxley 1928; Showers 1982; Smith 1970; Spjut 1971; Yurky 1990.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Iwatsuki and Suzuki 1982; Lawton 1971; Smith 1978.

Notes: Pursell recognizes two varieties under *Fissidens bryoides* for California. We cite below collections determined by Pursell as representing these varieties.

Geographic subdivisions: SN, SNE, SW.

Selected specimens: Fresno Co.: below Fifth Baxter Lake, Kings Canyon National Park, Shevock & York 16588 (determined by Pursell); Inyo Co.: Whitney Portal Road, 2.2 miles west of Lone Pine, Lone Pine Creek, Alabama Hills, Shevock & Norris 16855 & 16859 (determined by Pursell); Placer Co.: Dutch Flat, MacFadden 16863 (MO) [determined by Pursell] and off of Chambers Point submerged at a depth of 244 feet in Lake Tahoe, Lake Tahoe Basin Management Unit, Frantz s.n. (WTU) [determined by Pursell]; San Diego Co.: Matagual Creek, Volcan Mountains, Stark 602 & 603 (MO) [determined by Pursell]; Tulare Co: General's Highway, 2.1 miles above Potwisha Campground, Middle Fork Kaweah River, Sequoia National Park, Shevock 15181 and North Fork Kern River above Forks of the Kern, Golden Trout Wilderness, Sequoia National Forest, *Shevock 16525* (determined by Pursell).

*Fissidens bryoides Hedwig var. pusillus (Wilson) Pursell [Fissidentaceae]

Illustrations: Crum and Anderson 1981; Pursell 1976b; Pursell and Allen 1996a; Sharp et al. 1994.

Geographic subdivisions: NW.

Selected specimens: Mendocino Co.: North Coast Range Preserve, about 7 miles north of Branscomb, *Bourell 1391* (CAS, MO) [determined by Pursell].

Fissidens bryoides Hedwig var. viridulus (Swartz) Brotherus [Fissidentaceae]

Literature: As *Fissidens bryoides* var. *longifolius* Shevock and Toren 2001.

Illustrations: Crum and Anderson 1981. Geographic subdivisions: CW, NW, SN.

Selected specimens: Lake Co.: Sweetwater Creek, Hidden Valley, *Toren & Dearing 7075* (CAS) [determined by Pursell]; Placer Co.: Forest Hill, road to Colfax, *MacFadden 16962* (MO) [determined by Pursell]; San Francisco Co.: Golden Gate Park, *Hermann 17449* (CAS) [determined by Pursell]; Tuolumne Co.: Vernal Falls, Yosemite National Park, *Ikenberry 1358a* (MO) [determined by Pursell].

Fissidens crispus Montagne [Fissidentaceae]

Literature: Kellman 2003; Pursell 1997b; Shevock and Toren 2001. As *Fissidens limbatus* Brandegee 1891; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Kingman 1912; Koch 1949a, 1950a; Koch and Ikenberry 1954; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McCleary 1972; Millspaugh and Nuttall 1923; Mishler 1978; Moxley 1928, 1931; Sayre 1940; Sigal 1975; Steere 1954; Sullivant 1856; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1995.

Illustrations: Flowers 1973; Sharp et al. 1994. **Geographic subdivisions:** CaR, CW, GV, NW, SN, SW.

Selected specimens: Colusa Co.: about 1.2 miles east of Sites, Norris 72681; Fresno Co.: Cripe Road, 0.65 mile from Peterson Mill Road, Sierra National Forest, Shevock & York 14949 (confirmed by Pursell); Kern Co.: Bodfish-Havilah Road, 0.5 mile south of Bodfish Gap, base of Piute Mountains, Shevock & Tan 13041 (determined by Pursell); Lake Co.: Highway 53 about 1 mile south of Highway 20, Norris 47703; San Francisco Co.: Mt. Sutro, Shevock 19175 (determined by Pursell); Santa Barbara Co.: Lobos Canyon, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriquez 20855 (determined by Pursell); Tehama Co.: end of Buckhorn Road, BLM Black Butte Recreation Area, Norris & Piippo 82376; Tulare Co.: about 0.5 mile above Buckeye Campground, trailhead for Middle Fork Kaweah River Trail, Sequoia National Park, Shevock 15212 (determined by Pursell).

Fissidens curvatus Hornschuch [Fissidentaceae]

Literature: Kellman 2003; Shevock and Toren; Whittemore and Sommers 1999. As Fissidens milobakeri Koch 1951c; Pursell 1979; Yurky 1990, 1995.

Illustrations: Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Alameda Co.: UC Berkeley Campus, Strawberry Canyon about 0.5 mile above the Botanic Garden, *Norris 82603*; Butte Co.: Big Chico Creek about 3 miles southwest of upper boundary of Bidwell Park, *Norris 70092*; Nevada Co.: Slack's Ravine along Highway 20 about 7 miles west of Rough and Ready, *Norris 67468*; San Francisco Co.: Coastal Bluff Trail, Golden Gate National Recreation Area, *Shevock 18886*; San Luis Obispo Co.: Santa Rosa Creek about 0.5 mile east of Cambria, *Norris 68216*; Santa Clara Co.: Stanford Campus, *Wiggins 22715* (MO) [determined by Pursell]; Shasta Co.: Highway 299 about 1 mile east of Shingletown, *Norris 52846*.

*Fissidens dubius Palisot de Beauvois [Fissidentaceae]

Illustrations: Ignatov and Ignatova 2003. As *Fissidens cristatus* Crum and Anderson 1981.

Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: Japanese Tea Garden, Golden Gate Park, *Toren 8951* (CAS, PAC) [determined by Pursell].

Fissidens fontanus (Bachelot de la Pylaie) Steudel [Fissidentaceae]

Literature: Crum and Anderson 1981; Kellman 2003; Lawton 1971; Toren 1977; Yurky 1990, 1995. As *Octodiceras fontanum* Koch 1950a. As *Octodiceras julianum* Britton 1902.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Koponen et al. 1995; Lawton 1971; Pursell 1987; Sharp et al. 1994; Smith 1978. Geographic subdivisions: CW, NW, SN.

Selected specimens: Kern Co.: Kern River along Highway 178 near Richbar, Sequoia National Forest, Shevock 12883 & 16763 (confirmed by Pursell) and outlet of Lake Isabella, Laeger 528 (CAS, PAC, UC); Lake Co.: south shore Clear Lake at Corinthian Bay County Park, Norris 71780, City of Clear Lake Public Pier, Toren 6845 (CAS), Clear Lake State Park, Toren 6846 (CAS) east shore of Blue Lakes, Toren 523 (SFSU) and Rodman Slough near Upper Lake, Shevock & Toren 20306; Marin Co.: Lily Lake, Toren 963 (SFSU); Napa Co.: Weeks Ranch about 3 miles from Calistoga towards Petrified Forest, Koch 1397 (UC); Santa Cruz Co.: Quail Hollow Pond, Quail Hollow Ranch County Park, Kellman 2613 (CAS).

Fissidens grandifrons Bridel [Fissidentaceae]

Literature: Barnes 1887; Bourell 1981; Crum and Anderson 1981; Flowers 1973; Frantz and Cordone 1967; Harthill et al. 1979; Holmberg 1969; Howe

1896; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; Mishler 1978; Spjut 1971; Watson 1880; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Flowers 1973; Iwatsuki and Suzuki 1982; Lawton 1971; Pursell and Allen 1994.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Humboldt Co.: Shelter Cove, BLM Kings Range National Recreation Area, Norris & Piippo 82478; Los Angeles Co.: San Antonio Creek, Mt. Baldy Camp, Angeles National Forest, MacFadden 17156 (MO); Marin Co.: slopes of Mt. Tamalpais, Koch 2262 (UC); Monterey Co.: Big Sur River, Big Sur Redwood State Park, Koch 3643 (UC); Placer Co.: road to Bowman Lake about 2 miles north of Highway 20, Norris 77001; Plumas Co.: Highway 24 along North Fork Feather River, Plumas National Forest, Koch 1893 (UC); Siskiyou Co.: about 1.2 miles north of Cook and Green Pass, Rogue River National Forest, Shevock & Toren 20115; Tulare Co.: Dark Canyon along road to Jack Ranch near White River Campground, Sequoia National Forest, Shevock 14294 (confirmed by Pursell).

Fissidens minutulus Sullivant [Fissidentaceae]

Literature: Shevock and Toren 2001. As Fissidens incurvus var. minutulus Barnes 1887.

Illustrations: Sullivant 1864. Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: Golden Gate Park, De Laveaga Dell, AIDS Memorial Grove, *Shevock 20284* (determined by Pursell).

Fissidens pauperculus M. A. Howe [Fissidentaceae]

Literature: Holmberg 1969; Howe 1894; Jamieson 1969; Kellman 2003; Koch 1948, 1949a, 1950a, 1951d; Lawton 1971; Steere et al. 1954; Yurky 1990, 1995.

Illustrations: Howe 1894; Lawton 1971. Geographic subdivisions: CaR, CW, NW.

Selected specimens: Butte Co.: near Watson Ridge, Dillingham 779 (CAS) and tributary to Ponderosa Reservoir, 1.5 miles northwest of Fobestown, Dillingham 929 (CAS); Del Norte Co.: Stout Memorial Grove, Koch 3811 (UC); Humboldt Co.: James Irvine Trail, Prairie Creek Redwoods State Park, Jamieson 173 (UC), Arcata City Forest about 1 mile from Fickle Hill Road, Norris 68754 and Jolly Giant Creek about 0.5 mile east of Humboldt State University, Norris 85082a; Marin Co.: Mill Valley, Howe s.n. (UC) and Dipsea Trail, Mt. Tamalpais State Park, Yurky 785 (SFSU); Mendocino Co.: Montgomery Creek Redwoods State Park, Kellman 2188 (CAS); Santa Cruz Co.: along Loma Prieta Grade Trail, Forest of Nisene Marks State Park, Kellman 2637 (CAS).

Fissidens sublimbatus Grout [Fissidentaceae]

Literature: Kellman 2003; Pursell 1997a; Shevock and Toren 2001.

Illustrations: Pursell 1997a; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, DMoj, DSon,

MP, NW, SN, SNE, SW.

Selected specimens: Kern Co.: Short Canyon Trail west of L.A. Aqueduct, Owens Peak BLM Wilderness, Shevock & Newberry 16979 (determined by Pursell); Lake Co.: Hidden Valley north of Middletown, Toren & Dearing 7373a (CAS) [determined by Pursell]; Lassen Co.: Johnsondale Dump Road southeast of Susanville, Norris 52838; Los Angeles Co.: La Tuna Canyon, Verdugo Hills, MacFadden 8085 (MO) [determined by Pursell]; San Bernardino Co.: Keystone Canyon, New York Mountains, Mojave National Preserve, Laeger & Davis 1328 (CAS, PAC) [determined by Pursell]; San Diego Co.: Highway 94, 2 miles west of Tecate Road, Stark 813 (MO) [determined by Pursell]; San Francisco Co.: Coastal Bluff Trail, Presidio of San Francisco, Shevock 18945 (determined by Pursell); Santa Barbara Co.: Water Canyon, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriquez 20832; Shasta Co.: Highway 299 about 9 miles east of Bella Vista, Norris 47616.

*Fissidens taxifolius Hedwig [Fissidentaceae]

Illustrations: Smith 1978.

Geographic subdivisions: CW.

Selected specimens: Contra Costa Co.: Jewel Lake Trail, Tilden Regional County Park, *Norris & Hillyard 105188* (confirmed by Pursell).

Fissidens taylorii C. Müller Hal. [Fissidentaceae]

Literature: Kellman 2003.

Illustrations: Pursell 1997c. As *F. geheebii* Sharp et al. 1994.

Geographic subdivisions: CW.

Selected specimens: Santa Cruz Co.: Headwaters of Old Dairy Gulch near Wilder Ridge Loop Trail, Wilder Ranch State Park, *Kellman 2252* (CAS) [determined by Pursell].

Fissidens ventricosus Lesquereux

[Fissidentaceae]

Literature: Bourell 1981; Holmberg 1969; Ireland and Schofield 1967; Kellman 2003; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Toren 1977; Watson 1880. As *F. rufulus* Barnes 1887; Conard 1951; Koch 1950a, 1951e; Koch and Ikenberry 1954; Thomson and Ketchledge 1958.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Alameda Co.: Codornices Park, S.F. Cook 16 (UC); El Dorado Co.: Highway 50, South Fork American River at Bridal Veil Falls Campground, Eldorado National Forest, Norris 58407; Fresno Co.: South Fork Kings River along Highway 180 near Grizzly Falls, Sequoia National Forest, Shevock & York 14507 (confirmed by Pur-

sell); Humboldt Co.: Ten Taypo Trail, Prairie Creek Redwood State Park, *Norris* 56820; Kern Co.: Highway 178 just west of Richbar Picnic Area, Sequoia National Forest, *Shevock* 12882 (confirmed by Pursell); Lake Co.: Gunning Creek, south slopes of Cobb Mountain, *Toren & Dearing* 7119 (CAS); Mariposa Co.: Bishop Creek near confluence with South Fork Merced River, Sierra National Forest, *Shevock & Fritzke* 21521; Santa Cruz Co.: Opal Creek, Big Basin Redwoods State Park, *Kellman* 1011 (CAS); Sonoma Co.: Pocket Canyon west of Forestville, *Norris* 53169.

Fontinalis antipyretica Hedwig [Fontinalaceae]

Literature: Bourell 1981; Harpel 1980a; Harthill et al. 1979; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McGrew 1976; Showers 1982; Spjut 1971; Toren 1977; Watson 1880; Welch 1960. As Fontinalis antipyretica var. patula Lawton 1971. As Fontinalis californica Sullivant 1864. As Fontinalis patula Koch 1950a; Welch 1960.

Illustrations: Brotherus 1924–1925; Flowers 1973; Ireland 1982; Koponen et al. 1995; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SW

Selected specimens: Colusa Co.: Summit Springs south of Snow Mountain, Mendocino National Forest, Norris 76101; Marin Co.: Mt. Tamalpais, Eastwood s.n. (UC); Modoc Co.: Hulbert Creek north of Cottonwood Flat Campground, Modoc National Forest, Norris 77925; Riverside Co.: San Jacinto Mountains, San Bernardino National Forest, Parish 1684 (UC); Siskiyou Co.: Echo Lake north of Red Butte about 5 air miles north of Seiad Valley, Norris 57589; Tulare Co.: Freeman Creek near Pyles Camp, Lloyd Meadows Basin, Sequoia National Forest, Shevock 4327.

Fontinalis chrysophylla Cardot [Fontinalaceae]

Literature: As Fontinalis antipyretica var oregonensis Lawton 1971.

Ilustrations: Lawton 1971; Welch 1960.

Geographic subdivisions: NW, SN.

Selected specimens: Del Norte Co.: Hardscrabble Creek at Smith River west of Gasquet, Six Rivers National Forest, *Norris 10877*; Lake Co.: Upper Nye Camp near Snow Mountain Wilderness Trailhead, Mendocino National Forest, *Toren, Bourell, & Shevock 5167* (CAS) [determined by Allen]; Mariposa Co.: Glacier Point Road about 1.2 miles east of Bridalveil Campground, Yosemite National Park, *Norris & Shevock 100322*; Tuolumne Co.: Middle Fork Tuolumne River at Middle Fork Campground, Stanislaus National Forest, *Norris & Shevock 103986*.

Fontinalis gigantea Sullivant [Fontinalaceae]

Literature: As Fontinalis antipyretica var gigantea Watson 1880.

Illustrations: Ireland 1982; Welch 1960.

Geographic subdivisions: MP, NW, SN.

Selected specimens: Del Norte Co.: Sanger Lake southeast of O'Brien, Norris 70805; Fresno Co.: Redwood Creek, Windy Gulch Redwood Grove, Sequoia National Forest, Norris, Shevock, & Barahona 87991; Lake Co.: tributary to Stony Creek near Crockett Peak, boundary of Snow Mountain Wilderness, Mendocino National Forest, Shevock 15821 (determined by Allen); Modoc Co.: Yellowjacket Springs, Modoc National Forest, Norris 68511; Tulare Co.: outlet of Oriole Lake, Sequoia National Park, Shevock, Norris, & Barahona 13170; Tuolumne Co.: Mill Creek below Cascade Creek Campground, Stanislaus National Forest, Norris 78801.

Fontinalis howellii Renauld & Cardot [Fontinalaceae]

Literature: Koch 1950a; Spjut 1971; Toren 1977. Illustrations: Lawton 1971; Welch 1960.

Geographic subdivisions: CaR, NW, SN, SNE.

Selected specimens: Alpine Co.: Red Lake Creek, Toiyabe National Forest, *Norris 88134*; Fresno Co.: Cedar Grove just below Zumwalt Meadows along South Fork Kings River, Kings Canyon National Park, *Shevock 13739*; Inyo Co.: Mulkey Meadow near Whitney Portal west of Lone Pine, Inyo National Forest, *Norris 75598*; Lake Co.: Tule Lake, Mt. Sanhedrin, Mendocino National Forest, *Toren 5116* (CAS); Trinity Co.: Bee Creek along Onion Lake Road about 7 miles south of Onion Lake, *Norris & Rivera 72548*; Tuolumne Co.: Hull Creek Campground about 14 miles east of Long Barn, Stanislaus National Forest, *Norris 78748*.

Fontinalis hypnoides C. J. Hartman [Fontinalaceae]

Literature: McGrew 1976. As Fontinalis hypnoides var. duriaei Lawton 1971; Toren 1977. As Fontinalis duriaei Koch 1950a. As Fontinalis nitida Frantz and Cordone 1967; Welch 1960.

Illustrations: Flowers 1973; Ireland 1982; Koponen et al. 1995; Lawton 1971; Welch 1960.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Alpine Co.: Grass Lake west of Luther Pass, Eldorado National Forest, Norris 71321; El Dorado Co.: Ropi Lake, Desolation Wilderness, Eldorado National Forest, Norris 71110; Lake Co.: Blue Slides Lake south of Snow Mountain Wilderness, Mendocino National Forest, Toren 5261 (CAS) [determined by Allen]; Nevada Co.: about 0.5 mile northeast of Bowman Lake, Tahoe National Forest, Ahart 10611 (UC); Plumas Co.: headwaters of Feather River, Austin s.n. (UC); Mono Co.: near Barney Lake, Toiyabe National Forest, Norris 67170; Shasta Co.: Highway 299 about 1 mile west of Montgomery Creek, Norris 68597; Siskiyou Co.: Taylor Lake, Klamath National Forest, Norris 83432; Tulare Co.: Big Meadows off of Forest Road 14S11, Sequoia National Forest, Shevock & York 13664.

Fontinalis mollis C. Müller Hal. [Fontinalaceae]

Literature: As Fontinalis antipyretica var. mollis Welch 1960.

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: NW, SN.

Selected specimens: Lake Co.: Copsey Creek about 1 mile east of Lower Lake, *Toren 7330* (CAS) [determined by Allen]. Tulare Co.: Long Meadow Creek at Forest Road 22S82, Sequoia National Forest, *Kellman 1466* (CAS).

Fontinalis neomexicana Sullivant & Lesquereux [Fontinalaceae]

Literature: Howe 1896; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982; Spjut 1971; Watson 1880; Welch 1960. As Fontinalis mercediana Lesquereux 1868.

Illustrations: Lawton 1971; Sharp et al. 1994; Welch 1960.

Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Del Norte Co.: Smith River in Jedediah Smith State Park, Norris 67356; Fresno Co.: Ten Mile Creek at Ten Mile Campground, Sequoia National Forest, Shevock & York 13691; Lake Co.: Bucknell Creek north of Horse Mountain, Mendocino National Forest, Toren 7452 (CAS) [determined by Allen]; Mariposa Co.: Bridalveil Creek along Glacier Point Road, Yosemite National Park, Shevock & Norris 20190; Mono Co.: Highway 108 west of Bridgeport at Leavitt Station Campground, Norris 77041; Placer Co.: Spruce Creek, Koch 3211 (UC); Santa Cruz Co.: Sempervirens Creek, Big Basin Redwoods State Park, Koch 2071 (MICH); Siskiyou Co.: Shackleford Creek, Marble Mountains, Klamath National Forest, Spjut 756 (UC).

*Funaria calvescens Schwägrichen [Funariaceae] Illustrations: Allen 2002.

Geographic subdivisions: CaR, CW, DMoj, SN, SW.

Selected specimens: Butte Co.: Honey Run Road, 4 miles east of Covered Bridge about 12 miles east of Chico, *Taylor 7* (UC); Fresno Co.: Coalinga-Mineral Springs State Park west of Coalinga, *Norris 68064*; Inyo Co.: Emigrant Springs, Death Valley National Park, *Shevock & Harpel 19048*; Kern Co.: South Rim Road, town of Bodfish, *Laeger 737* (CAS, UC).

Funaria hygrometrica Hedwig [Funariaceae]

Literature: Bourell 1981; Bradshaw 1926; Coville 1893; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McCleary 1972; Millspaugh and Nuttall 1923; Mishler 1978; Moxley 1928; Sayre 1940; Shevock and Toren 2001; Showers 1982; Sigal 1975; Spjut

1971; Steere 1954; Steere et al. 1954; Strid 1974; Sullivant 1856; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995. As *Funaria convoluta* Bartram 1928; Howe 1896; Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Watson 1880. As *Funaria hibernica* Lesquereux 1868. As *Funaria hygrometrica* var. *convoluta* Cooke 1941.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, DSon, GV, MP, NW, SN, SNE, SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87166*; Fresno Co.: Ross Landing Road at Indian Head, Sierra National Forest, *Shevock, Ertter, & York 13484*; Humboldt Co.: Eyesee Road at China Gulch, Six Rivers National Forest, *Norris 22150*; Los Angeles Co.: Wrigley Memorial Gardens, Santa Catalina Island, *Harpel 2402* (pers. herb.); Merced Co.: future campus site of University of California, Merced, *Norris 103117*; Modoc Co.: north of Middle Alkali Lake northeast of Cedarville, *Norris 47478*; Santa Barbara Co.: Lobos Canyon, Santa Rosa Island, Channel Islands National Park, *Shevock & Rodriquez 20845*; Solano Co.: Jepson Prairie Preserve east of Fairfield, *Norris 101393*.

Funaria microstoma Bruch ex W. P. Schimper [Funariaceae]

Literature: Fife 1979; Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; Watson 1880. **Illustrations:** Fife 1979.

Geographic subdivisions: CW, DMoj, DSon, GV, SN, SNE.

Selected specimens: Kern Co.: Erskine Creek Canyon, 3 miles south of Lake Isabella Blvd., Piute Mountains, *Shevock & Tan 13048*; Fresno Co.: Redwood Creek above Highway 180, Monarch Wilderness, Sequoia National Forest, *Shevock & York 12692*; Monterey Co.: Pinnacles, Hunter-Liggett Military Reservation, *Norris 87289* and Sulfur Creek Road near junction with Milpitas Road, Hunter-Liggett, *Norris 87365*; San Diego Co.: Borrego Palm Canyon, Anza Borrego State Park, Colorado Desert, *Norris 50577*; Sierra Co.: Little Truckee River, 13 miles from Hobart Mill, *MacFadden 21385* (MO); Tehama Co.: Antelope Creek Canyon about 10 miles east of Red Bluff along Bell Mill Road, *Berti 412* (UC).

Funaria muhlenbergii Turner [Funariaceae]

Literature: Christy and Wagner 1996; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Howe 1896; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; McCleary 1972; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Steere 1954; Toren 1977; Whittemore and Sommers 1999. As Funaria calcarea Kingman 1912; Watson 1880. As Funaria hibernica Sullivant 1856. As Funaria mediterranea

Bartram 1928; Brandegee 1891; Millspaugh and Nuttall 1923; Moxley 1928. As *Entosthodon muhlenbergii* Crosby et al. (2000).

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, GV, NW, SN, SW. **Selected specimens:** El Dorado Co.: Salmon Falls Road about 5 miles south of Pedro Hill Road, Whittemore 4344 (MO); Humboldt Co.: Highway 96 at Norton Creek, Norris 56662; Inyo Co.: Johnson Canyon, Panamint Mountains, Death Valley National Park, Shevock, Harpel, & York 19068; Los Angeles Co.: between Black Jack Campground and Mt. Orizaba, Santa Catalina Island, Shevock & Thorne 4037; Sacramento Co.: Mormon Island, Copeland 1409 (UC); Santa Cruz Co.: Blue Cliff, Henry Cowell Redwoods State Park, Kellman 663 (CAS); Stanislaus Co.: about 2 miles east of Oakdale, Koch 1474 (UC); Tulare Co.: PG&E access road crossing the Wishon Fork Tule River, Sequoia National Forest, Shevock 10336.

Grimmia alpestris (Weber & D. Mohr) Schleicher [Grimmiaceae]

Literature: Cooke 1941; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Muñoz 1997, 1998b; Spjut 1971; Steere et al. 1954.

Illustrations: Flowers 1973; Greven 2003; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Lawton 1971; Muñoz 1998b; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Fresno Co.: Highway 168 northeast of Shaver Lake, Sierra National Forest, *Norris 99921*; Nevada Co.: Donner Pass Rest Area, Highway 80, Tahoe National Forest, *Whittemore 3031* (MO) [determined by Muñoz]; Tulare Co.: Kern Plateau near Blackrock Station, Sequoia National Forest, *Shevock 18411* (determined by Muñoz) and Rock Creek north of Rock Creek Lake, Sequoia National Park, *Shevock 18567* (determined by Muñoz).

Grimmia anodon Bruch & W. P. Schimper [Grimmiaceae]

Literature: Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Ireland and Miller 1982; Koch 1950a, 1958; Lawton 1971; Lesquereux and James 1884; Long 1978; Showers 1982; Strid 1974. As *Grimmia apocarpa* var. *pulvinata* Showers 1982.

Illustrations: Crum and Anderson 1981; Flowers 1973; Greven 2003; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Muñoz 1999a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: DMoj, DSon, MP, NW, SN, SNE.

Selected specimens: Inyo Co.: Aguereberry Point, Death Valley National Park, Shevock & Harpel 19053 (determined by Muñoz) and Taboose Pass Trail, John Muir Wilderness, Inyo National Forest, Shevock 13874 (determined by Muñoz); Kern Co.: canyon between Middle Knob and Barren Ridge,

Hare 203 (CAS) [determined by Muñoz]; Lake Co.: Hull Mountain Summit, Mendocino National Forest, Toren 7176a (CAS) and West Peak, Snow Mountain Wilderness, Mendocino National Forest, Toren & Dearing 7472 (CAS); San Bernardino Co.: north side of Peak 3607, Mojave Desert, Laeger 873 (CAS) [determined by Muñoz].

Grimmia anomala Hampe in W. P. Schimper [Grimmiaceae]

Literature: Misapplied as *Grimmia hartmannii* Harpel 1980a; Harthill et al. 1979; Koch 1950a; Lawton 1971; Long 1978; Mishler 1978; Showers 1982; Spjut 1971.

Illustrations: Greven 2003; Ignatov and Ignatova 2003. As *Grimmia hartmannii* var. *anomala* Crum and Anderson 1981; Flowers 1973.

Geographic subdivisions: CaR, NW.

Selected specimens: Del Norte Co.: Doctor Rock, Norris 57676 (determined by Muñoz); El Dorado Co.: Ropi Lake, Norris 71109 (determined by Muñoz); Humboldt Co.: Big Hill Road at South Fork Mill Creek, Six Rivers National Forest, Norris 58636; Plumas Co.: Quincy-La Porte Road at Onion Valley, Plumas National Forest, Norris 83187; Tehama Co.: Doll Basin Research Natural Area, Mendocino National Forest, Toren & Bourell 6666 (CAS).

Grimmia arcuatifolia Kindberg [Grimmiaceae]

Literature: Muñoz 1999b. Illustrations: Muñoz 1999b.

Notes: This species is not recognized by Greven (2003).

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: Bear Butte, *Branscomb & Greenman 22826* (MO) [determined by Muñoz].

Grimmia caespiticia (Bridel) Juratzka [Grimmiaceae]

Literature: Muñoz 1998b. As. *G. alpestris* var. *manniae* Grout 1928–1940.

Illustrations: Greven 2003; Muñoz 1998b. Geographic subdivisions: NW, SN, SNE.

Selected specimens: Inyo Co.: Big Pine Creek and Mt. Whitney Trail, Inyo National Forest, *Greven s.n.* (CAS); Mariposa Co.: Aqua Fria Road near Mariposa, *Congdon s.n.* (FH) [determined by Muñoz]; Mono Co.: Highway 182 at Devils Gate near Nevada State line, Toiyabe National Forest, *Greven s.n.* (CAS); Napa Co.: Napa Soda Springs, *Mann s.n.* (NY) [confirmed by Muñoz].

Grimmia hamulosa Lesquereux [Grimmiaceae]

Literature: Greven 2003; Koch 1950a, 1958; Koch and Ikenberry 1954; Lesquereux 1868; Lesquereux and James 1884; Muñoz 2000; Showers 1982; Spjut 1971; Watson 1880. As *Grimmia brevirostris* Koch 1950a, 1958; Williams 1920.

Illustrations: Greven 2003.

Geographic subdivisions: CaR, SN, SNE.

Selected specimens: Fresno Co.: below Kearsarge Pass, South Fork Kings River, Kings Canyon National Park, *Shevock 14329*; Inyo Co.: slopes above Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris 47005*; Mariposa Co.: Yosemite Valley, ledges near Wawona Tunnel, Yosemite National Park, *Flowers 5413* (MO) [determined by Muñoz]; Nevada Co.: trail from Donner Rest Area to Summit Lake, Tahoe National Forest, *Whittemore 3042 & 3045* (MO) [determined by Muñoz]; Tulare Co.: Sawtooth Pass Tail, Mineral King, Sequoia National Park, *Shevock & O'Brien 16026* (determined by Muñoz).

Grimmia laevigata (Bridel) Bridel [Grimmiaceae] Literature: Albert 1988; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McCleary 1972; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As Grimmia leucophaea Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Watson 1880. Illustrations: Crum and Anderson 1981; Flowers 1973; Greven 2003; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Lawton 1971; Muñoz 1999a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, DSon, NW, SN, SW.

Selected specimens: Butte Co.: North Table Mountain, Cherokee Road, Janeway 5569 (MO) [determined by Muñoz]; Fresno Co.: Cripe Road near Patterson Road, Sierra National Forest, Shevock & York 14940 (determined by Muñoz); Kern Co.: Piute Mountain Road, BLM Bodfish Piute Cypress Natural Area, Piute Mountains, Shevock 12476; Riverside Co.: Highway 74 at milepost 76.50 near Santa Rosa Mountain Road, San Jacinto Mountains, San Bernardino National Forest, Shevock 20519; San Diego Co.: Matagual Creek, Volcan Mountains, Stark 594 (MO) [determined by Muñoz]; San Mateo Co.: Edgewood Park, Old Stage Road, Whittemore 5276 (MO) [determined by Muñoz]; Santa Barbara Co.: Cherry Canyon, Santa Rosa Island, Channel Islands National Park, Shevock 20908 (confirmed by Muñoz).

Grimmia leibergii Paris [Grimmiaceae]

Literature: Muñoz 1999b.

Illustrations: Greven 2003; Muñoz 1999b.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Alameda Co.: near Sunol Peak, *Brewer 1492* (CAS) [determined by Toren]; Fresno Co.: Cripe Road near junction with Peterson Mill Road, Sierra National Forest, *Shevock & York 14941* (confirmed by Bednarek-Ochyra); Glenn Co.: west of town of Elk Creek, Ivory Mill Road (20N01), 1.2 miles above junction with County Road 308, Mendocino National Forest, *Shevock 15806*; Kern Co.: Piute Cypress Botanical Area, Sequoia National Forest, *Shevock 15502* (determined

by Bednarek-Ochyra); Lake Co.: 2 miles southwest of Lake Pillsbury, Mendocino National Forest, *Toren 7440* (CAS) [determined by Muñoz] and Hell's Peak near Bachelor Valley, *Toren & Dearing 6865* (CAS); Siskiyou Co.: north of Cook and Green Pass, Rogue River National Forest, *Toren & Shevock 8233* (CAS); Tuolumne Co.: South Fork Tuolumne River at Rainbow Pool, Highway 120, Stanislaus National Forest, *Shevock 18459* (determined by Muñoz).

Grimmia lesherae H. C. Greven [Grimmiaceae]

Literature: Greven 2003. Illustrations: Greven 2003. Geographic subdivisions: CaR.

Selected specimens: Siskiyou Co.: Hidden Valley, Mt. Shasta, Shasta-Trinity National Forest, *Greven s.n.* (CAS).

Grimmia lisae De Notaris [Grimmiaceae]

Literature: Greven 2003; Kellman 2003; Shevock and Toren 2001; Whittemore and Sommers 1999. As *Grimmia californica* Brandegee 1891; Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Moxley 1928; Sullivant 1856; Watson 1880. As *Grimmia trichophylla* var. *brachycarpa* Toren 1977.

Illustrations: Greven 2003.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Lake Co.: County Road to Lake Pillsbury at Dashiells Creek, Mendocino National Forest, *Toren 7262* (CAS) [determined by Whittemore]; San Francisco Co.: Yerba Buena Island, *Toren 8056* (CAS) and *Shevock 19109* (determined by Muñoz); Santa Barbara Co.: Windmill Canyon, Santa Rosa Island, Channel Islands National Park, *Shevock 20898* (determined by Muñoz); Santa Clara Co.: north shore of Lake Grant, Lake Grant County Park, *Whittemore 6069* (CAS, MO) [determined by Muñoz]; Tulare Co.: along flume above Ash Mountain Headquarters, Sequoia National Park, *Shevock & Morosco 16780* (determined by Muñoz).

Grimmia longirostris W. J. Hooker [Grimmiaceae]

Literature: Muñoz 1998a.

Illustrations: Allen 2002; Greven 2003; Ignatov and Ignatova 2003; Muñoz 1998a, 1999a. As *Grimmia affinis* Ireland 1982; Lawton 1971.

Geographic subdivisions: CW, SW.

Selected specimens: Contra Costa Co.: north slope of Mt. Diablo, *Hermann 11357* (determined by Muñoz); Marin Co.: Nicasio-Point Reyes Road, *Weber & Rundel 48304* (MO); Orange Co.: Silverado Canyon, *Gittins 679* (MO); San Diego Co.: Pacific Crest Trail about 9 miles from Warner Springs, *G. Allen 648* (MO) [determined by Muñoz].

Grimmia mariniana Sayre [Grimmiaceae]

Literature: Crum 1957; Greven 2003; Muñoz and Pando 2000; Sayre 1955; Toren and Sigal 1974; Yurky 1990, 1995.

Illustrations: Greven 2003; Sayre 1955. Geographic subdivisions: CW, NW.

Selected specimens: Contra Costa Co.: Mt. Diablo below summit, *Hermann 17360* (CAS); Lake Co.: east slope of Cobb Mountain, *Toren & Dearing 7125* (CAS) [determined by Muñoz]; Marin Co.: Mt. Tamalpais, *Schofield 5798* (CAN) [determined by Crum], eastside of East Peak of Mt. Tamalpais, Mt. Tamalpais State Park, *J.T. Howell s.n.* (CAS) and Rock Spring Trail, *Yurky 483* (SFSU); Napa Co.: Mt. St. Helena, *Koch 2125* (UC).

Grimmia mollis Bruch & W. P. Schimper [Grimmiaceae]

Literature: Crum and Anderson 1981. As *Hydro-grimmia mollis* [see Muñoz and Pando 2000].

Illustrations: Crum and Anderson 1981; Greven 2003; Ignatov and Cao 1994; Lawton 1971. As *Hydrogrimmia mollis* Ignatov and Ignatova 2003.

Geographic subdivisions: SN, SNE.

Selected specimens: Fresno Co.: from Mono Pass to Golden Lake, John Muir Wilderness, Sierra National Forest, *Norris 47022*; Inyo Co.: above Chocolate Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris 46874* and George Lake west of Bishop, John Muir Wilderness, Inyo National Forest, *Norris 71463*.

Grimmia montana Bruch & W. P. Schimper [Grimmiaceae]

Literature: Bourell 1981; Brandegee 1891; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; Muñoz 1998b; Shevock and Toren 2001; Showers 1982; Sigal 1975; Spjut 1971; Strid 1974; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Greven 2003; Lawton 1971; Muñoz 1998b, 1999a; Smith 1978.

Notes: Many specimens attributed as *G. montana* in earlier references for California are actually *G. umgeri* according to Muñoz.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Fresno Co.: between Boulder Creek and Boyden Cave, Sequoia National Forest, Shevock & York 13644 (determined by Muñoz); Glenn Co.: St. John Mountain, Mendocino National Forest, Shevock & Toren 20962 (confirmed by Muñoz); Madera Co.: Nelder Redwood Grove, Sierra National Forest, Shevock & Kellman 19611 (determined by Muñoz); Santa Cruz Co.: Quail Hollow Ranch, Kellman 1142 (CAS); Tulare Co.: Elk Creek near Potwisha Campground, Middle Fork Kaweah River, Sequoia National Park, Shevock, Norris, & Barahona 13183.

Grimmia moxleyi R. S. Williams in Holzinger [Grimmiaceae]

Literature: Greven 2003; Harthill et al. 1979; Koch 1950a; Long 1978; Moxley 1928.

Illustrations: Greven 2003.

Notes: According to Muñoz (personal communication), *Grimmia moxleyi* represents the long hair point expression of the widespread taxon *Grimmia orbicularis*. Roxanne Hastings (personal communication) and Greven (2003), however, recognize this taxon at the species level and this is how it will be treated in the Flora of North America. Regardless of circumscription, this ecological expression is common in the Mojave Desert and easily recognized in the field by the exceedingly long white hairpoints.

Geographic subdivisions: DMoj, DSon.

Selected specimens: Angeles Co.: Big Rock Creek and Devils Punchbowl, Angeles National Forest, Moxley 1141 (NY, MO) and Tick Canyon, MacFadden 19695 (CAS); Inyo Co.: Fall Canyon just north of Titus Canyon, Grapevine Mountains, Death Valley National Park, Shevock, Harpel, & York 19045.

Grimmia nevadensis H. C. Greven [Grimmiaceae]

Literature: Greven 2002.

Illustration: Greven 2002, 2003.

Notes: Although published as *Grimmia nevadense*, the wrong Latin ending was used and is changed here in accordance with Article 60, ICBN.

Geographic subdivisions: SN, SNE.

Selected specimens: Inyo Co.: Big Pine Creek, Inyo National Forest, *Greven C53* (pers. herb.); Kern Co.: Highway 178, about 2 miles east of Canebrake, Scodie Mountains, *Greven C51* (pers. herb); Mono Co.: Devil's Gate along Highway 395, Toiyabe National Forest, *Greven C52*, *C54*, *C55* (pers. herb); Tulare Co.: Troy Meadows, Sequoia National Forest, *Greven C50* (BM, CAS, NY, pers. herb.).

Grimmia orbicularis Bruch in Wilson [Grimmiaceae]

Literature: Muñoz 2000.

Illustrations: Flowers 1973; Greven 2003; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, DMoj, DSon, MP,

SN, SNE, SW.

Selected specimens: Butte Co.: Upper Bidwell Park, Chico, *Janeway & Castro 5404* (MO) [determined by Muñoz]; Kern Co.: Rosamond Dry Lake, Mojave Desert, *MacFadden 18557 & 21917* (MO) [determined by Muñoz]; Los Angeles Co.: Devil's Punchbowl, San Gabriel Mountains, Angeles National Forest, *Moxley 1141* (MO) [determined by Muñoz]; San Bernardino Co.: Superior Valley, China Lake Naval Weapons Center, Mojave Desert, *Laeger & Silverman 875* (CAS, MA) [determined by Muñoz]; Tulare Co.: Packsaddle Creek at the base of Packsaddle Cave, Kern Plateau, Sequoia National Forest, *Shevock 10306*.

Grimmia ovalis (Hedwig) Lindberg [Grimmiaceae]

Literature: Crum and Anderson 1981; Harthill et al. 1979; Kellman 2003; McCleary 1972; Sayre 1951. As *Grimmia commutata* Lesquereux and James 1884.

Illustrations: Allen 2002; Flowers 1973; Greven 2003; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Lawton 1971; Muñoz 1999a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, DMoj, DSon, MP, SN, SNE.

Selected specimens: Fresno Co.: LeConte Canyon, Middle Fork Kings River, Kings Canyon National Park, Shevock & Haultain 18626 and north of Shaver Lake along Forest Highway 8, Sierra National Forest, Shevock & Norris 19794 (determined by Muñoz); Inyo Co.: South Fork Hanaupah Canyon, east base of Telescope Peak, Death Valley National Park, Shevock & York 21358; Mariposa Co.: Highway 120 near Yosemite Creek Campground, Yosemite National Park, Shevock 18483 (determined by Muñoz); Santa Cruz Co.: China Grade, Big Basin Redwoods State Park, Kellman 1293 (CAS, MA) [determined by Muñoz]; Tulare Co.: lower end of Crabtree Meadows west of Mt. Whitney, Sequoia National Park, Shevock 18549 (determined by Muñoz); Tuolumne Co.: Highway 108, 6.1 miles east of Mi-Wok Ranger Station, Stanislaus National Forest, Shevock 18587 (determined by Muñoz).

Grimmia plagiopodia Hedwig [Grimmiaceae]

Literature: Coville 1893; Crum and Anderson 1981; Flowers 1973; Holzinger 1922; Koch 1950a, 1951e; Showers 1982; Wynne 1943.

Illustrations: Crum and Anderson 1981; Flowers 1973; Greven 2003; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Lawton 1971; Muñoz 1999a.

Geographic subdivisions: CaR, DMoj, SN, SNE. Selected specimens: Amador Co.: Highway 88 at Silver Lake, Eldorado National Forest, *Showers 3300* (CAS, SFSU) [confirmed by Toren]; Inyo Co.: about 2 miles south of Tucki Mountain, Tucki Mountain Wilderness, Death Valley National Park, *Laeger 924* (CAS, MA) [determined by Muñoz]; San Bernardino Co.: Eagle Crags, China Lake Naval Weapons Center, Mojave Desert, *Laeger & Silverman 883* (CAS, MA) [determined by Muñoz]; Tehama Co.: Mt. Conard, Lassen Volcanic National Park, *Showers 3717* (CAS, SFSU) [confirmed by Toren].

*Grimmia poecilostoma Cardot & Sebille [Grimmiaceae]

Illustrations: Greven 2003; Muñoz 1999a. **Notes:** According to Muñoz (personal communication) without sporophytes, this taxon is morpho-

logically indistinguishable from *G. tergestina*. **Geographic subdivisions:** CaR, CW, DMoj, NW, SN, SNE.

Selected specimens: Contra Costa Co.: Mitchell Canyon, Mt. Diablo State Park, Norris 100616; Inyo Co.: Porter Peak, Panamint Mountains, Death Valley National Park, Laeger 926 (CAS, MA) [determined by Muñoz]; Madera Co.: Beashore Road near Portuguese Creek southwest of the Balls, Sierra National Forest, Shevock & Kellman 19681 (determined by Muñoz); San Bernardino Co.: Victorville, Braun s.n. (MO) [determined by Muñoz]; Siskiyou Co.: Forest Road 40N56, southeast slope of Mt. Shasta, Shasta-Trinity National Forest, Norris & Hillyard 104077.

Grimmia pulvinata (Hedwig) J. E. Smith [Grimmiaceae]

Literature: Bourell 1981; Bradshaw 1926; Cooke 1941; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1949a, 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McCleary 1972; Mishler 1978; Shevock and Toren 2001; Spjut 1971; Steere 1954; Steere et al. 1954; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Flowers 1973; Greven 2003; Ignatov and Ignatova 2003; Lawton 1971; Muñoz 1999a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, NW, SN, SW.

Selected specimens: Fresno Co.: Kings River Trail, Sierra National Forest, *Shevock & York 12368*; Lake Co.: Clear Lake State Park, *Toren 6840* (CAS); Mendocino Co.: Indian Creek County Park near Philo, *Norris 53235*; Riverside Co.: south of Twentynine Palms at county line, *Norris 57964*; San Francisco Co.: Yerba Buena Island, San Francisco, *Shevock 19113*; Santa Barbara Co.: Miranda Pine Mountain, Los Padres National Forest, *Norris 55314*; Siskiyou Co.: Idlewild Campground about 10 miles east of Sawyers Bar on road to Etna, Klamath National Forest, *Norris 11838*; Tuolumne Co.: Forest Road 17 near Cherry Creek Bridge, Stanislaus National Forest, *Shevock & Ertter 19551* (determined by Muñoz).

Grimmia ramondii (Lamarck & A. P. de Candolle) Margadant [Grimmiaceae]

Literature: See Muñoz and Pando 2001. As *Dryptodon patens* Crum and Anderson 1981; Showers 1982; Vitt and Belland 1991. As *Racomitrium patens* Holmberg 1969; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Spjut 1971.

Illustrations: Crum and Anderson 1981; Greven 2003; Ignatov and Ignatova 2003; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, MP, NW, SN.

Selected specimens: Del Norte Co.: Whiskey Lake, Six Rivers National Forest, *Norris* 83362; Lake Co.: Stony Creek, Snow Mountain Wilderness, Mendocino National Forest, *Toren & Dearing*

5344 (CAS); Modoc Co.: road to Beeler Reservoir about 16 miles east of Medicine Lake, Modoc National Forest, Norris 22506; Nevada Co.: Fall Creek between Bowman Lake and Highway 20, Tahoe National Forest, Shevock, Ertter, & Morosco 15708 (determined by Muñoz); Placer Co.: North Fork Campground southeast of Emigrant Gap, Norris 88042 & 88043; Shasta Co.: Coffee Creek at East Fork of Coffee Creek, Norris & Hermann 22578; Siskiyou Co.: Etna-Sawyers Bar Road about 18 miles from Etna, Norris & Hermann 22745 and Baldy Mountain above Happy Camp, Klamath National Forest, *Branscomb* 22739 (MO) [determined by Muñoz]; Tehama Co.: Doll Basin Research Natural Area, Mendocino National Forest, Toren & Bourell 6792 (CAS, MO).

Grimmia reflexidens C. Müller Hal. [Grimmiaceae]

Literature: Muñoz 1998b. As *Grimmia sessitana* Greven 2003. As *Grimmia tenerrima* Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Long 1978; McGrew 1976; Mishler 1978; Showers 1982.

Illustrations: Crum and Anderson 1981; Greven 2003; Ignatov and Ignatova 2003; Muñoz 1998b, 1999a; Ochyra 1998a; Sharp et al. 1994.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Fresno Co.: between Swede and Mystery Lake, Dinkey Lakes Wilderness, Sierra National Forest, Shevock & York 13916 (determined by Muñoz); Lake Co.: near summit of West Peak, Snow Mountain Wilderness, Mendocino National Forest, Toren & Dearing 7478 (CAS) [determined by Muñoz]; Madera Co.: north of Quartz Mountain Trailhead, Sierra National Forest, Shevock & Kellman 19641 (determined by Muñoz); Mariposa Co.: above Half Moon Meadow toward Ten Lakes, Yosemite National Park, Shevock 19494 (determined by Muñoz); Plumas Co.: about 2 miles east of Blairsden, J.T. Howell s.n. (MO) [determined by Muñoz]; Tehama Co.: Tomhead Gulch, Shasta-Trinity National Forest, Norris 56899; Tulare Co.: Lloyd Meadows Basin, Sequoia National Forest, Shevock 4014.

Grimmia serrana Muñoz, Shevock & Toren [Grimmiaceae]

Literature: Greven 2003; Muñoz et al. 2002. Illustrations: Greven 2003; Muñoz et al. 2002. Geographic subdivisions: CaR, NW, SN.

Selected specimens: Amador Co.: off of Highway 26 above North Fork Mokelumne River about 2 miles north of West Point, *Toren 8669* (CAS); Butte Co.: Big Bald Rock about 3 miles south of Brush Creek Work Center east of Lake Oroville, Plumas National Forest, *Toren s.n.* (CAS); Calaveras Co.: Winton Road, 3.9 miles northeast of West Point, *Toren 8668* (CAS); Fresno Co.: Peterson Mill Road west of Soaproot Saddle, Sierra National Forest, *Shevock, York, & Clines 14975a* and Mist Falls Trail, Kings Canyon National Park, *Shevock*

& York 14479 (determined by Muñoz); Kern Co.: Kern River Road (old Highway 178) near Bodfish, Sequoia National Forest, Shevock 14871; Lake Co.: Big Rock north of Deer Valley east of Elk Mountain, Mendocino National Forest, Toren 8002 (CAS, MA) [confirmed by Muñoz] and Toren & Dearing 8657 (CAS, MA, MO, NY, UC); Madera Co.: along Forest Highway 81 between Rock and Slide Creeks, Sierra National Forest, Norris & Shevock 100060; Mariposa Co.: Merced River above El Portal entrance, Yosemite National Park, Shevock & Norris 20164; Placer Co.: Dutch Flat, MacFadden 3840 (MO) [determined by Muñoz] and Highway 20, east end of Bear Flat, Tahoe National Forest, Shevock & Toren 20707; Tulare Co.: Wishon Campgound, North Fork of Middle Fork Tule River, Sequoia National Forest, Shevock & Morosco 16808 (determined by Muñoz).

Grimmia shastae H. C. Greven [Grimmiaceae]

Literature: Greven 2003. **Illustrations:** Greven 2003.

Notes: Although published as *Grimmia shastai*, the wrong Latin ending was used and is changed here in accordance with Article 60, ICBN.

Geographic subdivisions: CaR.

Selected specimens: Siskiyou Co.: Mt. Shasta, Shastina Peak, W. B. Cooke 18282 (CAS, MICH).

*Grimmia tergestina Tommasini ex Bruch & W. P. Schimper. [Grimmiaceae]

Illustrations: Greven 1999c, 2003; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Muñoz 1999a.

Notes: According to Muñoz (personal communication) without sporophytes, this taxon is morphologically indistinguishable from *G. poecilostoma*.

Geographic subdivisions: DMoj, NW, SN.

Selected specimens: Kern Co.: Chimney Creek Road, Kern Plateau, *Shevock 15170* and Sand Canyon north of Tehachapi, *Hare 238* (CAS, MA) [determined by Muñoz]; Lake Co.: Forest Road M-1 at Eel River Bridge near Lake Pillsbury, Mendocino National Forest, *Toren & Dearing 7357* (CAS) [determined by Muñoz] and Hell's Peak near Blue Lakes, *Toren & Dearing 6857* (CAS) [determined by Muñoz] and Hell's Peak north of Bachelor Valley *Toren 778* (SFSU, UC).

Grimmia torquata Drummond [Grimmiaceae]

Literature: Crum and Anderson 1981; Holmberg 1969; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982; Spjut 1971; Toren 1977; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Greven 2003; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Del Norte Co.: Poker Creek, Illinois River, Siskiyou National Forest, *Shevock & Toren 20144*; Humboldt Co.: Bear Butte, *Branscomb & Grunman 22828* (MO) [determined by

Muñoz]; Fresno Co.: Forest Highway 5 at Kaiser Creek, Sierra National Forest, *Shevock & Norris 19833*; Lake Co.: Forest Road M-1 at Eel River Bridge, Mendocino National Forest, *Toren 5051* (CAS); Marin Co.: Bootjack Trail, Mt. Tamalpais State Park, *Yurky 332* (SFSU); Mariposa Co.: Yosemite Falls, Yosemite National Park, *MacFadden 17442* (MO) and Vernal Falls, *MacFadden 17441* (MO) [determined by Muñoz]; Placer Co.: Dutch Flat, *MacFadden 16994* (MO) [determined by Muñoz]; Tulare Co.: Crystal Cave Road at junction with Little Deer Creek, Sequoia National Park, *Shevock & Tseng 15774*.

Grimmia trichophylla Greville [Grimmiaceae]

Literature: Bourell 1981; Bradshaw 1926; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McCleary 1972; McGrew 1976; Millspaugh and Nuttall 1923; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Showers 1982; Sigal 1975; Smith 1970; Spjut 1971; Steere 1954; Steere et al. 1954; Strid 1974; Sullivant 1856; Toren 1977; Yurky 1990, 1995. As Grimmia trichophylla var. meridionalis Koch 1950a; Lesquereux and James 1884. As Grimmia ancistrodes Lesquereux 1868. As Grimmia watsoni Brandegee 1891; Lesquereux and James 1884. Misapplied as Grimmia trichophylla var. muehlenbeckii Koch 1950a; Lesquereux and James 1884. Misapplied as Grimmia muehlenbeckii Lesquereux 1868; Lesquereux and James 1884. Misapplied as *Grimmia decipiens* Holmberg 1969; Koch 1950a; McCleary 1972; Sayre 1940; Spjut 1971.

Illustrations: Greven 2003; Lawton 1971; Muñoz 1999a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Kern Co.: Pacific Crest Trail 2 miles south of Walker Pass, Sequoia National Forest, Shevock 13373 (determined by Muñoz); Fresno Co.: LeConte Canyon, Kings Canyon National Park, Shevock & Haultain 18630 (determined by Muñoz); Lake Co.: Mt. Sanhedrin, Mendocino National Forest, Shevock, Ertter, Toren, & Dearing 19478 (determined by Muñoz); Tehama Co.: north slope of Tedoc Mountain, Shasta-Trinity National Forest, Shevock & Ertter 19382 (determined by Muñoz); Tulare Co.: Elk Creek near Potwisha Campground, Middle Fork Kaweah River, Sequoia National Park, Shevock, Norris, & Barahona 13191a; Tuolumne Co.: Columns of the Giants Geological Area, Stanislaus National Forest, Shevock 18591 (determined by Muñoz).

Grimmia ungeri Juratzka in Unger & Kotschy [Grimmiaceae]

Literature: Kellman 2003; Muñoz 1998b.

Illustrations: Greven 1994, 2003; Muñoz 1998b, 1999a.

Notes: There is disagreement between Greven and

Muñoz on the status of plants attributed to be this species for California. Greven (2003) is of the opinion that *Grimmia ungeri* is restricted to southern Europe. Muñoz believes that *Grimmia ungeri* has a broader world distribution based on California specimens that he has studied.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Glenn Co.: St. John Mountain, Mendocino National Forest, Shevock & Toren 20970 (determined by Muñoz); Humboldt Co.: Horse Mountain Ski Lift, Norris 70634; Madera Co.: northwest base of Fresno Dome, Sierra National Forest, Shevock & Kellman 19619 (determined by Muñoz); Mariposa Co.: Half Moon Meadow toward Ten Lakes, Yosemite National Park, Shevock 19495 (determined by Muñoz); Santa Barbara Co.: Figueroa Mountain Road east of Los Olivos, Norris 103635; Santa Cruz Co.: Quail Hollow County Park, Kellman 120 (CAS) [determined by Muñoz]; Tehama Co.: slope of Tedoc Mountain, Shasta-Trinity National Forest, Shevock & Ertter 19383 (determined by Muñoz); Tulare Co.: Baker Point Botanical Area, Greenhorn Mountains, Sequoia National Forest, Shevock 18400 (determined by Muñoz).

Gynmostomum calcareum Nees & Hornschuch [Pottiaceae]

Literature: Kingman 1912; Harthill et al. 1979; Koch 1950a; Koch and Ikenberry 1954; Lesquereux 1868; Long 1978; Mishler 1978; Sullivant 1856; Thomson and Ketchledge 1958; Toren 1977. As Gymnostomum calcareum var. perpusillum Brandegee 1891; Lesquereux and James 1884; Watson 1880. As Gymnostomum aeruginosum Crum and Anderson 1981; Kellman 2003; Lawton 1971; Shevock and Toren 2001; Showers 1982; Spjut 1971; Stark and Whittemore 1992; Toren 1977; Zander 1977a.

Illustrations: Crum and Anderson 1981; Smith 1978.

Notes: Although generally treated within the circumscription of *Gymnostomum aeruginosum* by some authors, plants attributed to *G. calcareum* are ecologically and morphologically distinctive based on our field experience. All California *Gymnostomum* collections examined are *G. calcareum*.

Geographic subdivisions: CaR, CW, DMoj, DSon, NW, SN, SW.

Selected specimens: Humboldt Co.: near Trinidad Bay, *Duell s.n.* (UC); Monterey Co.: Pinnacles, Hunter-Liggett Military Reservation, *Norris* 87277; Sonoma Co.: Cedars north of Cazadero, headwaters of Big Austin Creek, *Ertter & Raiche* 12862 (UC); Tehama Co.: bluff overlooking Battle Creek near Manton, *Norris* 21339; Trinity Co.: Highway 299, 0.25 miles east of Del Loma, Shasta-Trinity National Forest, *Silver* 882 (UC); Tulare Co.: Highway 190, 1.7 miles west of Pierpoint Springs, Middle Fork Tule River, Sequoia National Forest, *Shevock* 10142 and Kaweah River below Ash Mountain

Headquarters, Sequoia National Park, Shevock & Whitmarsh 17023.

*Hamatocaulis vernicosus (Mitten) Hedenäs [Campyliaceae]

Illustrations: Buck 1998; Hedenäs 1989b, 1993a, 2003. As *Drepanocladus vernicosus* Ireland 1982; Janssens 1983; Kanda 1978; Lawton 1971; Smith 1978; Wynne 1944.

Geographic subdivisions: CaR, SN, SNE.

Selected specimens: El Dorado Co.: Grass Lake along Highway 89 west of Luther Pass, *Norris 71311*; Mariposa Co.: Summit Meadow, Glacier Point Road, Yosemite National Park, *Norris & Shevock 100302*; Mono Co.: Virginia Lakes Basin at Cooney Lake, Toiyabe National Forest, *Janeway 7660* (UC); Plumas Co.: Kanaka Flat, Plumas National Forest, *Janeway 6894* (CSUC, UC).

Hedwigia detonsa (Howe) W. R. Buck & Norris [Hedwigiaceae]

Literature: Buck and Norris 1996. As Hedwigia albicans var. detonsa Howe 1897. As Hedwigia albicans Howe 1897; Kingman 1912. Misapplied in California as Hedwigia ciliata Bourell 1981; Harpel 1980a; Harthill et al. 1979; Koch 1950a; Koch and Ikenberry 1954; Lesquereux 1868; Moxley 1928; Sigal 1975; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Buck and Norris 1996.

Notes: References for *Hedwigia ciliata* in California are common prior to the revision of the North American material (Buck and Norris 1996). *Hedwigia ciliata* is actually north and east of the state and should be deleted as a component of the state bryoflora. *Hedwigia detonsa* is widespread and generally inland in distribution, whereas *Hedwigia stellata* is generally more coastal.

Geographic subdivisions: NW, SN, SW.

Selected specimens: Alameda Co.: upper boundary of Bidwell Park, *Norris 70096*; San Diego Co.: Highway 76 at west edge of Clevelend National Forest, *Norris 70198*; San Luis Obispo Co.: west of roads to Black Mountain and Navajo Camp, *Norris 55252*; Shasta Co.: Highway 44 at Bear Creek, *Norris 52775*; Tulare Co.: Elk Creek near Potwisha Campground, Middle Fork Kaweah River, Sequoia National Park, *Shevock, Norris, & Barahona 13190*.

Hedwigia stellata Hedenäs [Hedwigiaceae]

Literature: Buck and Norris 1996; Kellman 2003. [See notes for *Hedwigia detonsa*.]

Illustrations: Buck and Norris 1996.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Contra Costa Co.: Castle Rocks, Mt. Diablo State Park, *Shevock & Ertter 20354*; El Dorado Co.: Sopiago Creek southeast of Placerville, Eldorado National Forest, *Norris 67187*; Humboldt Co.: Bald Hills Road at Coyote Peak, *Norris 22333*; Lake Co.: Mt. Konocti just below Buckingham Bluffs, *Shevock, Heise, Harpel, &*

Toren 20598; Los Angeles Co.: Santa Anita Canyon, San Gabriel Mountains, Angeles National Forest, Moxley 994 (MO); Monterey Co.: Arroyo Seco Road near Carmel River, Toren & Showers 2883 (SFSU); Riverside Co.: Cahuilla Mountain above Tripps Flat, Shevock 20532; Santa Cruz Co.: Eagle Rock, Kellman 1272 (CAS); Shasta Co.: Fall Creek Road, 1 mile southeast of McCloud Bridge, Shasta Lake, Norris 84860.

*Helodium blandowii (Weber & D. Mohr) Warnstorf [Helodiaceae]

Illustrations: Abramov and Volkova 1998; Abramova and Abramov 1972; Flowers 1973; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: SN, SNE.

Selected specimens: Fresno Co.: Kings Canyon National Park, Middle Fork Kings River, Big Pete Meadow about 2 miles up canyon from LeConte Ranger Station, Shevock, Haultain, & Hayden 18663 and between Grouse Meadow and LeConte Ranger Station, Shevock & Haultain 18635; Mono Co.: between Rock Creek Lake and Hilton Creek Lakes, Inyo National Forest, Shevock & Toren 21461 and 0.5 mile north of Davis Lake, Inyo National Forest, Weis 371 (UC) and East Fork Swauger Creek east of Devils Gate and north of Bridgeport, Toiyabe National Forest, Norris 104239.

Hennediella heimii (Hedwig) Zander [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Pottia heimii* Flowers 1973; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Watson 1880. As *Desmatodon heimii* Crum and Anderson 1981; Toren 1977.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Smith 1978; Zander 1993.

Geographic subdivisions: CW, MP, NW, SNE. Selected specimens: Contra Costa Co.: Mt. Diablo State Park, *Norris* 100551; Inyo Co.: Rock Creek, *MacFadden* 18579 (MO); Lake Co.: north end of Bachelor Valley near Hell's Peak, *Toren* 839 (CAS, SFSU) [confirmed by Zander]; Mendocino Co.: location not specified beyond T12N R13W sections 21–23, *Hamilton s.n.* (UC); San Francisco Co.: Letterman Hospital Complex, Presidio of San Francisco, *Shevock* 20207; Santa Cruz Co.: Yellow Bank Creek, *Kellman* 2107 CAS); Shasta Co.: Highway 299 east of Burney at milepost 83, *Norris* 21512.

Hennediella stanfordensis (W. C. Steere) Blockeel [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Tortula stanfordensis* Blockeel 1990; Crum 1957; Koch and Ikenberry 1954; Steere 1951; Toren 1977; Whitehouse 1971; Yurky 1990, 1995.

Illustrations: Sharp et al. 1994; Smith 1978; Steere 1951; Whitehouse and Newton 1988; Zander 1993.

Geographic subdivisions: CW, GV, NW, SN.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87167 & 87180*; Humboldt Co.: Humboldt County Courthouse, Eureka, *Norris s.n.*; Mariposa Co.: Cathey's Valley Cemetery along Highway 140 about 11 miles west of Mariposa, *Norris 80863*; Merced Co.: along County Road J-16 about 0.5 mile east of Snelling along Merced River, *Norris 69850*; San Francisco Co.: Potrero Hill, *Toren 7827* (CAS); Santa Cruz Co.: Highway 9 near Highway 35, *Kellman 664* (CAS); Tulare Co.: Clough Cave, South Fork Kaweah River, Sequoia National Park, *Norris 92737*.

Herzogiella seligeri (Bridel) Iwatsuki [Hypnaceae]

Literature: Spjut 1971.

Illustrations: Ignatov et al. 1996. As *Isopterygium seligeri* Lawton 1971.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Sanger Lake along Forest Road 4803 southeast of O'Brien, Six Rivers National Forest, *Norris 70810*; Humboldt Co.: Forest Road 10N02 at head of Mill Creek, Six Rivers National Forest, *Norris 70601*; Siskiyou Co.: Haypress Meadows, Marble Mountain Wilderness, Klamath National Forest, *Norris 12401*.

Herzogiella striatella (Bridel) Iwatsuki [Hypnaceae]

Literature: Spjut 1971.

Illustrations: Ireland 1982; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: slopes above Sanger Lake southeast of O'Brien, Six Rivers National Forest, *Norris 70856*; Humboldt Co.: upper reaches of Marshall Creek, *Norris 56689*; Siskiyou Co.: Bear Lake, *Norris 24211 & 21217*.

Heterocladium dimorphum (Bridel) Bruch & W. P. Schimper [Pterigynandraceae]

Literature: Shevock and Toren 2001.

Illustrations: Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: Lafayette Park, *Shevock 19242 & 19245* and Balboa Park, *Shevock 19279*.

Heterocladium macounii Best

[Pterigynandraceae]

Literature: Bourell 1981. As *Heterocladium heteropteroides* Koch 1950a.

Illustrations: Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Smith River along Highway 199, Jedediah Smith Redwood State Park, *Norris 68934*; Humboldt Co.: near Prairie Creek Campground, Prairie Creek Redwood State Park, *Norris 12030* and Highway 299 at mile 9.4 east of Arcata, *Norris 55074*; Trinity Co.: Onion

Lake Road about 7 miles south of Onion Lake, Norris 72549 & 72562.

Homalothecium aeneum (Mitten) E. Lawton [Brachytheciaceae]

Literature: Harpel 1980a; Harthill et al. 1979; Lawton 1965a, 1971; McCleary 1972; Spjut 1971; Toren 1977. As Camptothecium aeneum Koch 1950a; Steere 1954. As Camptothecium aeneum var. dolosum Sayre 1940. As Camptothecium dolosum Millspaugh and Nuttall 1923.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, MP, SN, SW. Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87169*; Colusa Co.: Indian Valley Lake, Mendocino National Forest, *Norris 67547*; Fresno Co.: near Boyden Cave, Monarch Wilderness, Sequoia National Forest, *Shevock & York 12335*; Lake Co.: Clear Lake State Park, *Norris 47719*; Lassen Co.: Aspen Grove Campground, south end of Eagle Lake, *Norris 52816*; Santa Barbara Co.: Bates Canyon, Cole Springs Campground, *Norris 55323*; Trinity Co.: Hall City Caves east of Wildwood, Shasta-Trinity National Forest, *Norris 71661*; Ventura Co.: Lower San Juan Picnic Area, *Norris 58156*.

Homalothecium arenarium (Lesquereux) E. Lawton [Brachytheciaceae]

Literature: Harthill et al. 1979; Jamieson 1969; Kellman 2003; Lawton 1965a, 1971; Long 1978; McCleary 1972; Shevock and Toren 2001; Spjut 1971; Whittemore and Sommers 1999; Yurky 1990, 1995. As Camptothecium alsioides Kindberg 1892; Koch 1950a; Steere 1954. As Camptothecium arenarium Howe 1896; Kingman 1912; Koch 1950a; Millspaugh and Nuttall 1923; Sayre 1940; Steere 1954. As Hypnum arenarium Brandegee 1891; Lesquereux 1868; Watson 1880.

Illustrations: Lawton 1965a, 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SN, SW. **Selected specimens:** Lake Co.: base of Mt. Konocti, Clear Lake State Park, Toren 7039 (CAS); Mariposa Co.: Moss Canyon near El Portal, Yosemite National Park, Norris 80894; Riverside Co.: Mesa de Colorado, Santa Rosa Plateau Preserve west of Murrieta, Weber, Bratt & Larson 91958 (UC); San Francisco Co.: Baker Beach, Presidio of San Francisco, Shevock 18948; Santa Barbara Co.: Water Canyon east of Black Mountain, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriquez 20819; Sonoma Co.: Wolf Creek Road about 4 miles east of Gualala River, Norris 86946; Tehama Co.: Highway 36 about 5 miles northeast of Red Bluff, Norris 48076; Tulare Co.: General's Highway at Four Guardsman, Giant Forest, Sequoia National Park, Rundel 3082 (UC).

Homalothecium fulgescens (Mitten ex C. Müller Hal.) E. Lawton [Brachytheciaceae]

Literature: Holmberg 1969; Jamieson 1969; Lawton 1965a, 1971; Spjut 1971. As *Camptothecium*

lutescens var. occidentale Howe 1896; Koch 1950a; Yurky 1990, 1995. As Camptothecium lutescens var. fulgescens Koch and Ikenberry 1954. As Hypnum lutescens Lesquereux 1868.

Illustrations: Lawton 1965a, 1971; Smith 1978. Geographic subdivisions: CaR, NW, SN.

Selected specimens: El Dorado Co.: Sopiago Creek, southeast of Placerville, *Norris* 67201; Humboldt Co.: shores of Lake Prairie, *Norris* 50402; Lassen Co.: Battle Creek at milepost 75, *Norris* 52685; Mendocino Co.: Mill Creek County Recreation Area about 8 miles east of Ukiah, *Norris* 72627; Plumas Co.: Highway 36 at Gurnsey Creek east of Mineral, *Norris* 48129; Shasta Co.: Highway 299 about 1 mile north of Mineral School at intersection of road to Oak Run, *Norris* 68626; Siskiyou Co.: Shadow Creek at Callahan to Cecilville Road about 6 miles northeast of Cecilville, *Norris* 70542.

Homalothecium nevadense (Lesquereux) Renauld & Cardot [Brachytheciaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1965a, 1971; Long 1978; McGrew 1976; Mishler 1978; Sigal 1975; Spjut 1971; Steere et al. 1954; Strid 1974; Toren 1977; Yurky 1990, 1995. As Hypnum nevadense Lesquereux 1868; Watson 1880. As Camptothecium nevadense Howe 1896.

Illustrations: Flowers 1973; Lawton 1965a, 1971. **Geographic subdivisions:** CaR, CW, DMoj, MP, NW, SN, SNE, SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, Norris 87192; Glenn Co.: Cottonwood Glade, Norris 47959; Modoc Co.: Boles Creek southeast of Clear Lake, Modoc National Forest, Norris 79176; Mono Co.: near Green Lake, Hoover Wilderness, Toiyabe National Forest, Norris 57241; Monterey Co.: Nacimiento-Ferguson Road at bridge, Hunter-Liggett Military Reservation, Norris 87340; Riverside Co.: McCall Park near Mountain Center east of Hemet, Norris 58081; San Benito Co.: Cantua Creek, BLM Clear Creek Recreation Area, Shevock, Norris, & Hamon 20297; Shasta Co.: Cassel-Fall River Road about 1 mile east of Shasta-Trinity National Forest boundary, Norris 84687; Tulare Co.: County Road M-99 at Limestone Campground, North Fork Kern River, Sequoia National Forest, Shevock, Norris, & Barahona 13023; Tuolumne Co.: Highway 120 west of Yosemite, Stanislaus National Forest, Koch 1663 (UC).

Homalothecium nuttallii (Wilson) A. Jaeger [Brachytheciaceae]

Literature: Bourell 1981; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1965a, 1971; McCleary 1972; Shevock and Toren 2001; Sigal 1975; Smith 1970; Spjut 1971; Steere 1954; Strid 1974; Thomson and Ketchledge 1958; Toren

1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As *Camptothecium nuttallii* Bradshaw 1926. As *Hypnum nuttallii* Lesquereux 1868; Sullivant 1856. As *Hypnum nuttallii* var. *stoloniferum* Lesquereux 1868; Watson 1880.

Illustrations: Lawton 1965a, 1971.

Geographic subdivisions: CW, GV, NW, SN, SW. Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87201*; El Dorado Co.: Bear Creek Picnic Area southeast of Georgetown, *Norris & Piippo 82324*; Los Angeles Co.: Santa Catalina Island, *G. Wheeler 6154* (UC); Merced Co.: along County Road J16 adjacent to Merced River about 0.5 mile east of Snelling, *Norris 69856*; Monterey Co.: Arroyo Seco Creek about 4 miles west of Greenfield, *Norris 48511*; San Francisco Co.: Panhandle, Golden Gate Park, San Francisco, *Shevock 18768*; Sonoma Co.: South Ridge Trail above Lake Sonoma at Skaggs Spring Road, *Norris 86929*; Trinity Co.: South Fork Road along South Fork Trinity River, *Norris 72837*.

Homalothecium pinnatifidum (Sullivant & Lesquereux) E. Lawton [Brachytheciaceae]

Literature: Bourell 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Lawton 1965a, 1971; Long 1978; McCleary 1972; Sigal 1975; Spjut 1971; Toren 1977; Yurky 1990, 1995. As Camptothecium amesiae Howe 1897; Koch 1950a, 1951a; Koch and Ikenberry 1954; Renauld and Cardot 1888. As Camptothecium pinnatifidum Bradshaw 1926; Howe 1896; Kingman 1912; Koch 1950a; Koch and Ikenberry 1954; Steere 1954; Thomson and Ketchledge 1958. As Hypnum pinnatifidum Lesquereux 1868; Watson 1880. Misapplied as Homalothecium aureum Hofman 1998; Whittemore and Sommers 1999.

Illustrations: Lawton 1965a, 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Butte Co.: near Cherokee, Norris 73603; Kern Co.: Piute Mountain Road, BLM Bodfish Piute Cypress Natural Area, Piute Mountains, Shevock 12495; Mendocino Co.: Eel River about 3 miles south of Piercy, Norris 72111; San Diego Co.: Highway 76, Cleveland National Forest, Norris 70201; Santa Clara Co.: Mine Hill Trail south of Cape Horn Pass, Almaden Quicksilver County Park, Whittemore 5316 (UC); Santa Cruz Co.: trail to Buzzards Lagoon, Forest of Nisene Marks State Park, Kellman 732 (CAS); Trinity Co.: Highway 299 about 4 miles west of Weaverville, Norris 73524.

*Homomallium mexicanum Cardot [Hypnaceae]

Illustrations: Sharp et al. 1994. Geographic subdivisions: DMoj.

Selected specimens: San Bernardino Co.: Curtis Canyon, Clark Mountain Wilderness, Mojave National Preserve, Mojave Desert, *Shevock, Spence, Glazer, & Laeger 23681.*

Hookeria lucens (Hedwig) J. E. Smith [Hookeriaceae]

Literature: Jamieson 1969; Koch 1950a; Lawton 1971. Misapplied as *Hookeria acutifolia* Lesquereux 1868; Watson 1880. As *Pterygophyllum lucens* Howe 1897.

Illustrations: Lawton 1971. Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Damnation Creek Trail, Del Norte Redwoods State Park, *Norris & Taranto 10989*; Humboldt Co: Emerald Creek at junction with Redwood Creek, Redwood National Park, *Norris 45837*; Mendocino Co.: County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, *Norris 11702* and Marchantia Glen, Jackson State Forest, *Bourell 790* (CAS); Siskiyou Co.: Sugar Creek and Sugar Lake west of Callahan, Klamath National Forest, *Norris 57327*.

Hygroamblystegium tenax (Hedwig) Jennings [Amblystegiaceae]

Literature: Harthill et al. 1979; Koch 1950a; Showers 1982; Strid 1974; Toren 1977. As *Amblystegium irriguum* Howe 1897; Kingman 1912. As *Amblystegium tenax* Flowers 1973. As *Hygroamblystegium irriguum* Steere et al. 1954.

Illustrations: Flowers 1973; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. **Selected specimens:** Del Norte Co.: border of Klamath River northwest of Orick, R. & I. Duell 52 (UC); Humboldt Co.: Quinby Creek about 3 miles north of Denny, Shasta-Trinity National Forest, Norris 52710; Inyo Co.: Forest Road 8S02 toward North Lake near Bishop Creek at Sabrina Basin, Inyo National Forest, Shevock 15287; Lake Co.: Anderson Springs south of Cobb Mountain, Toren 7164 (CAS); Sierra Co.: Highway 49 about 7.8 miles west of Sierra City, Tahoe National Forest, Tavares & Noack 602a (UC); Siskiyou Co.: Crawford Creek at Klamath River, Klamath National Forest, Norris 10493; Tulare Co.: Forks of the Kern River, Golden Trout Wilderness, Sequoia National Forest, Shevock 14271.

Hygrohypnum alpinum (Lindberg) Loeske [Campyliaceae]

Literature: Jamieson 1976. **Illustrations:** Jamieson 1976.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: Fresno Co.: between Golden Lake and Mono Pass, Sierra National Forest, *Norris* 47042 (determined by Jamieson); Mono Co.: Barney Lake, Toiyabe National Forest, *Norris* 67145; Siskiyou Co.: Duck Lake Creek at Forest Road 8, Klamath National Forest, *Norris* 23300 (determined by Jamieson).

Hygrohypnum bestii (Renauld & Bryhn) Brotherus [Campyliaceae]

Literature: Flowers 1973; Ireland 1982; Jamieson 1969, 1976; Kellman 2003; Koch 1950a; Lawton

1966, 1971; McGrew 1976; Showers 1982; Yurky 1990, 1995. As *Hypnum bestii* Williams 1901. As *Limnobium bestii* Holzinger 1901.

Illustrations: Czernyadjera 2000; Flowers 1973; Ireland 1982; Jamieson 1976; Lawton 1966, 1971. Geographic subdivisions: CaR, CW, MP, NW, SN, SNE.

Selected specimens: Del Norte Co.: Knopti Creek Road about 9 miles east of Highway 199, Norris 7754 (determined by Jamieson); Inyo Co.: Taboose Creek Trail, John Muir Wilderness, Inyo National Forest, Shevock 13880; Lake Co.: Big Spring, Boggs Mountain State Forest, Toren & Dearing 7108 (CAS); Modoc Co.: Soup Creek Campground east of Likely, Modoc National Forest, Norris 9450 (determined by Jamieson); Plumas Co.: Domingo Springs about 8 air miles northwest of Chester, Lassen National Forest, Shevock & Corbin 12233; Riverside Co.: Devils Slide Trail, San Jacinto Wilderness, San Bernardino National Forest, Shevock, Kramer, Hall, & Ward 24061; Santa Cruz Co.: Castle Rock Falls, Castle Rock State Park, Kellman 2259 (CAS); Siskiyou Co.: trail between Abbott Ranch and English Lake, Marble Mountain Wilderness, Klamath National Forest, Spjut 1358 (UC) [determined by Jamieson].

*Hygrohypnum cochlearifolium (Venturi in De Notaris) Brotherus [Campyliaceae]

Illustrations: As Hygrohypnum smithii var. goulardii Lawton 1971.

Geographic subdivisions: SN, SNE.

Selected specimens: Inyo Co.: Dragon Peak and north of Golden Trout Lake near Onion Valley, Inyo National Forest, *Norris* 46746; Madera Co.: Rock Creek about 0.4 mile south of Rock Creek Bridge, Sierra National Forest, *Norris & Shevock* 100023.

Hygrohypnum duriusculum (De Notaris) Jamieson [Campyliaceae]

Literature: Jamieson 1976. As *Hygrohypnum dilatatum* Holmberg 1969; Koch 1950a; Spjut 1971. Illustrations: Ireland 1982; Jamieson 1976; Koponen et al. 1995; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Fresno Co.: Grizzly Falls adjacent to the South Fork Kings River, Sequoia National Forest, *Shevock 12446*; Inyo Co.: slopes east of Dragon Peak north of Golden Trout Lake near Onion Valley, John Muir Wilderness, Inyo National Forest, *Norris 46714*; Siskiyou Co.: Horsetail Falls along road from Seiad Valley to Cook and Green Pass north of Seiad Valley, *Norris 57622* and Paynes Creek, Klamath National Forest, *Norris 46288*.

Hygrohypnum luridum (Hedwig) Jennings [Campyliaceae]

Literature: Flowers 1973; Harpel 1980a; Jamieson 1976; Koch 1950a, 1958; Lawton 1971; Showers 1982; Spjut 1971. As *Hypnum pseudo-arcticum* Howe 1897. As *Limnobium palustre* Howe 1896.

Illustrations: Abramov and Volkova 1998; Flowers 1973; Hedenäs 2003; Ireland 1982; Jamieson 1976; Kanda 1978; Koponen et al. 1995; Lawton 1971: Smith 1978.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: Inyo Co.: above Golden Trout Lake northwest of Onion Valley, John Muir Wilderness, Inyo National Forest, *Norris 46709*; Mono Co.: Mildred Lake above Convict Lake, Inyo National Forest, *Norris 71413*; Tehama Co.: Anthony Peak, Mendocino National Forest, *Norris 55044*; Tulare Co.: above Primrose Lake, Sequoia National Park, *J.T. Howell s.n.* (CAS); Tuolumne Co.: Highway 108 about 1.5 miles below Sonora Pass, Stanislaus National Forest, *Norris 78837*.

Hygrohypnum molle (Hedwig) Loeske [Campyliaceae]

Literature: Flowers 1973; Frantz and Cordone 1967; Harpel 1980a; Harthill et al. 1979; Jamieson 1976; Koch 1950a, 1958; McGrew 1976; Showers 1982; Spjut 1971; Strid 1974; Toren 1977.

Illustrations: Flowers 1973; Jamieson 1976; Lawton 1971.

Geographic subdivisions: CaR, SN, SW.

Selected specimens: El Dorado Co.: Round Lake, Eldorado National Forest, Norris 71162; Fresno Co.: Taboose Pass Trail, headwaters of the South Fork Kings River, Kings Canyon National Park, Shevock 13867; Placer Co.: canyon feeding Ward Creek near junction with Courchevel Road, Whittemore 3075 (MO); Plumas Co.: stream near Johnsville, *Ikenberry 371* (MO); Riverside Co.: North Fork San Jacinto River, San Jacinto State Park, Harpel 1122 (pers. herb.) [confirmed by Schofield]; Tulare Co.: Kern Plateau, Sirretta Creek above Big Meadow, Sequoia National Forest, Shevock 17511 and trail between Silliman Pass and Lodgepole, Sequoia National Park, Norris 46516; Tuolumne Co.: Deadman Creek off of Highway 108 wet of Sonora Pass, Stanislaus National Forest, Shevock 18599 (determined by Ochyra).

Hygrohypnum ochraceum (Turner ex Wilson) Loeske [Campyliaceae]

Literature: Flowers 1973; Ireland 1982; Jamieson 1976; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Spjut 1971. As *Hypnum orchraceum* Coville 1893.

Illustrations: Flowers 1973; Ireland 1982; Jamieson 1976; Kanda 1978; Koponen et al. 1995; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Calaveras Co.: south of Lake Alpine, 5.4 miles from county line on Highway 4, Stanislaus National Forest, *Mueller 6699* (UC); Inyo Co.: above Chocolate Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris 46926*; Nevada Co.: area of Donner Lake along stream, Tahoe National Forest, *Whittemore 3053* (MO); Siskiyou Co.: Sugar Lake west of Callahan, Klamath National Forest, *Norris 57387*; Trinity

Co.: tributary of Coffee Creek near South Fork, *Norris 9361* (determined by Jamieson); Tulare Co.: trail east of Mitchell Peak toward Mitchell Meadow, Kings Canyon National Park, *Shevock 14562*.

Hygrohypnum smithii (Swartz in Liljeblad) Brotherus [Campyliaceae]

Literature: Flowers 1973; Jamieson 1976; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982. As *Hypnum arcticum* Lesquereux 1868; Watson 1880.

Illustrations: Abramov and Volkova 1998; Flowers 1973; Jamieson 1976; Lawton 1971.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Fresno Co.: Forest Road 9S10 at tributary of Cow Creek, Sierra National Forest, Shevock 14207; Inyo Co.: Bighorn Sheep Zoological Area, Baxter Pass Trail, John Muir Wilderness, Inyo National Forest, Shevock & York 16545; Plumas Co.: stream near Quincy, Ikenberry 1322 (MO) [determined by Koch]; Shasta Co.: Drakesbad, Warner Valley, Lassen Volcanic National Park, Showers 2427 (UC); Siskiyou Co.: Sugar Lake west of Callahan, Klamath National Forest, Norris 57380 and Paynes Lake, Norris & Smith 46359.

Hygrohypnum styriacum (Limpricht) Brotherus [Campyliaceae]

Literature: Jamieson 1976. **Illustrations:** Jamieson 1976.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Fresno Co.: Mist Falls Trail near junction of Bubbs Creek, Kings Canyon National Park, *Shevock & York 14469*; Inyo Co.: east of Dragon Peak and north of Golden Trout Lake near Onion Valley, John Muir Wilderness, Inyo National Forest, *Norris 46717*; Mono Co.: Highway 120 below Ellery Lake east of Tioga Pass, Inyo National Forest, *Shevock 13784* (determined by Jamieson) and Koenig Lake near Leavitt Lake east of Sonora Pass, Toiyabe National Forest, *Norris 57177*; Trinity Co.: Bullards Basin, Shasta-Trinity National Forest, *Norris 9287*.

Hylocomium splendens (Hedwig) Bruch & W. P. Schimper [Hylocomiaceae]

Literature: Holmberg 1969; Koch 1950a; Lawton 1971.

Illustrations: Buck 1998; Crum and Anderson 1981; Ignatov et al. 1996; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: about 2 miles west of Gasquet, Six Rivers National Forest, *Norris* 7820 (determined by Rohrer) and South Fork Smith River near Rock Creek Ranch about 8 miles from Hiouchi, Six Rivers National Forest, *Dillingham* 868 (CAS, UC); Siskiyou Co.: Middle Fork Applegate Trail near French Gulch, Rogue River National Forest, *Rolle & Rolle s.n.* (CAS, UC).

Hymenostylium recurvirostre (Hedwig) Dixon [Pottiaceae]

Literature: Zander 1977a. As *Gymnostomum recurvirostre* Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Long 1978; Mishler 1978.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CaR, DMoj, SN, SNE, SW.

Selected specimens: Inyo Co.: Main Fork Trail Canyon, base of Wilrose Peak, Death Valley National Park, Shevock, York, Glazer, & Laeger 21853; Kern Co.: Pine Tree Canyon west of Barren Ridge, Shevock, Ertter, & Hare 17836; Los Angeles Co.: Pacoima Dam, San Fernando Valley, MacFadden 8171 (MO) [determined by Bartram]; Mono Co.: Convict Lake Trail between Convict Lake and Lake Mildred, Inyo National Forest, Whittemore 1541a (CAS) and Norris 71372; Shasta Co.: Upper Manzanita Creek at base of Crescent Cliffs, Lassen Volcanic National Park, Showers 3924a (UC); Tulare Co.: Limestone Cliffs, Kern River Canyon along County Road M-99, Sequoia National Forest, Shevock 17062.

Hypnum circinale W. J. Hooker [Hypnaceae]

Literature: Bourell 1981; Holmberg 1969; Howe 1897; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Smith 1970; Spjut 1971; Thomson and Ketchledge 1958; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Butte Co.: Brush Creek, Plumas National Forest, Dillingham 856 (CAS); Del Norte Co.: Highway 199 along Smith River about 9 miles east of junction with Highway 101, Norris 85019; Lake Co.: Summit Lake east of Mt. Sanhedrin, Mendocino National Forest, Toren & Dearing 7202 (CAS); Marin Co.: Muir Woods National Monument, Hermann 17496 (CAS); Mendocino Co.: Fox Creek north of Branscomb, The Nature Conservancy Branscomb Reserve, Norris 47117; Plumas Co.: below Cresta Power Station, Norris 52645; Santa Cruz Co.: Sempervirens Creek near Camp 7, Big Basin Redwood State Park, Koch 2030a (UC) and Opal Creek, Kellman 1015 (CAS); Siskiyou Co.: between Wilderness Falls and Doe Flat, Klamath National Forest, Norris 67806.

Hypnum dieckii Renauld & Cardot [Hypnaceae]

Literature: Holmberg 1969. **Illustrations:** Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: near Prescott Cabin, *Norris 9023*; Humboldt Co.: Mill Creek, Forest Road 10N02, Six Rivers National Forest,

Norris 70604; Siskiyou Co.: Sugar Creek at Sugar Lake west of Callahan, Klamath National Forest, Norris 57307; Trinity Co.: Ditch Gulch below Highway 3 about 1 mile north of Highway 36, Norris 68685; Tulare Co.: East Fork Kaweah River below Atwell Mills Campground, Sequoia National Park, Norris 46460.

*Hypnum lindbergii Mitten [Hypnaceae]

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981.

Geographic subdivisions: SN.

Selected specimens: Nevada Co.: Boreal Ski Area, Tahoe National Forest, *Norris 102658*.

Hypnum revolutum (Mitten) Lindberg [Hypnaceae]

Literature: Koch 1950a, 1958; Lawton 1971; Showers 1982.

Illustrations: Flowers 1973; Ignatov et al. 1996; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: DMoj, NW, SN, SNE, SW.

Selected specimens: Del Norte Co.: Bear Basin Creek north of Bear Basin Butte, *Norris* 68894; El Dorado Co.: Silver Creek at Rat Castle Campground, *Norris* 58553; Inyo Co.: slopes above Chocolate Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris* 46910 and Sabrina Basin, Inyo National Forest, *Shevock* 15332; San Bernardino Co.: Curtis Canyon, Clark Mountain Wilderness, Mojave National Preserve, Mojave Desert, *Shevock*, *Spence*, *Glazer*, & *Laeger* 23675; Tulare Co.: Middle Fork Kaweah River at Little Deer Creek off of Crystal Cave Road, Sequoia National Park, *Shevock* & *Tseng* 15776.

Hypnum subimponens Lesquereux [Hypnaceae]

Literature: Bourell 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Spjut 1971; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Lawton 1971.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Marin Co.: Samuel P. Taylor Park, Wagner s.n. (UC); Mendocino Co.: Eel River about 3 miles south of Piercy, Norris 72143; Placer Co.: road to Bowman Lake about 2 miles north of Highway 20, Norris 77021; Santa Cruz Co.: South Fork Fall Creek, Henry Cowell Redwoods State Park, Kellman 358 (CAS); Siskiyou Co.: west branch of Sutcliffe Creek about 13 miles northwest of Happy Camp, Klamath National Forest, Norris 83299; Tulare Co.: Crystal Cave Road at junction with Little Deer Creek, Sequoia National Park, Shevock 15642.

*Hypnum vaucheri Lesquereux [Hypnaceae]

Illustrations: Flowers 1973; Ignatov et al. 1996; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: SNE.

Selected specimens: Inyo Co.: Methuselah Trail in Schulman Grove, Ancient Bristlecone Pine Forest Botanical Area, White Mountains, Inyo National Forest, *Norris* 99518.

Isopterygiopsis pulchella (Hedwig) Iwatsuki [Hypnaceae]

Literature: As *Isopterygium pulchellum* Harpel 1980a; Ireland 1982; Koch 1950a; Lawton 1971; Showers 1982; Spjut 1971.

Illustrations: Ignatov et al. 1996; Ireland 1982; Lawton 1971; Smith 1968.

Geographic subdivisions: NW, SN, SW.

Selected specimens: Fresno Co.: Lockwood Redwood Grove, Sequoia National Forest, *Norris, Shevock, & York 87916*; Riverside Co.: Wellmans Cienega, San Jacinto Mountains, San Jacinto State Park, *Harpel 951* (pers. herb.); Siskiyou Co.: Terrace and Upper Cliff Lakes, *Norris 53036* and Sawtooth Ridge at crest of Caribou Rim along trail from Big Flat to Caribou Basin, *Norris 9213*; Tulare Co.: Lower Soldier Lake, Sequoia National Park, *J.T. Howell s.n.* (CAS) and north slope Slate Mountain, Sequoia National Forest, *Shevock 15670*; Tuolumne Co.: Pilot Ridge, Stanislaus National Forest, *Shevock 13268*.

*Isopterygium tenerum (Swartz) Mitten [Hypnaceae]

Illustrations: Buck 1998; Ireland 1982; Iwatsuki and Crosby 1979; Sharp et al. 1994.

Geographic subdivisions: SN.

Selected specimens: El Dorado Co.: Ropi Lake, Desolation Wilderness, Eldorado National Forest, *Norris 71114*.

*Isothecium cardotii Kindberg

[Brachytheciaceae]

Illustrations: No illustration located for this species.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: El Dorado Co.: Bear Creek Picnic Area near Georgetown, *Norris & Piippo 82337*; Humboldt Co.: about 1 mile north of Indianola, *Norris 10260* and Forest Road 10N02 at head of Mill Creek, Six Rivers National Forest, *Norris 70571*; Shasta Co.: Forest Road 39N07 along Soda Creek about 6 miles northeast of Interstate 5 south of Dunsmuir, *Norris & Hillyard 103834*; Siskiyou Co.: South Fork Salmon River near junction with West Fork, *Norris 10088*; Tuolumne Co.: Pilot Ridge, Stanislaus National Forest, *Shevock 13267 & 13277*.

Isothecium cristatum (Hampe) H. Robinson [Brachytheciaceae]

Literature: Bourell 1981; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Lawton 1971; McCleary 1972; Shevock and Toren 2001; Smith 1970; Toren 1977; Yurky 1990, 1995. As *Bestia cristata* Koch 1950a, 1951e; Koch and Ikenberry

1954. As Bestia breweriana Steere 1954; Thomson and Ketchledge 1958. As Hypnum brewerianum Brandegee 1891; Koch 1950a; Lesquereux 1868. As Hypnum aggregatum Lesquereux 1868; Watson 1880. As Isothecium brewerianum Bradshaw 1926; Howe 1897; Kingman 1912. As Isothecium howei Howe 1896.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: El Dorado Co.: Highway 50 along South Fork American River at Bridal Veil Falls Campground, *Norris* 58420; Humboldt Co.: Emerald Creek at junction with Redwood Creek, Redwood National Park, *Norris* 45827; Marin Co.: trail near Mud Lake, Point Reyes National Seashore, *Norris* 71842; San Francisco Co.: Glen Canyon, San Miguel Hills, *Shevock* 18875 & 18891; Santa Cruz Co.: Highway 9 about 1.5 miles north of Boulder Creek, *Norris* 55596; Shasta Co.: Brandy Creek Picnic Area, Whiskeytown National Recreation Area, *Norris* 73619; Sonoma Co.: Green Valley Creek about 0.25 mile south of Highway 116, west of Forestville, *Norris* 101115.

Isothecium myosuroides Bridel

[Brachytheciaceae]

Literature: Allen 1983; Holmberg 1969; Jamieson 1969; Kellman 2003; McGrew 1976; Shevock and Toren 2001; Smith 1970; Whittemore and Sommers 1999; Yurky 1995. As *Hypnum myosuroides* Brandegee 1891; Lesqereux 1868; Sullivant 1856; Watson 1880.

Illustrations: Smith 1978.

Geographic subdivisions: CW, NW, SN.

Selected specimens: San Benito Co.: trail to the caves, Pinnacles National Monument, *Koch 1325a* (UC); Santa Cruz Co.: near Stevens Redwood Grove, *Schofield 8328* (UC); Trinity Co.: East Fork Road at Rich Gulch, north of Helena, Shasta-Trinity National Forest, *Norris 18950*; Tulare Co.: tributary of Squirrel Creek, Sequoia National Park, *Norris, Shevock, & Barahona 87550*.

Isothecium obtusatulum Kindberg

[Brachytheciaceae]

Literature: Kellman 2003.

Illustrations: Allen and Whittemore 1996.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: exit of Sanger Lake along Forest Road 4803 southeast of O'Brien, Six Rivers National Forest, *Norris 70834*; Marin Co.: trail to Mud Lake, Point Reyes National Seashore, *Norris 71813*; Placer Co.: Highway 49 about 1 mile south of Forest Hill Road, *Whittemore 3541* (CAS); San Mateo Co.: between headquarters and Tiptoe Falls, Portola State Park, *Whittemore 4112* (CAS); Santa Cruz Co.: San Lorenzo River near the Saratoga Toll Road about 7 miles north of Boulder Creek off Highway 9, *Kellman 2535* (CAS).

Isothecium spiculiferum (Mitten) Renauld & Cardot [Brachytheciaceae]

Literature: Bourell 1981; Harthill et al. 1979; Shevock and Toren 2001; Showers 1982; Toren 1977

Illustrations: No illustration located. **Geographic subdivisions:** CW, NW.

Specimens examined: Del Norte Co.: Coastal Trail between False Klamath Cove and Requa, Redwood National and State Parks, *Norris* 70361; Humboldt Co.: Chemise Mountain Trail from Nadelos Recreation Site, BLM Kings Range Conservation Area, *Norris* 67713; San Francisco Co.: Mt. Sutro, *Shevock* 19181 and Golden Gate Park, *Shevock* 19204.

Isothecium stoloniferum Bridel

[Brachytheciaceae]

Literature: Holmberg 1969; Lesquereux 1868; Spjut 1971; Yurky 1990. As *Pseudoisothecium stoloniferum* Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Thomson and Ketchledge 1958.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: El Dorado Co.: South Fork American River at Carpenter Creek, *Norris 58439* and Whaler Creek south of Quintette, *Norris & Piippo 82360*; Humboldt Co.: about 3 miles north of Avenue of the Giants, *Norris 72148*; Mendocino Co.: Mill Creek, *Norris 53256*; Shasta Co.: Shotgun Creek near North Fork Shotgun Creek southeast of Sims, *Norris & Hillyard 103869*; Sonoma Co.: Sonoma, *Bioletti s.n.* (UC).

Jaffueliobryum raui (Austin) Thériot [Grimmiaceae]

Literature: Harpel 2000. [See Churchill 1987 for description and distribution.]

Illustrations: Churchill 1987. As *Grimmia ranii* Crum and Anderson 1981; Flowers 1973.

Geographic subdivisions: DMoj, SN, SNE, SW. Selected specimens: Riverside Co.: Bull Canyon Road, San Jacinto Mountains, San Bernardino National Forest, *Harpel 1177* (UBC, UC) [confirmed by Schofield] and Martinez Canyon near Aqua Alta Canyon, Santa Rosa Mountains, Colorado Desert, *Wheeler 8813* (CAS, UC); Tulare Co.: Forks of the Kern River, Golden Trout Wilderness, Sequoia National Forest, *Shevock 16526*.

*Jaffueliobryum wrightii Sullivant in Sullivant & Lesquereux [Grimmiaceae]

Illustrations: Churchill 1987. As *Grimmia wrightii* Crum and Anderson 1981; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: DMoj, SNE.

Selected specimens: Inyo Co.: Grandview Campground near Grandview Mine, White Mountains, Inyo National Forest, *Wheeler 8511* (CAS, UC); San Bernardino Co.: Coyote Canyon, Granite Mountains, north of Highway 40, Mojave National Preserve, *Norris 87856*.

Kiaeria blyttii (Bruch & W. P. Schimper) **Brotherus** [Dicranaceae]

Literature: Crum and Anderson 1981; Showers

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982. As Arctoa blyttii Lawton 1971.

Geographic subdivisions: CaR, NW.

Selected specimens: Shasta Co.: boulder slope west of Lost Creek Camp, Lassen Volcanic National Park, Showers 3738 (UC); Siskiyou Co.: Gulch Lake southwest of Callahan, Klamath National Forest, Norris 57531 and Granite Creek between Tickner Creek and Blue Granite Lake, Norris 52312; Trinity Co.: rivulet below East Weaver Lake, Norris 9406 and near Browns Meadows, Norris 23143.

Kiaeria falcata (Hedwig) I. Hagen [Dicranaceae]

Literature: McGrew 1976.

Illustrations: Smith 1978. As Arctoa falcata Lawton 1971.

Geographic subdivisions: CaR, NW.

Selected specimens: Siskiyou Co.: above confluence of drainages from Lower Russian and Golden Russian Lakes, Klamath National Forest, McGrew 360 (UC), near Paynes Lake, Klamath National Forest, Norris & Smith 46354 & 46376; Granite Creek between Tickner Creek and Granite Lake, Norris 52309, and eastern slopes of Little Grayback, Holmberg 942 (UC).

Kiaeria starkei (Weber & D. Mohr) I. Hagen [Dicranaceae]

Literature: McGrew 1976.

Illustrations: Crum and Anderson 1981; Ireland 1982; Smith 1978. As Actoa starkei Lawton 1971. Geographic subdivisions: CaR, NW, SN, SNE.

Selected specimens: Del Norte Co.: slopes above Whiskey Lake, Siskiyou National Forest, Norris 57691 & 57713; Humboldt Co.: headwaters of Oregon Creek north of Trinity Summit Guard Station, Norris & Creek 50104; Invo Co.: slopes above Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, Norris 46941; Siskiyou Co.: trail to Long Gulch Lake southwest of Callahan, Klamath National Forest, Norris 57520; Trinity Co.: trail to Long Gulch Lake, Klamath National Forest, Spjut, Norris, & J. Koponen 6296 (UC).

Kindbergia oregana (Sullivant) Ochyra [Brachytheciaceae]

Literature: Shevock and Toren 2001; Yurky 1990. As Eurhynchium brittoniae Koch 1950a; Lawton 1971. As Eurhynchium oreganum Holmberg 1969; Howe 1897; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Smith 1970; Spjut 1971; Thomson and Ketchledge 1958; Yurky 1995. As Hypnum oreganum Lesquereux 1868; Sullivant 1856; Watson 1880. As Stokesiella oregana Bourell 1981; McGrew 1976; Toren 1977.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, MP, NW, SN,

Selected specimens: Monterey Co.: Salmon Creek Trail, Santa Lucia Mountains, Los Padres National Forest, Norris 68223; San Francisco Co.: Mt. Davidson, Shevock 18923; Santa Barbara Co.: Windmill Canyon, Santa Rosa Island, Channel Islands National Park, Shevock 20901; Shasta Co.: Highway 299 on north side of Haynes Flat about 3 miles west of Burney, Norris 68454; Siskiyou Co.: west of White Mountain near Cook and Green Pass, Klamath National Forest, Norris 50185; Sonoma Co.: Gualala River near Lee Noble Road, Norris 86977; Tulare Co.: Freeman Creek Grove, Lloyd Meadows Basin, Sequoia National Forest, Shevock

Kindbergia praelonga (Hedwig) Ochyra

[Brachytheciaceae]

Literature: Shevock and Toren 2001; Yurky 1990. As Eurhynchium praelongum Kellman 2003; Kingman 1912; Koch 1950a; McCleary 1972; Smith 1970; Spjut 1971; Stark and Whittemore 1992; Whittemore and Sommers 1999; Yurky 1995. As Eurhynchium praelongum var. stokesii Holmberg 1969; Lawton 1971; McCleary 1972. As Eurhynchium stokesii Jamieson 1969; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Spjut 1971. As Hypnum stokesii Lesquereux 1868; Watson 1880. As Stokesiella praelonga Bourell 1981; Harthill et al. 1979; Ireland 1982; Long 1978; Showers 1982; Toren 1977.

Illustrations: Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Deer Cove Creek along Highway 180, South Fork Kings River, Sequoia National Forest, Shevock 12456; Humboldt Co.: Prairie Creek Redwood State Park, Norris 7940; Monterey Co.: Mill Creek Picnic Area, Norris 48571; Placer Co.: road to Bowman Lake about 2 miles north of Highway 20, Norris 77002; San Francisco Co.: Mt. Davidson, Shevock 18925; Santa Barbara Co.: Lobos Canyon, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriquez 20848; Shasta Co.: Shasta Lake at Interstate 5 near Bridge Mountain Road, Shasta-Trinity National Forest, Norris 72906.

Leptobryum pyriforme (Hedwig) Wilson [Meesiaceae]

Literature: Cooke 1941; Coville 1893; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Kellman 2003; Kingman 1912; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McGrew 1976; Mishler 1978; Shevock and Toren 2001; Showers 1982; Strid 1974; Toren 1977; Watson 1880. As Bryum pyriforme Lesquereux 1868; Sullivant 1856.

Illustrations: Abramov and Volkova 1998; Allen

2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, DSon, MP, NW, SN, SNE, SW.

Selected specimens: Inyo Co.: South Lake Road, 0.7 mile below South Lake, Inyo National Forest, Shevock 12538 and Humingbird Spring near Rogers Peak, Death Valley National Park, Shevock, York, and Davis 21374; Lake Co.: west base of Goat Mountain near Addington Springs, Mendocino National Forest, Toren & Dearing 7551 (CAS); Madera Co.: San Joaquin River below Red Creek, Devils Postpile National Monument, Shevock & Dulen 21271; Modoc Co.: near Post Canyon north of Adin, Norris 47403; Mono Co.: O'Harrel Canyon northeast of Lake Crowley, Glass Mountain, Inyo National Forest, Shevock & York 19994; Monterey Co.: near Wagon Caves Campground, Los Padres National Forest, Norris 48551; Riverside Co.: Forty Nine Palms Oasis near Twenty Nine Palms, Norris 58025; San Francisco Co.: Presidio of San Francisco, Shevock 19366; Siskiyou Co.: near Bear Lake, Klamath National Forest, Norris 24197.

Leptodictyum humile (Palisot de Beauvois) Ochyra [Amblystegiaceae]

Literature: As Amblystegium trichopodium Lawton 1971. As Leptodictyum trichopodium Harthill et al. 1979; Holmberg 1969; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Mishler 1978; Showers 1982; Strid 1974; Toren 1977.

Illustrations: Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, DMoj, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Kearsarge Lakes, Kings Canyon National Park, Shevock 14333; Inyo Co.: Johnson Canyon, Panamint Mountains, Death Valley National Park, Shevock, Harpel, & York 19075; Mariposa Co.: Crane Flat Meadow, Yosemite National Park, Kellman 549 (CAS); Placer Co.: Highway 89, west shore of Lake Tahoe, USFS Lake Tahoe Management Unit, Koch 1958 (UC); Tehama Co.: Tomhead Gulch, Shasta-Trinity National Forest, Norris 56902; Tulare Co.: shore of Oriole Lake, Sequoia National Park, Norris, Shevock, & Barahona 87533; Tuolumne Co.: Highway 108 at Frazier Flat Campground, Stanislaus National Forest, Spjut, Norris, & J. Koponen 6253 (UC).

Leptodictyum riparium (Hedwig) Warnstorf [Amblystegiaceae]

Literature: Frantz and Cordone 1967; Harthill et al. 1979; Kellman 2003; Koch 1950a, 1958; Koch and Ikenberry 1954; McGrew 1976; Mishler 1978; Shevock and Toren 2001; Showers 1982; Strid 1974; Toren 1977; Yurky 1990, 1995. As Amblystegium riparium Kingman 1912; Lawton 1971; Spjut 1971. As Hypnum riparium Lesquereux 1868; Sullivant 1856; Watson 1880.

Illustrations: Buck 1998; Hedenäs 2003; Ireland

1982; Koponen et al. 1995; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: below West Lake near Sand Flat, Sierra National Forest, *Shevock 14189*; Cedar Grove, Zumwalt Meadows along the South Fork Kings River, Kings Canyon National Park, *Shevock 13730*; Mendocino Co.: near Howard Lake, Mendocino National Forest, *Shevock & Isle 15903*; Mono Co.: Mormon Meadow along Highway 270, Bodie Hills, *Shevock 15246*; San Benito Co.: Pinnacles National Monument, *Blasdale s.n.* (UC); San Francisco Co.: Alamo Square, *Shevock 18909*; Shasta Co.: Bumpass Hell, Lassen Volcanic National Park, *Showers 861* (UC); Tulare Co.: Oriole Lake, Sequoia National Park, *Shevock 17619* (determined by Ochrya).

Leptophascum leptophyllum (C. Müller Hal.) J. Guerra & M. J. Cano [Pottiaceae]

Literature: As *Chenia leptophylla* Kellman 2003; Shevock and Toren 2001.

Illustrations: Arts and Sollman 1991; Guerra and Cano 2000; Guerra and Cros 2003. As *Chenia leptophylla* Zander 1993.

Geographic subdivisions: CW, GV.

Selected specimens: Merced Co.: banks of road about 0.5 mile east of Snelling along Merced River, *Norris 69844*; San Francisco Co.: Lincoln Blvd and 41st Street, Golden Gate Park, *Toren 2921* (CAS, SFSU); Santa Cruz Co.: Liddell Creek Fire Road at Highway 1 south of Davenport, *Kellman 755* (CAS, UC).

*Leptopterigynandrum austro-alpinum C. Müller Hal. [Leskeaceae]

Illustrations: Sharp et al. 1994. **Geographic subdivisions:** DMoj.

Selected specimens: San Bernardino Co.: Kingston Peak, Kingston BLM Wilderness, Mojave Desert, *Laeger & Bogan 1759* (CAS).

*Lescuraea atricha (Kindberg) Latwon [Leskeaceae]

Illustrations: Lawton 1957, 1971.

Geographic subdivisions: CaR.

Selected specimens: Siskiyou Co.: McCloud River Preserve, The Nature Conservancy, *Norris & Hillyard 106544*.

Lescuraea incurvata (Hedwig) E. Lawton [Leskeaceae]

Literature: McGrew 1976; Spjut 1971. As Lescuraea incurvata var. gigantea Spjut 1971. As Lescuraea incurvata var. tenuiretis Spjut 1971.

Illustrations: Flowers 1973; Lawton 1957, 1971; Noguchi 1972; Smith 1978.

Geographic subdivisions: CaR, MP, NW, SN. **Selected specimens:** Amador Co.: Caples Creek north of Kirkwood Lake, Eldorado National Forest, *Norris* 82746; Modoc Co.: Alcohol Crater Rim,

Modoc National Forest, *Harpel 16329* (pers. herb.); Siskiyou Co.: near Taylor Lake, Klamath National Forest, *Norris 83397* (confirmed by Krieger) and Clear Ceek Trailhead, southeast slope of Mt. Shasta, Shasta-Trinity National Forest, *Norris & Hillyard 104063* and Shackleford Creek Trail, Marble Mountain Wilderness, Klamath National Forest, *Norris & Hillyard 104989*; Tehama Co.: Battle Creek along Forest Road 29N35 about 4 miles east of Mineral, Lassen National Forest, *Norris 48163* (confirmed by Krieger); Trinity Co.: Canyon Creek between Ripstein Camp and McKay Camp, *Norris 8024* (confirmed by Krieger); Tulare Co.: along Forest Road 13S45 at tributary of Bearskin Creek, Sequoia National Forest, *Shevock & York 13682*.

*Lescuraea pallida (Best) Norris & Shevock comb nov. [Leskeaceae]

Lescuraea radicosa (Mitten) Mönkemeyer var. pallida (Best) E. Lawton. Bulletin Torrey Botanical Club 84:306. 1957. Pseudoleskea radicosa (Mitten) Macoun & Kindberg var. pallida Best. Bulletin Torrey Botanical Club 27:227. 1900.

Illustrations: Lawton 1957, 1971. Geographic subdivisions: SN, SNE.

Selected specimens: Alpine Co.: Red Lake Creek, Toiyabe National Forest, *Norris 88130*; Inyo Co.: slopes of Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris 46968* (confirmed by Krieger); Mono Co.: Tioga Junction Campground about 2.5 miles north of Tioga Pass, Inyo National Forest, *Norris 48348*; Tulare Co.: Clover Creek east of Wuksachi Lodge, Sequoia National Park, *Shevock 18278*; Tuolumne Co.: Lower Young Lake, Yosemite National Park, *Messick 674* (UC).

Lescuraea patens (Lindberg) Arnell & C. E. O. Jensen [Leskeaceae]

Literature: Flowers 1973; Holmberg 1969; Jessup 2000; Lawton 1957, 1971; McGrew 1976; Spjut 1971. As *Pseudoleskea atrovirens* Cooke 1941; Koch 1950a. As *Pseudoleskea patens* Harthill et al. 1979; Koch 1958; Showers 1982; Strid 1974; Toren 1977.

Illustrations: Flowers 1973; Ireland 1982; Lawton 1957, 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Alpine Co.: Tamarack Lake, Toiyabe National Forest, *Norris* 82777; Fresno Co.: north-face of Spanish Mountain, John Muir Wilderness, Sierra National Forest, *Shevock & York* 12424 (confirmed by Krieger); Glenn Co.: slopes of Black Butte, Mendocino National Forest, *Norris* 47973; Humboldt Co.: Tish-Tang-a-Tang Creek near Grogans Hole, Six Rivers National Forest, *Norris* 47826; Lake Co.: headwaters Bear Creek, Snow Mountain Wilderness, Mendocino National Forest, *Toren & Dearing* 7481 (CAS); Siskiyou Co.: Upper Cliff Lakes, Shasta-Trinity National

Forest, *Norris 53034* and South Fork Russian River above Etna-Sawyers Bar Road, *Norris 11891*.

Lescuraea radicosa (Mitten) Mönkemeyer [Leskeaceae]

Literature: Flowers 1973; Lawton 1957, 1971; McGrew 1976; Spjut 1971. As *Pseudoleskea radicosa* Harthill et al. 1979; Showers 1982.

Illustrations: Flowers 1973; Lawton 1957, 1971; Noguchi 1972.

Geographic subdivisions: CaR, MP, NW, SN. **Selected specimens:** Del Norte Co.: Doctor Rock, Six Rivers National Forest, Norris 50319 (confirmed by Krieger); Humboldt Co.: headwaters of Oregon Creek north of Trinity Summit Guard Station, Norris & Creek 50101; Modoc Co.: Pine Creek Basin Trail, South Warner Wilderness, Modoc National Forest, Harpel 2232 (pers. herb.); Sierra Co.: Highway 49 about 7 miles east of Yuba Pass, Lawton 3151 (UC); Shasta Co.: Soda Creek Road about 3 miles NE of Interstate 5 near Dunsmuir, Shasta-Trinity National Forest, Norris 84771 and Castle Lake at Castle Lake Creek, southwest of Mt. Shasta City, Norris & Hillyard 103842; Siskiyou Co.: Big Boulder Lake west of Carrville, Norris & Streimann 74803; Trinity Co.: Long Gulch Lake, Trinity Alps Wilderness, Klamath National Forest, Spjut, Norris, & J. Koponen 6290 (UC).

*Lescuraea saviana (De Notaris) E. Lawton [Leskeaceae]

Illustrations: Lawton 1957, 1971. Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: exit of Sanger Lake southeast of O'Brien, Six Rivers National Forest, *Norris 70780*; Shasta Co.: Forest Road 39N07 along Soda Creek about 6 miles northeast of Interstate 5 south of Dunsmuir, Shasta-Trinity National Forest, *Norris & Hillyard 103836*; Siskiyou Co.: trail to English Lake, Klamath National Forest, *Spjut 1473* (UC); Trinity Co.: Canyon Creek between Ripstein Camp and McKay Camp, *Norris 8033*; Tulare Co.: near the Ponderosa Resort, eastern base of Slate Mountain, Sequoia National Forest, *Shevock 15656*.

Lescuraea stenophylla (Renauld & Cardot) Lindberg [Leskeaceae]

Literature: Holmberg 1969; Spjut 1971. As *Pseudoleskea rigescens* Howe 1896; Koch 1950a.

Illustrations: Lawton 1957, 1971.

Geographic subdivisions: CaR, MP, NW.

Selected specimens: Del Norte Co.: Bear Basin Creek north of Bear Basin Butte, *Norris* 68878 & 68882; Humboldt Co.: Long Ridge near headwaters of Bunch Grass Creek, Hoopa Valley Indian Reservation, *Norris* 47806; Modoc Co.: Big Valley Mountains, *Baker & Nutting* 43 (UC); Siskiyou Co.: west branch of Sutcliffe Creek about 13 miles northwest of Happy Camp, Klamath National Forest, *Norris* 83291 & 83298 and above Neals Camp,

Mt. Shasta, Shasta-Trinity National Forest, *Howe* 115 (UC).

Leskea polycarpa Ehrhart ex Hedwig [Leskeaceae]

Literature: McGrew 1976.

Illustrations: Ireland 1982; Lawton 1971; Noguchi

1972; Smith 1978.

Geographic subdivisions: NW, SN.

Selected specimens: Alpine Co.: Pacific Creek at Pacific Valley Campground, Highway 4 east of Pacific Grade Summit, Stanislaus National Forest, Norris 77201; Del Norte Co.: Bear Basin Butte, Norris 8093b; Fresno Co.: east base Maxson Dome near Courtwright Reservoir, John Muir Wilderness, Sierra National Forest, Shevock & York 17444; Humboldt Co.: South Fork Mountain Road near Doe Spring about 7 air miles north of Mad River, Six Rivers National Forest, Norris 84072; Tulare Co.: Western Divide, Peppermint Creek, Sequoia National Forest, Laeger 290 (CAS).

Leucolepis acanthoneura (Schwägrichen) Lindberg [Mniaceae]

Literature: Howe 1897; Yurky 1990, 1995. As Leucolepis menziesii Bourell 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Smith 1970; Spjut 1971; Steere et al. 1954; Thomson and Ketchledge 1958; Toren 1977. As Mnium menziesii Bradshaw 1926; Lesquereux 1868; Sullivant 1856; Watson 1880.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Calaveras Co.: Moran Creek about 1 mile north of Avery, Stanislaus National Forest, Wagner Jr. 4360a (UC); El Dorado Co.: Bear Creek Picnic Area south-southwest of Georgetown, Eldorado National Forest, Norris & Piippo 82338; Humboldt Co.: between Cal Barrel Road and Elk Grove Park Headquarters, Prairie Creek Redwoods State Park, Shevock 16741; Madera Co.: Minarets Road at Rock Creek, Sierra National Forest, Shevock & Kellman 19772; Nevada Co.: tributary of Washington Creek 4.2 miles from Highway 20, Tahoe National Forest, Shevock & Toren 20742; Santa Cruz Co.: near George's Campground, Forest of Nisene Marks State Park east of Aptos, Santa Cruz Mountains, Whittemore 4038 (CAS); Siskiyou Co.: Elliott Creek near Seattle Bar, Rogue River National Forest, Shevock & Toren 20083; Trinity Co.: Highway 36 at Swift Creek, Shasta-Trinity National Forest, Norris 56551.

*Lorentziella imbricata (Mitten) Brotherus [Gigaspermaceae]

Illustrations: Lawton 1953; Rushing and Snider 1980; Sharp et al. 1994.

Geographic subdivisions: SW.

Selected specimens: San Diego Co.: San Dieguito River Park, Bernardo Rancho, *D. Baltzo s.n.* (UC).

*Meesia longiseta Hedwig [Meesiaceae]

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, SN.

Selected specimens: Nevada Co.: about 0.5 mile northeast of Bowman Lake, Tahoe National Forest, *Ahart 10609* (UC); Plumas Co.: Willow Lake northwest of Chester, Lassen National Forest, *Norris 96251*; Tuolumne Co.: about 2 miles east of Tuolumne Meadows toward Tioga Pass, Yosemite National Park, *Norris 100353*.

Meesia triquetra (H. Richter) Ångström [Meesiaceae]

Literature: Crum and Anderson 1981; Howe 1896; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Montagnes 1990.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SW. **Selected specimens:** Butte Co.: Chico Creek, Austin 229 (UC); El Dorado Co.: Grass Lake, Highway 89 west of Luther Pass and south of Lake Tahoe, Eldorado National Forest, Norris 71312 & 79049 and Koch & Stebbins 2316 (UC); Fresno Co.: between House and Ahart Meadows, west of Wishon Reservoir, Sierra National Forest, Shevock & Bourell 14041 and west of Kaiser Pass, Kaiser Wilderness, Sierra National Forest, Shevock 20989; Humboldt Co.: near McClellan Mountain about 5 miles east of Bridgeville, Norris 45819; Lassen Co.: East of Humbug Pass, Plumas National Forest, Shevock & Ertter 19887; Nevada Co.: Mason's Bog at Sagehen, Tahoe National Forest, Toren 1438 (SFSU); Riverside Co.: Wellmans Cienega, San Jacinto Mountains, San Jacinto State Park, Shevock, Kramer, Hall, & Ward 24069; Sierra Co.: Secret Meadow east of Independence Lake, Tahoe National Forest, Norris 99457; Siskiyou Co.: Sisson near Mt. Shasta, Howe 102 (UC); Tulare Co.: Log Meadow near Crescent Meadow, Giant Forest, Sequoia National Park, Shevock 16678.

Meesia uliginosa Hedwig [Meesiaceae]

Literature: Crum and Anderson 1981; Howe 1896; Koch 1950a; Lawton 1971; Lesquereux 1868; Watson 1880.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Smith 1978.

Geographic subdivisions: CaR, SN, SW.

Selected specimens: Fresno Co.: between Wet Meadow and Spanish Lake, John Muir Wilderness, Sierra National Forest, *Shevock 14153*; Sierra Co.: Secret Meadow east of Independence Lake, Tahoe National Forest, *Norris 99466*; Riverside Co.: Wellmans Cienega, east side of Marion Mountain, San Jacinto State Park, *Wheeler 7901* (CAS, DUKE,

UC) [determined by Shaw]; Siskiyou Co.: Sisson near Mt. Shasta, *Howe 117* (UC); Tulare Co.: South Mountaineer Creek at Summit Trail, Golden Trout Wilderness, Sequoia National Forest, *Shevock 14245*; Unspecified county: *Bolander 90* (UC).

Meiotrichum lyallii (Mitten) G. L. S. Merrill [Polytrichaceae]

Literature: As Oligotrichum lyallii Watson 1880. As Polytrichadelphus lyallii Flowers 1973; Holmberg 1969; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Spjut 1971. As Polytrichastrum lyallii McGrew 1976. As Polytrichum lyallii Lesquereux 1868; Showers 1982; Toren 1977.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Glenn Co.: slopes of Black Butte, Mendocino National Forest, Norris 47974; Humboldt Co.: Oregon Creek north of Trinity Summit Guard Station, Norris & Creek 50144; Lake Co.: Cedar Camp, Snow Mountain Wilderness, Mendocino National Forest, Toren & Dearing 7491 (CAS); Mariposa Co.: Glacier Point Road about 1.2 miles east of Bridalveil Campgound, Yosemite Park Park, Norris & Shevock 100330; Plumas Co.: Gibsonville Ridge, crest of Quincy-LaPorte Road, Plumas National Forest, Norris 83162; Siskiyou Co.: Jaynes Creek northwest of Klamath River, Norris 48698; Tulare Co.: Big Meadows Road, 0.2 mile east of Rabbit Meadow Road, Sequoia National Forest, Shevock 10864.

Metaneckera menziesii (Drummond) W. C. **Steere** [Neckeraceae]

Literature: Bourell 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Showers 1982; Spjut 1971; Steere 1967; Toren 1977; Yurky 1990, 1995. As *Neckera menziesii* Flowers 1973; Lawton 1971; Lesquereux 1868; Watson 1880. As *Neckeradelphus menziesii* Koch 1950a, 1951e; Koch and Ikenberry 1954; Steere 1941; Thomson and Ketchledge 1958.

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: El Dorado Co.: Sly County Park, Norris 58585; Humboldt Co.: Redwood Creek near Orick, Redwood National Park, Norris 22363; Lake Co.: Cold Creek west of Low Gap between Sheetiron Mountain and Snow Mountain, Mendocino National Forest, Shevock, Toren, & Dearing 18791; Mariposa Co.: Highway 41 near Wawona Entrance Station, Yosemite National Park, Shevock 21437; Santa Cruz Co.: Laguna Creek, Wilder Ranch State Park, Kellman 1862 (CAS); Shasta Co.: Fall Creek Road about 1 mile southeast of McCloud Bridge at Shasta Lake, Shasta-Trinity National Forest, Norris 84858; Sonoma Co.: Wolf Creek Road about 4 miles east of Gualala, Norris 86962; Tulare Co.: Lake Canyon about 0.5 mile below Oriole Lake, Sequoia National Park, Shevock 17611.

Microbryum davallianum (J. E. Smith in Drake) Zander [Pottiaceae]

Literature: Kellman 2003. As *Pottia davalliana* Crum and Anderson 1981. As *Pottia minutula* Lesquereux 1868; Lesquereux and James 1884.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Williams 1961.

Geographic subdivisions: CW.

Selected specimens: Alameda Co.: just below Little Yosemite, Canyon View Trail and Camp Ohlone Road, Sunsol Regional Wilderness, *Whittemore 5454* (MO); Monterey Co.: Sam Jones Road about 1 km east of Piojo Airstrip, Hunter-Liggett Military Reservation, *Norris 87249, 87251, & 87252*; Santa Cruz Co.: Englesman Loop Trail, Wilder Ranch State Park, *Kellman 2254* (CAS) and Yellow Bank Creek near Highway 1, *Kellman 2091* (CAS).

Microbryum starkeanum (Hedwig) Zander [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As Anacalypta starkeana Lesquereux 1868. As Pottia arizonica Harthill et al. 1979; Koch 1950a; McCleary 1972; Steere 1954. As Pottia arizonica var. mucronulata Crum 1957; Flowers 1973. As Pottia fosbergii Bartram 1930; Koch 1950a. As Pottia starkeana Brandegee 1891; Howe 1896, 1897; Harthill et al. 1979; Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; Toren 1977; Watson 1880; Whittemore and Sommers 1999. As Pottia texana Crum 1969; Crum and Anderson 1981.

Illustrations: Flowers 1973; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, DMoj, DSon, SN, SW.

Selected specimens: Alameda Co.: Del Valle Road at the eastern border of Del Valle Regional Park about 10 miles south of Livermore, Whittemore 3361 (MO) [determined by Zander]; Fresno Co.: Dinkey-Trimmer Road east of Haslett Basin, Sierra National Forest, Norris, Shevock, & Barahona 87476 & 87477; Lake Co.: near Hell's Peak, *Toren* 786 (SFSU, UC); Riverside Co.: below Bighorn Overlook along Highway 74, eastern boundary of San Bernardino National Forest, Norris 57836, and 8 miles west of Desert Center on road to Twenty-Nine Palms, Norris 57930; San Diego Co.: Box Willow Canyon Campground, Anza Borrego State Park, Norris 77718 & 77734; San Luis Obispo Co.: Lynch Canyon Road about 3 miles from Interlake Road south of San Antonio Reservoir, Norris 85171; San Mateo Co.: Edgewood Trail, Edgewood County Park, Whittemore 5345 (MO); Tehama Co.: Antelope Creek Canyon about 10 miles east of Red Bluff along Bell Mine Road, Berti 419a (UC).

Mielichhoferia elongata (Hoppe & Hornschuch in W. J. Hooker) Nees & Hornschuch [Mielichhoferiaceae]

Literature: Brassard and Hedderson 1989; Hartman 1969; Kellman 2003; Shaw 1994a, 1994b. As

Mielichhoferia mielichhoferiana Andrews 1932a; Crum 1957; Schofield 1959; Shaw et al. 1992. As Mielichhoferia mielichhoferi McGrew 1976. As Mielichhoferia sp. Thomson and Ketchledge 1958. Illustrations: Crum 1957; Shacklette 1967; Smith 1978.

Notes: Based on DNA studies conducted by Jon Shaw, this taxon is worthy of recognition at the species level. All specimens attributed as *Mielichhoferia mielichhoferiana* or *M. mielichhoferi* from California are this taxon.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Fresno Co.: Secate Ridge, Pine Flat Reservoir, Sierra National Forest, Shevock & York 12604; Humboldt Co.: Highway 96 near Skunk Creek about 3 miles south of Weitchpec, Norris 58310; Lake Co.: sulfur hot spring near Anderson Springs, Toren & Dearing 7256 (CAS); Marin Co.: Pt. Reyes Bird Observatory about 5 miles north of Bolinas, Robertson 1690a (CAS); Mariposa Co.: Highway 140 near El Portal, Shevock 19511; Nevada Co.: Shady Creek between Nevada City and North San Juan, Toren 1807 (SFSU, UC); Placer Co.: Drum Powerhouse Road between Dam and town of Dutch Flat, Tahoe National Forest, Shevock & Norris 20668; Santa Cruz Co.: Greyhound Rock, Highway 1, Shevock & Ng 18442; Trinity Co.: Highway 299 near junction to Old Helena, Trinity River, Shasta-Trinity National Forest, Shevock, Lin, & Chen 17740.

Mielichhoferia tehamensis Showers [Mielichhoferiaceae]

Literature: Brassard and Hedderson 1983; Showers 1980, 1982.

Illustrations: Showers 1980. **Geographic subdivisions:** CaR.

Selected specimens: Shasta Co.: Lassen Volcanic National Park, Crescent Cliffs, Showers 3904 (CAS), West Fork Hat Creek, Showers 3644 (SFSU), Pilot Pinnacle, Showers 3769 (SFSU), Brokeoff Mountain, Showers 2745 (SFSU); Tehama Co.: Mt. Conard, Lassen Volcanic National Park, Showers 3350 (CAS, MICH, SFSU).

*Mnium arizonicum Amann [Mniaceae]

Illustrations: Flowers 1973; Koponen 1972; Lawton 1971; Sharp et al. 1994. See also Bowers 1969. **Geographic subdivisions:** MP, SN, SNE.

Selected specimens: Inyo Co.: near Hearst Lake on trail from Onion Valley to Kearsarge Pass, John Muir Wilderness, Inyo National Forest, *Norris* 46758; Modoc Co.: north end Patterson Lake, South Warner Wilderness, Modoc National Forest, *Harpel* 2250 (pers. herb.); Tulare Co.: Cabin Creek Meadow near General's Highway, Sequoia National Park, *Dennis s.n.* (CAS, UC).

*Mnium blyttii Bruch & W. P. Schimper [Mniaceae]

Illustrations: Flowers 1973; Lawton 1971. Geographic subdivisions: CaR, NW, SN.

Selected specimens: Alpine Co.: near Winnemucca Lake, Mokelumne Wilderness, Eldorado National Forest, *Norris 71207*; Shasta Co.: lava tube near Old Station, Hat Creek Valley, Lassen Volcanic National Park, *Showers 1931* (UC); Siskiyou Co.: Canyon Creek, Marble Mountain Wilderness, Klamath National Forest, *Tucker 3776* (UC) [determined by Steere]; Tulare Co.: headwaters of the Little Kern River, Golden Trout Wilderness, Sequoia National Forest, *Norris 67937 & 67945*.

Mnium marginatum (Dickson ex Withering) Palisot de Beauvois [Mniaceae]

Literature: Crum and Anderson 1981; Flowers 1973; Harthill et al. 1979; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Showers 1982.

Illustrations: Abramov and Volkova 1998; Allen 2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, NW, SN, SNE, SW. Selected specimens: Alpine Co.: Silver Creek at Carson River, Toiyabe National Forest, Norris 78983 and near Winnemucca Lake, Mokelumne Wilderness, Eldorado National Forest, Norris 71258; El Dorado Co.: Highway 50 along South Fork American River at Bridal Veil Falls Campground, Eldorado National Forest, Norris 58402; Fresno Co.: Cedar Grove at Sheep Creek, South Fork Kings River, Kings Canyon National Park, Shevock 13753; Mono Co.: Lee Vining Creek about 0.5 mile above Highway 395, Koch 1766 (MO, UC); Riverside Co.: Indian Creek above UC James Reserve, San Jacinto Mountains, San Bernardino National Forest, Harpel 1397 (pers. herb.); Santa Cruz Co.: Big Creek near Davenport, Kellman 1500 (CAS); Siskiyou Co.: Long Gulch Lake southwest of Callahan, Klamath National Forest, Norris 57527.

Mnium spinulosum Bruch & W. P. Schimper [Mniaceae]

Literature: Lesquereux 1868.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Koponen 1973b; Lawton 1971.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Del Norte Co.: slopes above Whiskey Lake, Siskiyou National Forest, *Norris* 57725; Fresno Co.: Taboose Pass Trail, headwaters of South Fork Kings River, Kings Canyon National Park, *Shevock* 13851; Inyo Co.: slopes above Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris* 46951; Siskiyou Co.: about 1 mile east of Copper Butte, *Norris* 50218; Tehama Co.: fork of Beegum Creek off of Forest Road 35 about 1.5 miles west of Rat Trap Gap, Shasta-Trinity National Forest, *Norris* 57003.

Mnium thomsonii W. P. Schimper [Mniaceae]

Literature: Crum and Anderson 1981; McGrew 1976. As *Mnium orthorrhynchum* Koch 1950a; Showers 1982; Spjut 1971.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Koponen 1972; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: El Dorado Co.: Silver Fork Campground along Silver Fork American River, Eldorado National Forest, *Norris* 82915; Fresno Co.: Grizzly Creek at junction with South Fork Kings River along Highway 180, Sequoia National Forest, *Shevock* 12445; Lake Co.: Alder Creek, Cobb Mountain, *Toren & Dearing* 7089 (CAS) [determined by Wyatt]; Marin Co.: trail near Mud Lake, Point Reyes National Seashore, *Norris* 71833; Mono Co.: Lundy Lakes Trail along Mill Creek, Toiyabe National Forest, *Norris* 78903; Tuolumne Co.: Mill Creek below Cascade Creek Campground, Stanislaus National Forest, *Norris* 78823.

Molendoa sendtneriana (Bruch & W. P. Schimper) Limpricht [Pottiaceae]

Literature: Zander 1977a. As *Anoectangium obtusifolium* Harthill et al. 1979; McCleary 1972; Steere 1954.

Illustrations: Allen 2002; Ignatov and Ignatova 2003; Iwatsuki and Sharp 1958; Saito 1975; Sharp et al. 1994.

Geographic subdivisions: SN, SW.

Selected specimens: Los Angeles Co.: near White's Landing, Santa Catalina Island, *Steere s.n.* (UBC); Placer Co.: Bowman Lake west of Truckee, *Norris* 76949.

*Myurella julacea (Schwägrichen in Schultes) Bruch & W. P. Schimper [Pterigynandraceae]

Illustrations: Ignatov et al. 1996; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: SNE.

Selected specimens: Inyo Co.: slopes near Dragon Peak near Onion Valley, John Muir Wilderness, Inyo National Forest, *Norris* 46751b and Lake Sabrina Basin, Inyo National Forest, *Shevock* 15288.

Neckera douglasii W. J. Hooker [Neckeraceae]

Literature: Bourell 1981; Bradshaw 1926; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Smith 1970; Thomson and Ketchledge 1958; Watson 1880; Yurky 1990, 1995. Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Lake Co.: Bucknell Creek north of Horse Mountain, Mendocino National Forest, *Toren 7453a* (CAS); Marin Co.: trail near Mud Lake, Point Reyes National Seashore, *Norris 71817*; Mendocino Co.: County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, *Norris*

11711; Santa Barbara Co.: Hollister Ranch, Gaviota Coast, *P. Huebner s.n.* (SBBG); Santa Cruz Co.; Opal Creek, Big Basin Redwood State Park, *Kellman 1008* (CAS); Shasta Co.: Dog Creek Road about 3 miles west of Interstate 5, *Norris & Hermann 22538*; Siskiyou Co.: Elk Creek at Malone Creek south of Happy Camp, *Norris 52232*.

Oncophorus virens (Hedwig) Bridel [Dicranaceae]

Literature: Cooke 1941; Crum and Anderson 1981; Flowers 1973; Holmberg 1969; Koch 1950a, 1958; Lawton 1971; McGrew 1976; Showers 1982; Spjut 1971. As *Dicranum virens* var. *compactum* Lesquereux and James 1884. As *Dicranum virens* var. *serratum* Lesquereux 1868; Watson 1880.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: El Dorado Co.: Round Meadow about 3 miles southeast of Sayles Canyon Trailhead, Eldorado National Forest, *Norris 71056 & 71060*; Fresno Co.: outlet of fifth Baxter Lake, Kings Canyon National Park, *Shevock & York 16582*; Humboldt Co.: Kneeland, *Tracy 14806* (UC); Mono Co.: Mildred Lake about 3 miles above Convict Lake, John Muir Wilderness, Inyo National Forest, *Norris 71396* and Gardisky Lake west of Lee Vining, Inyo National Forest, *Norris 104209*; Siskiyou Co.: Waterdog Lake, Klamath National Forest, *McGrew 493* (UC).

*Oncophorus wahlenbergii Bridel [Dicranaceae]

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: SN, SNE.

Selected specimens: Inyo Co.: Baxter Pass Trail, Bighorn Sheep Zoological Area, John Muir Wilderness, Inyo National Forest, *Shevock & York 16613* and trail from Onion Valley to Robinson Lake west of Independence, Inyo National Forest, *Norris 46670* and slopes above George Lake west of Bishop, John Muir Wilderness, Inyo National Forest, *Norris 71437*.

Orthodicranum tauricum (Sapehin) Smirnova [Dicranaceae]

Literature: Shevock and Toren 2001. As *Dicranum strictum* Howe 1896; Lesquereux 1868; Thomson and Ketchledge 1958; Watson 1880. As *Dicranum tauricum* Bourell 1981; Flowers 1973; Holmberg 1969; Jamieson 1969; Kellman 2003; Lawton 1971; McGrew 1976; Showers 1982; Smith 1970; Spjut 1971; Toren 1977; Yurky 1990. As *Orthodicranum strictum* Koch 1950a, 1951e; Koch and Ikenberry 1954.

Illustrations: Abramov and Volkova 1998; Enroth 1989; As *Dicranum tauricum* Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Del Norte Co.: between Wilderness Falls to Doe Flat, *Norris* 67761; El Dorado Co.: Sly Park Creek, *Norris* 58574; Marin Co.: Cataract Trail near Alpine Lake, *Yurky* 1050 (SFSU); Mendocino Co.: Highway 101 at Cummings turnoff, milepost 84.91, *Norris* 21639; Santa Cruz Co.: Zayante Canyon Road north of Felton, *Norris* 86874; Siskiyou Co.: Cedar Basin, South Fork Sacramento River, Shasta-Trinity National Forest, *Shevock* 12227; Tulare Co.: Redwood Mountain Grove, trail at Redwood Creek, Kings Canyon National Park, *Shevock* 17483.

Orthodontium gracile (Wilson in J. E. Smith) Schwägrichen ex Bruch & W. P. Schimper [Orthodontiaceae]

Literature: Christy and Wagner 1996; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951d; Lawton 1971; Smith 1970; Steere et al. 1954; Yurky 1990, 1995. As Stableria gracilis Andrews 1932b; Howe 1897. As Stableria gracilis var. californica Andrews 1932b; Howe 1897.

Illustrations: Andrews 1935; Lawton 1971; Meijer 1951; Sharp et al. 1994. As *Stableria gracilis* Brotherus 1924–1925.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: Damnation Creek Trail, Del Norte Coast Redwoods State Park, Norris 46231; Humboldt Co.: Foothill Trail, Prairie Creek Redwoods State Park, Norris 46024; Marin Co.: Sir Francis Drake Blvd. Near Nicasio Valley Road, Robertson s.n. (CAS); Monterey Co.: Big Sur River, Big Sur State Park, Koch 3662 (MO, UC); Mendocino Co.: about 2 miles east of Fort Bragg, Norris 12041; San Mateo Co.: near Little Butano Creek, Butano State Park, Whittemore 4016 (MO); Santa Cruz Co.: Forest of Nisene Marks State Park south of Santa Cruz, Norris 55640 & 55644; Sonoma Co.: Forest Theatre, Armstrong Grove, Redwood Park, Koch 3466 (UC).

Orthodontium pellucens (W. J. Hooker) Bruch & W. P. Schimper in C. Müller Hal.

[Orthodontiaceae]

Literature: Crum and Anderson 1981; Holmberg 1969; Koch 1949a, 1950a.

Illustrations: Crum and Anderson 1981; Sharp et al. 1994.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: Stout Memorial Grove, Jedediah Smith Redwoods State Park, *Koch 3809* (UC); Humboldt Co.: near Elk Grove Park Headquarters, Prairie Creek Redwoods State Park, *Shevock 16735* and along Prairie Creek, *Norris 68375*; Monterey Co.: Big Sur State Park, *Bartlett 3* (UC).

Orthotrichum affine Schader ex Bridel [Orthotrichaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a; Lawton 1971; Moxley

1937; Showers 1982; Spjut 1971; Steere et al. 1954; Yurky 1990, 1995.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Smith 1978; Vitt 1973.

Geographic subdivisions: CaR, MP, NW, SN, SW. Selected specimens: Mendocino Co.: road to Plaskett Meadows about 1 mile south of Mendocino Pass, Mendocino National Forest, *Norris 19570*; Modoc Co.: road to Whitehorse Flat about 3 miles north of Day, Shasta-Trinity National Forest, *Norris 84733*; Sierra Co.: Highway 49 between Bassetts and Sierra City, Tahoe National Forest, *Kellman 262* (CAS); Trinity Co.: Rush Creek about 1 mile below Rush Creek Lakes, Trinity Alps Wilderness, Shasta-Trinity National Forest, *Norris 85377*; Tulare Co.: Forest Trail 31E18 at Galena Creek, Sequoia National Forest, *Shevock 9080*; Ventura Co.: Potrero John Creek near Highway 33, Los Padres National Forest, *Norris 55525*.

Orthotrichum alpestre Hornschuch ex Bruch & W. P. Schimper [Orthotrichaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a; McGrew 1976; Showers 1982; Spjut 1971; Strid 1974; Watson 1880.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Lawton 1971; Vitt 1973.

Geographic subdivisions: CaR, MP, NW, SN, SNE, SW.

Selected specimens: Alpine Co.: Silver Creek at Carson River, Toiyabe National Forest, *Norris* 78959; Lassen Co.: Termo-Grasshopper Road about 12 miles west of Termo, *Norris & Hermann* 22641; San Diego Co.: about 1 mile north of Cuyamaca State Park Headquarters, *Norris* 50729; Siskiyou Co.: about 1 mile south of Big Flat, *Norris* 9228; Tulare Co.: just north of Kennedy Meadows Campground adjacent to the South Fork Kern River, South Sierra Wilderness, Inyo National Forest, *Shevock* 14805; Tuolumne Co.: Herring Creek Road below Forest Service Road 4N12, west-northwest of Strawberry, Stanislaus National Forest, *Norris* 100420.

Orthotrichum bolanderi Sullivant

[Orthotrichaceae]

Literature: Harthill et al. 1979; Kingman 1912; Koch 1950a; Koch and Ikenberry 1954; Lesquereux and James 1884; Long 1978; Steere et al. 1954; Thomson and Ketchledge 1958; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Sharp et al. 1994; Vitt 1973.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Butte Co.: Big Chico Creek at northeast boundary of Bidwell Park, *Norris* 70085; Monterey Co.: Salmon River bridge south of Pinnacles, Hunter-Liggett Military Reservation, *Norris* 87316; Placer Co.: Clover Valley Creek at Sierra College Road, *Norris* 81945; Riverside Co.: Mesa de Colorado, Santa Rosa Plateau, southern Santa Ana Mountains, *Shevock* 4273; Sonoma Co.:

summit ridge behind Armstrong Park, *Koch 3534* (UC); Tulare Co.: Elk Creek near Potwisha Campground, Middle Fork Kaweah River, Sequoia National Park, *Shevock, Norris, & Barahona 13184*.

Orthotrichum consimile Mitten [Orthotrichaceae]

Literature: Harthill et al. 1979; Holmberg 1969; Howe 1896; Jamieson 1969; Koch 1950a; Lawton 1971; Lesquereux 1868; Moxley 1928; Shevock and Toren 2001; Yurky 1990, 1995. As *Orthotrichum columbicum* Lesquereux 1868.

Illustrations: Lawton 1971; Lewinsky-Haapasaari et al. 1995; Vitt 1973.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: French Hill Road about 2.5 miles above Highway 199 southwest of Gasquet, Six Rivers National Forest, *Norris 85053*; Humboldt Co.: Blue Lake, *Howe 1016* (UC) and Arcata Community Forest, *Silver 731* (UC); Lake Co.: Summit Lake near Mt. Sanhedrin, Mendocino National Forest, *Toren & Dearing 7212* (CAS); Marin Co.: Olema, Point Reyes National Seashore, *Howe 74 & 81* (UC); San Francisco Co.: Panhandle of Golden Gate Park, *Shevock 18932*.

Orthotrichum cupulatum G. F. Hoffman ex Bridel [Orthotrichaceae]

Literature: Bourell 1981; Flowers 1973; Kellman 2003; Koch 1950a; Lesquereux 1868; Toren 1977; Watson 1880.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Lawton 1971; Sharp et al. 1994; Smith 1978; Vitt 1973.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE.

Selected specimens: Alpine Co.: Silver Creek at Carson River, Toiyabe National Forest, Norris 78988; Fresno Co.: Boyden Cave adjacent to South Fork Kings River and Highway 180, Sequoia National Forest, Shevock & York 17200; Lake Co.: Summit Springs Trail, Snow Mountain Wilderness, Mendocino National Forest, Toren & Dearing 7521 (CAS); Humboldt Co.: near Showers Pass, Norris 8654; Mendocino Co.: Ukiah Hot Springs, Bolander s.n. (UC); Santa Cruz Co.: Blue Cliff, Fall Creek, Division of Henry Cowell State Park, Kellman 657 (CAS); Shasta Co.: Fall Creek Road about 1 mile southeast of McCloud Bridge at Shasta Lake, Shasta-Trinity National Forest, Norris 84870 and Highway 299 about 1 mile south of Montgomery Creek, Norris 68598.

Orthotrichum diaphanum Schrader ex Bridel [Orthotrichaceae]

Literature: Kellman 2003; Shevock and Toren 2001.

Illustrations: Ignatov and Ignatova 2003; Lewinsky 1984; Sharp et al. 1994; Smith 1978; Vitt 1973. **Geographic subdivisions:** CW, SW.

Selected specimens: Alameda Co.: UC Berkeley Campus, *Norris* 100334; Los Angeles Co.: Me-

morial Park, Claremont, *Harpel 890* (pers. herb.); San Bernardino Co.: Paris Hill City Park, City of San Bernardino, *Harpel 1688* (pers. herb.); San Diego Co.: El Monte Road about 1 mile east of El Monte Park, *Norris & Piippo 82150* and San Clemente Canyon at Genesee Road, City of San Diego, *Norris 50712*; San Francisco Co.: Panhandle, Golden Gate Park, *Toren 7795* (CAS) and *Shevock 18931*; Santa Cruz Co.: San Lorenzo Park, City of Santa Cruz, *Kellman 967* (CAS).

Orthotrichum euryphyllum Venturi in Röll [Orthotrichaceae]

Literature: Lewinsky-Haapasaari and Norris 1998a. As *Orthotrichum epapillosum* Lawton and Hermann 1973.

Illustrations: Lewinsky-Haapasaari and Norris 1998a.

Geographic subdivisions: CaR, MP.

Selected specimens: Lassen Co.: small creek west of Highway 395 about 1 mile south of Lassen-Modoc county line, *Norris 84742*; Modoc Co.: Forest Road 46 at Boles Creek southeast of Clear Lake, Modoc National Forest, *Norris 79167a*; Shasta Co.: Cassel-Fall River Road about 2 miles south of Fall River Mills, *Norris 84701*; Tehama Co.: Highway 36 northeast of Red Bluff about 2 miles west of Dales, *Norris 56021*.

Orthotrichum flowersii Vitt [Orthotrichaceae]

Literature: Galloway 1978; Harpel 1980a; Harthill et al. 1979.

Illustrations: Vitt 1971, 1973.

Geographic subdivisions: DMoj, SN, SNE, SW. Selected specimens: Kern Co.: Black Gulch near Lake Isabella, Sequoia National Forest, Norris & Piippo 82204; Los Angeles Co.: Black Jack Campground at base of Orizaba Mountain, Santa Catalina Island, Shevock & Thorne 4073; Riverside Co.: USFS Guard Station, San Jacinto Mountains, San Bernardino National Forest, Harpel 994 (pers. herb.); San Bernardino Co.: Paris Hill City Park, City of San Bernardino, *Harpel 658* (pers. herb.); San Diego Co.: Highway 94 at junction to Outdoor World Campground about 3 miles east of La Pasta Road, Norris 77797; Tulare Co.: South Creek just above South Creek Falls off of County Road M-99 north of Kernville, Sequoia National Forest, Norris 87078 and South Fork Kaweah River near Clough Cave, Sequoia National Park, Norris & Shevock 92730.

Orthotrichum hallii Sullivant & Lesquereux in Sullivant [Orthotrichaceae]

Literature: Stark and Whittemore 1992.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994; Vitt 1973.

Geographic subdivisions: CaR, DMoj, NW, SN, SNE, SW.

Selected specimens: Kern Co.: Scodie Mountains northeast of Pinyon Peak about 1 mile west of Walker Pass off of Highway 178, *Norris 87127*;

Lake Co.: near Round Mountain, Knoxville BLM Recreation Area, *Toren & Dearing 7058* (CAS); San Bernardino Co.: Curtis Canyon, Clark Mountain Wilderness, Mojave National Preserve, Mojave Desert, *Shevock, Spence, Glazer, & Laeger 23668*; Shasta Co.: Cassel-Fall River Road about 2 miles south of Fall River Mills, *Norris 84724*; Trinity Co.: Bridge Gulch at Natural Bridge, Shasta-Trinity National Forest, *Norris 67734*; Tulare Co.: trail to Crystal Cave near Cascade Creek, Sequoia National Park, *Shevock & Tseng 15768*; Ventura Co.: Howard Creek Trail about 1 mile east of Highway 33, Los Padres National Forest, *Norris 55512*.

*Orthotrichum holzingeri Renauld & Cardot in Holzinger [Orthotrichaceae]

Illustrations: Lawton 1971; Vitt 1973, 1991. Geographic subdivisions: MP, SN.

Selected specimens: Modoc Co.: Modoc National Forest, Highway 139 at Biles Road about 13 miles northwest of Canby, *Norris 70467* and Forest Road 46 at Boles Creek southeast of Clear Lake, Modoc National Forest, *Norris 79166 & 79167b*; Tuolumne Co.: Middle Fork Tuolumne River at Middle Fork Campground, *Norris & Shevock 103989*.

Orthotrichum laevigatum J. E. Zetterstedt [Orthotrichaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McGrew 1976; Mishler 1978; Showers 1982; Sigal 1975; Spjut 1971; Toren 1977. As Orthotrichum kingianum Lesquereux 1868; Lesquereux and James 1884; Watson 1880. As Orthotrichum roellii Koch 1950a.

Ilustrations: Flowers 1973; Ignatov and Lewinsky-Haapasaari 1994; Lawton 1971; Vitt 1973.

Geographic subdivisions: CaR, MP, NW, SN, SNE, SW.

Selected specimens: Colusa Co.: Summit Springs south of Snow Mountain, Mendocino National Forest, *Norris* 76126; Inyo Co.: about 3 miles south of Schulman Grove, White Mountains, Inyo National Forest, *Norris* 46857; Lake Co.: Cobb Mountain Summit, *Toren & Dearing* 7387 (CAS); Lassen Co.: Amedee Canyon north of Honey Lake, *Norris* 81028; San Bernardino Co.: west end Bluff Lake, San Gorgonio Wilderness, San Bernardino National Forest, *Harpel* 599 (pers. herb.); Shasta Co.: Pit River about 2 miles below powerhouse #2, Shasta-Trinity National Forest, *Norris* 82591; Tulare Co.: Trail 34E08 southeast of Manter Meadow near Black Mountain, Domeland Wilderness, Sequoia National Forest, *Shevock* 10827.

Orthotrichum lyellii W. J. Hooker & Taylor [Orthotrichaceae]

Literature: Bourell 1981; Bradshaw 1926; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquer-

eux 1868; McCleary 1972; Millspaugh and Nuttall 1923; Mishler 1978; Sayre 1940; Shevock and Toren 2001; Showers 1982; Sigal 1975; Smith 1970; Spjut 1971; Steere 1954; Steere et al. 1954; Sullivant 1856; Thomson and Ketchledge 1958; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995. As Orthotrichum lyellii var. howei Cardot and Thériot 1900.

Illustrations: Lawton 1971; Sharp et al. 1994; Smith 1978; Vitt 1973.

Geographic subdivisions: CaR, CW, DMoj, NW, SN, SW.

Selected specimens: Contra Costa Co.: Mt. Diablo, *Brewer 844* (UC); Kern Co.: Cedar Creek along Highway 155, west of Greenhorn Summit, Greenhorn Mountains, Sequoia National Forest, *Shevock 10790*; Lake Co.: Highway 53 about 1 mile south of Highway 20, *Norris 47692*; San Diego Co.: Heise County Park south of Julian, *Norris 50739*; Santa Cruz Co.: Laurel Road at Highway 17, *Kellman 2712* (CAS); Siskiyou Co.: Duck Lake Trail near Parrott's Mill Road, Klamath National Forest, *Norris 22805*.

Orthotrichum macounii Austin [Orthotrichaceae]

Literature: Spjut 1971. **Illustrations:** Flowers 1973.

Geographic subdivisions: NW.

Selected specimens: Siskiyou Co.: above Big Boulder Lake west of Carrville, Klamath National Forest, *Norris & Streimann 74797*.

Orthotrichum obtusifolium Bridel [Orthotrichaceae]

Literature: Kellman 2003; Toren 1977. As Stroemia obtusifolia Koch 1951b.

Illustrations: Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Ireland 1982; Lawton 1971; Smith 1978; Vitt 1973.

Geographic subdivisions: CaR, CW, MP, NW, SN. **Selected specimens:** Fresno Co.: Redwood Creek at Windy Gulch Grove, Sequoia National Forest, Norris, Shevock, & Barahona 87949; Lake Co.: Crockett Peak, Snow Mountain Wilderness, Mendocino National Forest, Toren & Dearing 5346a (CAS); Modoc Co.: Cottonwood Flat Campground, Modoc National Forest, Norris 68517 & 68522; Santa Cruz Co.: Gray Whale Ranch, Wilder Ranch State Park, Kellman 963 (CAS); Shasta Co.: Casberry Flat about 1 mile west of Hatchett Mountain Summit, Norris 68588; Siskiyou Co.: Salmon River about 1 mile south of Big Flat, Norris 9201 (determined by Vitt); Tehama Co.: Seven Mile Creek along Highway 36 at milepost 48 east of Red Bluff, Norris 21265; Tulare Co.: Deep Creek, Little Kern River, Golden Trout Wilderness, Sequoia National Forest, Norris 67914.

*Orthotrichum pallens Bruch ex Bridel [Orthotrichaceae]

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Lawton 1971; Sharp et al. 1994; Vitt 1973.

Geographic subdivisions: SNE.

Selected specimens: Mono Co.: above Robinson Lake on trail to Barney Creek and Twin Lakes, Toivabe National Forest, *Norris* 99646.

Orthotrichum papillosum Hampe [Orthotrichaceae]

Literature: Kellman 2003; Koch 1950a. As *Orthotrichum lyellii* var. *papillosum* Jamieson 1969; Koch 1958; Lesquereux and James 1884.

Illustrations: As O. lyellii Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: El Dorado Co.: Highway 193 at Garden Valley Road, Norris & Piippo 82304; Humboldt Co.: Forest Road 10N01 at Mill Creek, Six Rivers National Forest, Norris 70573; Lake Co.: Forest Road M-3 at Low Gap, Mendocino National Forest, Shevock, Bourell, & Toren 15858; Mendocino Co.: Pygmy Forest near Albion, Shevock & Allen 21921; Monterey Co.: Pfeiffer-Big Sur State Park at campground, Norris 75903; Santa Cruz Co.: Quail Hollow Ranch County Park, Kellman 131 (UC); Shasta Co.: Indian Springs, Castle Crags State Park, Norris 103043; Siskiyou Co.: McCloud River about 5 miles east of McCloud, Norris & Hillyard 103896; Sonoma Co.: Bodega Marine Laboratory, Norris 103461; Tulare Co.: South Fork Tule River near Camp Nelson, Norris, Shevock, & Barahona 87669.

Orthotrichum pellucidum Lindberg [Orthotrichaceae]

Literature: Howe 1896.

Illustrations: Ignatov and Lewinsky-Haapasaari 1994; Vitt 1973. As *Orthotrichum cupulatum* var. *jamesianum* Lawton 1971. As *Orthotrichum jamesianum* Flowers 1973; McGrew 1976.

Geographic subdivisions: CaR, MP, NW, SN.

Selected specimens: Kern Co.: Erskine Creek Canyon about halfway between canyon entrance and Liebel Ranch, Piute Mountains, *Shevock 13363*; Modoc Co.: Crowder Flat about 2 miles south of Oregon border, *Norris 79151*; Tehama Co.: Anthony Peak, Mendocino National Forest, *Norris 55026* and Tomhead Gulch, Shasta-Trinity National Forest, *Norris 56912*; Tulare Co.: Coy Flat Road near bridge crossing of Middle Fork Tule River, Camp Nelson, Sequoia National Forest, *Norris, Shevock*, & *Barahona 87688*.

*Orthotrichum praemorsum Venturi [Orthotrichaceae]

Illustrations: Lawton 1971; Vitt 1973.

Geographic subdivisions: SNE.

Selected specimens: Mono Co.: Highway 89 near junction with Highway 395, *Shevock & Glazer 21800*.

Orthotrichum pulchellum Brunton in J. E. Smith [Orthotrichaceae]

Literature: Lesquereux 1868; Watson 1880. **Illustrations:** Lawton 1971; Smith 1978; Vitt 1973.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: near mouth of Damnation Creek, Del Norte Redwoods State Park, *Norris 10974 & 48230*; Humboldt Co.: near Abalone Point, Patricks Point State Park, *Norris 23920* and College Cove about 0.5 mile north of Trinidad, *Norris 47742*.

Orthotrichum pumilum Swartz [Orthotrichaceae]

Literature: Harpel 1980a, 1980b.

Illustrations: Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Lawton 1971; Vitt 1973.

Geographic subdivisions: CaR, NW, SN, SW.

Selected specimens: Lake Co.: Highway 53 about 1 mile south of Highway 20, Norris 47673 and Upper Lake Ranger Station, Mendocino National Forest, Toren 7436a (CAS) [determined by Vitt]; Orange Co.: Harding Canyon about 0.5 mile north of Mojeska Canyon and Tucker Bird Sanctuary, Cleveland National Forest, Shevock 4003; San Bernardino Co.: Waterman Canyon, San Bernardino National Forest, Harpel 2398 (pers. herb.); Santa Barbara Co.: about 1 mile south of Bates Canyon Campground, Norris 55381; Shasta Co.: County Road A16 about 14 miles east of Platina, Norris 23764; Tulare Co.: Highway 190 at Moorehouse Springs Creek, Sequoia National Forest, Norris 50924 and between Posey to White River, Kellman 1453 (CAS).

Orthotrichum pylaisii Bridel [Orthotrichaceae]

Literature: Harthill et al. 1979; McGrew 1976; Showers 1982. As *Orthotrichum microblepharum* Spjut 1971.

Illustrations: Vitt 1973.

Geographic subdivisions: CaR, MP, NW, SN. Selected specimens: Alpine Co.; Red Lake Creek, Toiyabe National Forest, *Norris 88197*; Fresno Co.: Spanish Mountain Jeep Road, Sierra National Forest, *Shevock & York 12429*; Humboldt Co.: Grouse Mountain Road about 3 miles northeast of Horse Mountain Road, Six Rivers National Forest, *Norris 45777*; Modoc Co.: Big Sage Reservoir north of Alturas, *Norris 68497*; Siskiyou Co.: McCloud River about 5 miles east of McCloud, *Norris & Hillyard 103897*; Trinity Co.: below Packer's Peak, *Norris 8982*.

Orthotrichum rivulare Turner [Orthotrichaceae]

Literature: Bourell 1981; Holmberg 1969; Howe 1896; Kellman 2003; Koch 1950a, 1951e; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Shevock and Toren 2001; Spjut 1971; Steere et al. 1954; Thomson and Ketchledge 1958; Watson 1880.

Illustrations: Lawton 1971; Lewinsky-Haapasaari and Norris 1998a; Smith 1978; Vitt 1973.

Geographic subdivisions: CaR, CW, NW, SN. **Selected specimens:** Del Norte Co.: Smith River at Highway 199 about 9 miles east of junction with Highway 101, Six Rivers National Forest, *Norris*

85007; Fresno Co.: Big Creek at Blue Canyon, Sierra National Forest, Norris, Shevock, & Barahona 87438; Mendocino Co.: Greenwood Ridge Road at Navarro River near entrance to Hendy Redwoods State Park, Norris 53107; Santa Cruz Co.: San Lorenzo River, Henry Cowell Redwoods State Park, Kellman 447 (CAS); Shasta Co.: Highway 299 about I mile north of Mineral School at intersection of road to Oak Run, Norris 68636; Trinity Co.: Ditch Gulch below Highway 3 about I mile north of Highway 36, Shasta-Trinity National Forest, Norris 68686; Tulare Co.: off of General's Highway opposite canyon from Inspiration Point, Sequoia National Park, Shevock, Whitmarsh, & Johnson 17154.

Orthotrichum rupestre Schleicher ex Schwägrichen [Orthotrichaceae]

Literature: Bourell 1981; Cooke 1941; Harpel 1980a; Harthill et al. 1979; Kellman 2003; Kingman 1912; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McGrew 1976; Mishler 1978; Moxley 1928; Showers 1982; Sigal 1975; Spjut 1971; Steere et al. 1954; Strid 1974; Toren 1977; Watson 1880; Whittemore and Sommers 1999; Yurky 1990, 1995. As Orthotrichum sturmii Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Lawton 1971; Lewinsky 1987, 1993; Sharp et al. 1994; Smith 1978; Vitt 1973.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Mist Falls trail near junction with Bubbs Creeek, Kings Canyon National Park, *Shevock & York 14478*; Humboldt Co.; Forest Road 7K100 at junction of road to Horse Mountain Ski Lift, Six Rivers National Forest, *Norris 70665*; Lake Co.: The Openings above Cedar Creek, Mendocino National Forest, *Toren & Shevock 8093* (CAS); Modoc Co.: west side Goose Lake about 4 miles south of Oregon border, *Norris 23656*; Orange Co.: Upper Trabuco Canyon, Santa Ana Mountains, Cleveland National Forest, *Shevock 3991*; Santa Clara Co.: Mt. Hamilton about 1 mile below summit, *Koch 1421* (UC).

Orthotrichum shevockii Lewinsky-Haapasaari & Norris [Orthotrichaceae]

Literature: Lewinsky-Haapasaari and Norris 1998b.

Illustrations: Lewinsky-Haapasaari and Norris 1998b.

Geographic subdivisions: SN, SNE.

Selected specimens: Kern Co.: Highway 178 near Chimney Peak Road, base of Scodie Mountains, Shevock & Tan 13048 and Shevock 17093; Highway 178 west of Canebrake Creek, Scodie Mountains, Norris 87128, Pacific Crest Trail, Kiavah Wilderness, Scodie Mountains, Sequoia National

Forest, *Shevock & York 13398, 13404*; Mono Co.: Highway 89 about 3 miles west of junction with Highway 395, Toiyabe National Forest, *Norris 76506* and along Slinkard Creek off of Highway 89 near junction with Highway 395, *Shevock & Glazer 21802* and Highway 120, Benton Hills about 2 miles west of Benton, *Shevock & Glazer 22289*.

Orthotrichum speciosum Nees in J. W. Sturm [Orthotrichaceae]

Literature: Harthill et al. 1979; Koch 1950a; Lawton 1971; Lesquereux 1868; McCleary 1972; McGrew 1976; Sayre 1940; Watson 1880; Yurky 1990.

Illustrations: Ignatov and Ignatova 2003; Ignatov and Lewinsky-Haapasaari 1994; Ireland 1982; Lawton 1971; Vitt 1973; Vitt and Darigo 1997.

Geographic subdivisions: CaR, CW, NW, SN. **Selected specimens:** Del Norte Co.: Doctor Rock, Six Rivers National Forest, Norris 57683; El Dorado Co.: South Fork American River at Carpenter Creek, Eldorado National Forest, Norris 58427; Marin Co.: Inverness Ridge Trail near Limatour Road, Point Reyes National Seashore, Yurky 337 (SFSU); Nevada Co.: Red Mountain on trail from Indian Springs, Tahoe National Forest, Norris 102615; Shasta Co.: Soda Creek Road about 3 miles northeast of Interstate 5 near Dunsmuir, Shasta-Trinity National Forest, Norris 84773; Siskiyou Co.: Six Mile Creek between Callahan and Cecilville, Klamath National Forest, Norris 22964; Tulare Co.: East Fork Kaweah River below Atwell Mills Campground, Sequoia National Park, Norris 46493.

Orthotrichum spjutii Norris & Vitt [Orthotrichaceae]

Literature: Norris and Vitt 1993. **Illustrations:** Norris and Vitt 1993. **Geographic subdivisions:** SN, SNE.

Selected specimens: Mono Co.: near outlet of Koenig Lake, east of Sonora Pass, Toiyabe National Forest, *Norris 57207 & 57210*; Tulare Co.: between BLM Long Valley Campground and South Fork Kern River, Domeland Wilderness, Sequoia National Forest, *Shevock 15154*, *15158*, & *15161*.

*Orthotrichum striatum Hedwig [Orthotrichaceae]

Illustrations: Ignatov and Lewinsky-Haapasaari 1994; Lawton 1971; Smith 1978; Vitt 1973.

Geographic subdivisions: NW, SN.

Selected specimens: Humboldt Co.: Grouse Mountain Road about 3.5 miles northeast of Horse Mountain Road, Six Rivers National Forest, *Norris 24274* and about 1 mile south of Kneeland Airport, *Norris 68261*; Tulare Co.: East Fork Kaweah River below Atwell Mills Campground, Sequoia National Park, *Norris 46479* and Buena Vista Trail, Grant Grove section, Kings Canyon National Park, *Shevock 16647*.

Orthotrichum tenellum Bruch ex Bridel [Orthotrichaceae]

Literature: Harpel 1980a; Harthill et al. 1979; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Long 1978; McCleary 1972; Mishler 1978; Shevock and Toren 2001; Steere 1954; Steere et al. 1954; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As *Orthotrichum coulteri* Lesquereux 1868. As *Orthotrichum cylindrocarpum* Bradshaw 1926; Kingman 1912; Lesquereux 1868; Lesquereux and James 1884; Millspaugh and Nuttall 1923; Sayre 1940; Steere 1954; Steere et al. 1954; Watson 1880. As *Orthotrichum tenellum* var. *coulteri* McCleary 1972.

Illustrations: Sharp et al. 1994; Smith 1978; Vitt 1973

Geographic subdivisions: CW, NW, SN, SW. Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87190*; Fresno Co.: Patterson Creek along Kings River, Sierra National Forest, *Norris 50993*; Lake Co.: north end of Bachelor Valley near Hell's Peak, *Toren 975* (SFSU); Orange Co.: Trabuco Canyon about 3 miles east of O'Neill Park near Cleveland National Forest boundary, *Shevock 3988*; Placer Co.: Clover Valley Creek at Sierra College Road, *Norris 81949*; San Francisco Co.: Panhandle, Golden Gate Park, *Shevock 18930*; Santa Cruz Co.: San Lorenzo Park, City of Santa Cruz, *Kellman 1832* (CAS); Sonoma Co.: South Ridge Trail above Lake Sonoma at Skaggs Spring Road, *Norris 86911*.

Orthotrichum texanum Sullivant & Lesquereux [Orthotrichaceae]

Literature: Flowers 1973; Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; Steere et al. 1954. As *Orthotrichum texanum* var. *globosum* Lesquereux 1868; Lesquereux and James 1884; Steere et al. 1954; Watson 1880.

Illustrations: Flowers 1973.

Geographic subdivisions: CaR, NW.

Selected specimens: Shasta Co.: Shotgun Creek near North Fork Shotgun Creek south-southeast of Sims, Shasta-Trinity National Forest, *Norris & Hillyard 103890*; Siskiyou Co.: Forest Road 46N65 about 2 miles north of Lake Mountain Lookout, Klamath National Forest, *Norris 70923*.

Orthotrichum underwoodii F. Lara, Garilleti & Mazimpaka [Orthotrichaceae]

Literature: Garilleti et al. 2001. **Illustrations:** Garilleti et al. 2001. **Geographic subdivisions:** CW.

Selected specimens: Santa Clara Co.: Santa Clara Mountains, *Pringle s.n.* (NY) and Pajaro, *Underwood s.n.* (NY); Santa Cruz Co.: Felton, *Kellman 1183* (CAS).

Oxystegus tenuirostris (W. J. Hooker & Taylor) A. J. E. Smith [Pottiaceae]

Literature: As Trichostomum tenuirostre Lawton

Illustrations: Allen 2002; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1981; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Madera Co.: Forest Highway 81 along Rock Creek near Rock Creek Bridge, Sierra National Forest, *Norris & Shevock 100055*; Siskiyou Co.: Klamath River at Crawford Creek, *Norris 10483*; Tulare Co.: Salmon Creek west of Rincon Trail, Kern Plateau, Sequoia National Forest, *Laeger 1192* (CAS).

Palustriella commutata (Bridel) Ochyra [Helodiaceae]

Literature: As *Hypnum commutatum* Lesquereux 1868; Watson 1880.

Illustrations: Hedenäs 1993a; Ireland 1982; Ochyra 1989; Smith 1978. As *Cratoneuron commutatum* Flowers 1973; Lawton 1971. As *Cratoneuron commutatum* var. *falcatum* Lawton 1971. As *Cratoneuron falcatum* Flowers 1973.

Notes: The California material of *Palustriella* appears to be a complex array of ecological forms based on water chemistry and habitats.

Geographic subdivisions: CaR, MP, NW, SN, SNE.

Selected specimens: Inyo Co.: Robinson Lake south of Onion Valley, Inyo National Forest, *Norris* 46661 & 46664; Modoc Co.: South Fork Pine Creek, South Warner Wilderness, Modoc National Forest, *Harpel* 2312 (pers. herb.); Mono Co.: Lundy Lakes Trail along Mill Creek below Helen Lake, Inyo National Forest, *Norris* 78862; Siskiyou Co.: Jackson Creek along road between Callahan and Cecilville about 6 miles west of Callahan, Klamath National Forest, *Norris* 70504 and shore of Grass Lake along Highway 97 north of Weed, *Norris* 74482; Tulare Co.: Clover Creek off of General's Highway, Marble Fork Kaweah River, Sequoia National Park, *Shevock* 15632.

Phascum cuspidatum Hedwig [Pottiaceae]

Literature: Brandegee 1891; Crum and Anderson 1981; Harthill et al. 1979; Howe 1897; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Shevock and Toren 2001; Stark and Whittemore 1992; Steere et al. 1954; Toren 1977; Watson 1880. As *Tortula acaulon* Zander 1993.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978. As *Tortula acaulon* Ignatov and Ignatova 2003.

Geographical subdivisions: CaR, CW, DMoj, NW, SN, SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris* 87164; Contra Costa

Co.: Antioch Dunes National Wildlife Refuge, *Norris* 97052; Kern Co.: Highway 178, Kern River Canyon above first dam, Sequoia National Forest, *Norris* 80806; Lake Co.: Indian Valley Lake, *Norris* 67544; Orange Co.: Mesa Picnic Area, O'Neal Regional Park, Santa Ana Mountains, *Norris* & *Piippo* 82168; San Bernardino Co.: Mid-Hills Campground, Providence Mountains, Mojave National Preserve, *Norris* 81412; San Francisco Co.: Potrero Hill, *Toren* 7823 (CAS); Shasta Co.: Highway 299 at Oak Run Road, *Norris* 80343.

Philonotis americana (Dismier) Dismier [Bartramiaceae]

Literature: Holmberg 1969; Koch 1950a, 1958; Koch and Ikenberry 1954; Spjut 1971. As *Philonotis fontana* var. *americana* Flowers 1973; Strid 1974.

Illustrations: Flowers 1973; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, NW, SN, SNE, SW

Selected specimens: Humboldt Co.: Highway 299 at Lord Ellis Summit, *Creasy s.n.* (UC); Lake Co.: Ericson Ridge, Mt. Sanhedrin, Mendocino National Forest, *Toren 7151* (CAS); San Bernardino Co.: Wildhorse Creek near summit of Sugarloaf Mountain, San Bernardino National Forest, *Sanders 15027* (UC); Siskiyou Co.: Mt. Eddy, Shasta-Trinity National Forest, *Norris 9148*; Tehama Co.: near Sulfur Works, Lassen Volcanic National Park, *Koch 1945* (UC); Tulare Co.: General's Highway, 0.9 miles above Amphitheater Point, Sequoia National Park, *Shevock 15221*.

Philonotis caespitosa Juratzka [Bartramiaceae]

Literature: As *Philonotis fontana* var. *caespitosa* Flowers 1973; Strid 1974.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971. As *Philonotis fontana* var. *caespitosa* Crum and Anderson 1981.

Geographic subdivisions: SN, SNE.

Selected specimens: Fresno Co.: Cedar Grove at Granite Creek, Kings Canyon National Park, *Shevock 13765*; Tornado Meadow, Sequoia National Forest, *Norris, Shevock, & Barahona 87997*; Mono Co.: Barney Lake, Toiyabe National Forest, *Norris 67120*.

*Philonotis calcarea (Bruch & W. P. Schimper) W. P. Schimper [Bartramiaceae]

Illustrations: Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: SNE.

Selected specimens: Mono Co.: Virginia Lakes Basin at Cooney Lake, *Janeway 7659* (UC).

Philonotis capillaris Lindberg [Bartramiaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Dismier 1911; Holmberg 1969; Howe 1896; Jamieson 1969; Kellman 2003; Koch 1950a;

McGrew 1976; Shevock and Toren 2001; Spjut 1971; Toren 1977; Yurky 1990, 1995.

Illustrations: Allen 2002; Crum and Anderson 1981; Lawton 1971.

Geographical subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Humboldt Co.: Redwood Creek near junction with Highway 299, Norris 47072 and Avenue of the Giants above Myers Flat, Norris 72095; Lake Co.: Old County Road, Blue Lakes, Toren 7430a (CAS); Marin Co.: Lake Lagunitas, Eastwood 104 (CAS); Mono Co.: Harvey Monroe Hall Research Natural Area, Inyo National Forest, Norris 48429; San Francisco Co.: Tank Hill, Shevock 18918; Santa Cruz Co.: China Grade, Big Basin Redwoods State Park, Kellman 1318 (CAS); Sonoma Co.: Wolf Creek Road about 4 miles east of Gualala River, Norris 86941; Trinity Co.: East Weaver Lake, Norris 9398.

Philonotis fontana (Hedwig) Bridel [Bartramiaceae]

Literature: Bourell 1981; Cooke 1941; Coville 1893; Crum and Anderson 1981; Dismier 1911; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McGrew 1976; Showers 1982; Spjut 1971; Strid 1974; Toren 1977; Yurky 1990, 1995. As Bartramia fontana Lesquereux 1868; Watson 1880. As Philonotis calcarea forma occidentalis Koch 1950a.

Illustrations: Allen 2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Koponen et al. 1995; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Forest Road 10S66 above Bear Creek, Sierra National Forest, Shevock & Bourell 14014; Humboldt Co.: shore of Snow Camp Lake, Norris 50381; Marin Co.: Olema, Jepson 66 (UC); Placer Co.: North Fork Campground near Emigrant Gap, Tahoe National Forest, Norris 88049; Riverside Co.: Dark Canyon, San Jacinto Mountains, San Bernardino National Forest, Harpel 79 (pers. herb.); Santa Cruz Co.: Slippery Rock Meadow, Big Basin Redwoods State Park, Kellman 698 (CAS).

*Philonotis marchica (Hedwig) Bridel [Bartramiaceae]

Illustrations: Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: CaR.

Selected specimens: Siskiyou Co.: along Ash Creek south of summit of Ash Creek Butte, High Cascade Range, *Janeway 7633* (UC).

Philonotis muehlenbergii (Schwägrichen) Bridel [Bartramiaceae]

Literature: Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981.

Geographic subdivisions: CW, GV, SN, SNE.

Selected specimens: Fresno Co.: trail between Golden Lake and Mono Pass, Sierra National Forest, Norris 47026; Inyo Co.: John Muir Wilderness, Inyo National Forest, slopes above Chocolate Lake west of Big Pine, Norris 46927, vicinity of Heart Lake between Onion Valley and Kearsarge Pass, Norris 46798, and Robinson Lake, Norris 46647; Marin Co.: Olema Valley Trail, Point Reyes National Seashore, Yurky 534 (SFSU); Sutter Co.: Philip Road near junction with Feddyment Road northwest of Roseville, Norris 103779; Tulare Co.: slopes above Ranger Lakes toward Silliman Pass, Roaring River Fork of Kings River, Kings Canyon National Park, Norris 46582.

Philonotis tomentella Molendo in Lorentz [Bartramiaceae]

Literature: Dismier 1911. As *Philonotis fontana* var. *pumila* Flowers 1973; Lawton 1971; Showers 1982.

Illustrations: Crum and Anderson 1981; Flowers 1973; Lawton 1971; Smith 1978.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: Amador Co.: Devil's Lake Trail northeast of Bear River Reservoir, Eldorado National Forest, *Norris 82680*; Fresno Co.: Kearsarge Lakes, South Fork Kings River, Kings Canyon National Park, *Shevock 14331*; Lake Co.: Forest Road M-3 south of Sheetiron Mountain, Mendocino National Forest, *Shevock 15870*; Mono Co.: Harvey Monroe Hall Research Natural Area, Inyo National Forest, *Norris 48424*; Siskiyou Co.: Terrace and Upper Cliff Lakes, *Norris 53004*.

Philonotis yezoana Bescherelle & Cardot [Bartramiaceae]

Literature: Crum and Anderson 1981. **Illustrations:** Czernyadjeva 1995.

Geographic subdivisions: CaR, NW, SN, SNE.

Selected specimens: Amador Co.: junction of Hidden Lake Trail and Horse Thief Spring Trail above Plasse Resort on south end of Silver Lake, Eldorado National Forest, *Norris 82848*; Humboldt Co.: Mountain View Road about 2 miles east of Kneeland, *Norris 8612*; Inyo Co.: slopes above Treasure Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris 46995*; Mono Co.: Lundy Creek, Hoover Wilderness, Toiyabe National Forest, *Norris & Hillyard 104152*; Siskiyou Co.: near Big Duck Lake, Klamath National Forest, *Norris 22899*; Tuolumne Co.: Chewing Gum Lake on Burst Rock Trail, Emigrant Wilderness, Stanislaus National Forest, *Norris 82985*.

Physcomitrella patens (Hedwig) Bruch & W. P. Schimper [Funariaceae]

Literature: Koch 1950a; Tan 1978.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Smith 1978; Tan 1978.

Geographic subdivisions: CW.

Selected specimens: Alameda Co.: near reservoir/

pond, Mountain View Cemetery, Oakland, *Gardner s.n.* (UC) [determined by Koch].

Physcomitrella readeri (C. Müller Hal.) Stone & G. A. M. Scott [Funariaceae]

Literature: As *Physcomitrella californica* Crum and Anderson 1955. As *Physcomitrella patens* var. *californica* and *P. patens* var. *readeri* Tan 1979.

Illustrations: As *Physcomitrella californica* Crum and Anderson 1955.

Geographic subdivisions: CW, GV.

Selected specimens: Alameda Co.: Lake Del Valle, *Ertter 17546* (CAS, MO, UC); Solano Co.: mudflats on Lake Chabot, *Koch 1320* (MO, UC).

Physcomitrium californicum E. Britton [Funariaceae]

Literature: Flowers 1973; Howe 1897; Smith 1970; Toren 1977; Yurky 1990. As *Physcomitrium megalocarpum* var. *californicum* Koch 1950a; Lawton 1971.

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN, SW. **Selected specimens:** El Dorado Co.: Highway 49, 2.3 miles north of crossroad to Georgetown, Tavares 669 (UC); Humboldt Co.: Blue Slide, Van Duzen River, Tracy 9297 (UC); Marin Co.: Lake Lagunitas, Eastwood 105 (CAS); Mendocino Co.: Highway 101 at Cummings turnoff at milepost 84.91, Norris 21601; Riverside Co.: Mesa de Colorado, Santa Rosa Plateau, southern Santa Ana Mountains, Shevock 4275; San Bernardino Co.: Blue Lake, San Bernardino Mountains, Munz 10537 (CAS) [determined by MacFadden]; Siskiyou Co.: Highway 96 about 1 mile west of Seiad Valley, Klamath National Forest, Norris 58283; Tehama Co.: about 2 miles west of Dales, Norris 56018.

Physcomitrium collenchymatum Gier [Funariaceae]

Literature: Steen 1986.

Illustrations: Crum and Anderson 1964, 1981; Gier 1955; Ireland 1982.

Geographic subdivisions: GV, SN.

Selected specimens: Calaveras Co.: above Comanche Reservoir near Burson, *Steen 840326–8* (CINC, DUKE, UC) [determined by Crum; Snider]; Tulare Co.: north end of Lake Kaweah near Three Rivers, *Shevock & York 16903* and *Shevock 17266*.

*Physcomitrium hookeri Hampe [Funariaceae]

Illustrations: Crum and Anderson 1981; Flowers 1973; Lawton 1971.

Geographic subdivisions: NW, SN.

Selected specimens: Del Norte Co.: French Hill Road about 1 mile above Highway 199 southwest of Gasquet, Six Rivers National Forest, *Norris* 85031; Fresno Co.: Red Mountain east of Humphreys Station, *Shevock & York* 13261.

Physcomitrium pyriforme (Hedwig) Hampe [Funariaceae]

Literature: Lesquereux 1868; Watson 1880; Yurky 1995. As *Physcomitrium megalocarpum* Koch 1951e; Koch and Ikenberry 1954. As *Physcomitrium turbinatum* Bradshaw 1926; Howe 1897.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Fresno Co.: Cripe Road near junction with Peterson Mill Road, Sierra National Forest, Shevock & York 14937; Lake Co.: Big Valley along Soda Bay Road, Toren 7857 (CAS); Marin Co.: Ridgecrest Boulevard, Mt. Tamalpais, Koch 2285 (UC); Placer Co.: muddy bank, Dutch Flat, MacFadden 9411 (MO); San Mateo Co.: Burleigh H. Murray Ranch State Park, Whittemore 5407 (CAS); Shasta Co.: Oak Run east of Redding, Nutting s.n. (UC); Trinity Co.: near Hyampom, Shasta-Trinity National Forest, Howe 1104 (UC); Tulare Co.: trail to Mosquito Lakes before junction to Eagle Lakes, Mineral King, Sequoia National Park, Shevock & O'Brien 15919.

Plagiomnium cuspidatum (Hedwig) T. Koponen [Mniaceae]

Literature: Kellman 2003. As *Mnium cuspidatum* Flowers 1973; Koch 1950a; Wyatt and Odrzykaski 1998.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Placer Co.: Kings Beach near shore of Lake Tahoe, Lake Tahoe Basin Management Unit, *Matson 367* (UC); Shasta Co.: Highway 299 about 24 miles east of Redding, *Norris 21596*; Siskiyou Co.: near Ducks Lake Trail near Parrots Mill Road, *Norris 22829*; Tulare Co.: Redwood Canyon, Redwood Mountain Grove, Kings Canyon National Park, *Dennis s.n.* (CAS).

*Plagiomnium ellipticum (Bridel) T. Koponen [Mniaceae]

Literature: Misapplied as *Mnium affine* Cooke 1941; Holmberg 1969; Koch 1950a; Lesquereux 1868. As *Mnium rugicum* Showers 1982. As *Plagiomnium rugicum* Lawton 1971.

Illustrations: Ignatov and Ignatova 2003.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Fresno Co.: Deer Creek adjacent to Highway 180 and South Fork Kings River, Sequoia National Forest, *Shevock 12452*; Humboldt Co.: Azalea Reserve State Park, *Farr 34 & 53* (UC); Nevada Co.: Sagehen Creek about 3 miles east of UC Biological Station, Tahoe National Forest, *Norris 99446*; Mono Co.: near Green Lake, Hoover Wilderness, Toiyabe National Forest, *Norris 57247*; Siskiyou Co.: Klamath National Forest,

near Sutcliffe Creek about 13 miles northwest of Happy Camp, *Norris 83305*, *83310* & *83322*, and trail to Bear Lake along Bear Creek, *Norris 83452*; Tehama Co.: Beegum Creek off of Forest Road 35 about 1.5 miles west of Rat Trap Gap, Shasta-Trinity National Forest, *Norris 56954* & *56990*; Tulare Co.: above Dorst Creek Campground, Sequoia National Park, *Shevock* & *Dennis 14083*.

Plagiomnium insigne (Mitten) T. Koponen [Mniaceae]

Literature: Koponen 1971; Lawton 1971; Spjut 1971; Yurky 1995. As *Mnium insigne* Bourell 1981; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lesquereux 1868; Smith 1970.

Illustrations: Koponen 1971; Lawton 1971. **Geographic subdivisions:** CW, NW, SN.

Selected specimens: Del Norte Co.: Jedediah Smith Redwoods State Park, Norris 85080; Humboldt Co.: near Fish Lake above Weitchpec, Six Rivers National Forest, Norris 22225; Lake Co.: south of Summit Lake, Mendocino National Forest, Toren & Dearing 7210 (CAS) [determined by Wyatt]; Siskiyou Co.: road to Jackson Lake about 3.5 miles west of Callahan toward Cecilville, Klamath National Forest, Norris 22924; Tehama Co.; fork of Beegum Creek about 1.5 miles west of Rat Trap Gap, Shasta-Trinity National Forest, Norris 56987; Trinity Co.: Big Creek east of China Peak, Norris 76829 and East Fork Road at Rich Gulch north of Helena, Shasta-Trinity National Forest, Norris 18945; Tulare Co.: Deer Creek area south of Lion Ridge, Greenhorn Mountains, Sequoia National Forest, Shevock 10087.

Plagiomnium medium (Bruch & W. P. Schimper) T. Koponen [Mniaceae]

Literature: Koponen 1971; Lawton 1971; Spjut 1971. As *Mnium medium* Crum and Anderson 1981; Flowers 1973; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lesquereux 1868; Showers 1982.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Koponen 1971; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, MP, NW, SN. Selected specimens: Humboldt Co.: Tish-Tang-a-Tang Creek near Grogans Hole, Six Rivers National Forest, *Norris 47844*; Kern Co.: north of Highway 155, 1 mile north of Tiger Flat Campground, Greenhorn Mountains, Sequoia National Forest, *Shevock 10623*; Modoc Co.: Deep Creek about 2 miles west of Cedarville-Eagleville Road, *Norris 18732*; Placer Co.: Big Tree Grove, Tahoe National Forest, *Koch 3164* (UC); Siskiyou Co.: near Cook and Green Pass about 1 mile west of White Mountain, Klamath National Forest, *Norris 50183*; Tuolumne Co.: Frazier Flat Campground along Tuolumne River off Highway 108, Stanislaus National

Forest, Norris 57123.

Plagiomnium rostratum (Schrader) T. Koponen [Mniaceae]

Literature: Lawton 1971. As *Mnium rostratum* Harthill et al. 1979; Strid 1974. As *Mnium longirostratum* Crum and Anderson 1981; Koch 1950a. **Illustrations:** Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: NW, SN.

Selected specimens: Fresno Co.: Zumwalt Meadow, Cedar Grove, Kings Canyon National Park, Shevock 13778; Humboldt Co.: Oregon Creek north of Trinity Guard Station, Norris 50146 and South Fork of Tish-Tang-a-Tang Creek east of Hoopa, Hoopa Valley Indian Reservation, Norris & Whittemore 52374; Siskiyou Co.: trail along Bear Creek, Norris 83452 and near Bear Lake, Klamath National Forest, Norris 24213; Trinity Co.: Coffee Creek at trail to Boulder Creek Lakes, Shasta-Trinity National Forest, Norris 57446.

Plagiomnium venustum (Mitten) T. Koponen [Mniaceae]

Literature: Kellman 2003; Lawton 1971; Spjut 1971; Yurky 1990. As *Mnium venustum* Bourell 1981; Harpel 1980a; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lesquereux 1868; Toren 1977; Watson 1880.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Contra Costa Co.: Donner Canyon, Mt. Diablo State Park, Shevock & Ertter 20329; Del Norte Co.: Forest Road 4803, Siskiyou National Forest, Norris 70907; El Dorado Co.: Bear Creek Picnic Area south-southeast of Georgetown, Eldorado National Forest, Norris & Piippo 82339; Lake Co.: Ericson Ridge, Mt. Sanhedrin, Mendocino National Forest, Toren 5113 (CAS); Santa Cruz Co.: Blue Cliff, South Fork Fall Creek, Kellman 557 (CAS); Shasta Co.: Forest Road 39N07 along Soda Creek about 6 miles northeast of Interstate 5 south of Dunsmuir, Norris & Hillyard 103803; Trinity Co.: Swede Creek Road about 1 mile north of intersection with road to Ironside Mountain Lookout, Shasta-Trinity National Forest, Norris 70711; Tulare Co.: trail to Crystal Cave near Cascade Creek, Sequoia National Park, Shevock & Tseng 15765.

Plagiothecium cavifolium (Bridel) Iwatsuki [Plagiotheciaceae]

Literature: McGrew 1976.

Illustrations: Ignatov et al. 1996; Ireland 1982,

1985; Iwatsuki 1970.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: Del Norte Co.: Whiskey Lake, Siskiyou National Forest, *Norris 57731*; Humboldt Co.: Prairie Creek Redwoods State Park, *Norris 70412*; Mono Co.: Stanford Meadows, Harvey Monroe Hall Research Natural Area, Inyo National Forest, *Norris 48397* and Barney Lake, Toi-

yabe National Forest, *Norris* 67123; Siskiyou Co.: Long Gulch Lake above Callahan, Klamath National Forest, *Norris* 57501 and Scott Camp Creek Basin, *Norris* 53079.

Plagiothecium denticulatum (Hedwig) Bruch & W. P. Schimper [Plagiotheciaceae]

Literature: Holmberg 1969; Ireland 1982, 1986; Jamieson 1969; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982; Spjut 1971; Yurky 1995. As *Hypnum denticulatum* Lesquereux 1868; Watson 1880.

Illustrations: Abramov and Volkova 1998; Flowers 1973; Ignatov et al. 1996; Ireland 1982, 1986; Iwatsuki 1970; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Del Norte Co.: Damnation Creek Trail, Del Norte Redwoods State Park, Norris 10977; Fresno Co.: Forest Road 10S66 above Bear Creek, Sierra National Forest, Shevock & Bourell 13997; Inyo Co.: above George Lake, Inyo National Forest, Norris 71467; San Mateo Co.: Pilarcitos Canyon below Lake Pilarcitos, Steere s.n. (UC); Siskiyou Co.: Upper Cliff Lakes, Norris 53033 and Big Boulder Lake west of Carrville, Shasta-Trinity National Forest, Norris & Streimann 74802; Tehama Co.: North Yolla Bolly Mountain, Shasta-Trinity National Forest, Norris 57057; Tulare Co.: trail from Panther Gap to Emerald Lake, Sequoia National Park, Norris 67837.

Plagiothecium laetum Bruch & W. P. Schimper [Plagiotheciaceae]

Literature: Bourell 1981; Ireland 1982, 1986; Kellman 2003; Lawton 1971; McGrew 1976; Shevock and Toren 2001; Smith 1970; Spjut 1971.

Illustrations: Ignatov et al. 1996; Ireland 1982, 1986; Lawton 1971.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: Damnation Creek Trail, Del Norte Redwoods State Park, *Norris 46226*; Humboldt Co.: Emerald Creek at junction with Redwood Creek, Redwood National Park, *Norris 45835*; Lake Co.: Bucknell Creek north of Garrett Mountain, Mendocino National Forest, *Toren & Dearing 7414* (CAS); Mendocino Co.: along County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, *Norris 11691*; San Francisco Co.: Golden Gate Park, *Shevock 18760*; Santa Cruz Co.: south of Santa Cruz, Forest of Nisene Marks State Park, *Norris 55624*.

Plagiothecium piliferum (Swartz ex C. J. Hartman) Bruch & W. P. Schimper

[Plagiotheciaceae]

Literature: Ireland 1986; Spjut 1971.

Illustrations: Ireland 1985; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW.

Selected specimens: Del Norte Co.: South Siskiyou Fork below Prescott Cabin, *Norris 47920*; Humboldt Co.: near French Camp, *Norris 24311* and Forest Road 10N02 at head of Mill Creek, *Norris* 70581; Shasta Co.: Soda Creek Road, 3 miles northeast of Interstate 5 near Dunsmuir, *Norris* 84785; Siskiyou Co.: near Sutcliffe Falls about 14 miles northwest of Happy Camp, Klamath National Forest, *Norris* 83319.

Platydictya jungermannioides (Bridel) H. Crum [Hypnaceae]

Literature: Kellman 2003; Lawton 1971; Showers 1982.

Illustrations: Flowers 1973; Ignatov et al. 1996; Ireland 1982; Lawton 1971; Ochyra 1998a; Smith 1978.

Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Fresno Co.: Redwood Creek, Windy Gulch Redwood Grove, Sequoia National Forest, Norris, Shevock, & York 87961 and Dinkey Lakes Trailhead, Sierra National Forest, York 1128 (CAS, UC); Inyo Co.: Little Lakes Creek near Long Lake, Norris 79013; Mono Co.: Lundy Lakes Trail, Inyo National Forest, Norris 78902; Santa Cruz Co.: Wilder Ranch State Park, Kellman 817 (CAS) and Santa Cruz City, Kellman 1093 (CAS); Shasta Co.: Squaw Valley Creek southwest of McCloud, Shasta-Trinity National Forest, Norris & Hillyard 104294; Siskiyou Co.: trail from Big Flat to Yellow Rose Mine, Norris 9124 and Salmon River near Big Flat, Norris 9168, Jaynes Creek northwest of Klamath River, Norris 48702; Tulare Co.: Kaweah River near Atwell Mills Campground west of Mineral King, Sequoia National Park, Norris 46451 & 46480 and Squirrel Creek off of County Road 372 about 1 mile below Oriole Lake, Shevock 17646.

Platyhypnidium riparioides (Hedwig) Dixon [Brachytheciaceae]

Literature: Kellman 2003; Koch 1950a. As Eurhynchium riparioides Harthill et al. 1979; Ireland 1982; Jamieson 1969; Lawton 1971; McGrew 1976. As Hypnum rusciforme Watson 1880. As Rhynchostegium rusciforme Howe 1897; Lesquereux 1868.

Illustrations: Ignatov 1998; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Butte Co.: Martin Creek near Brush Creek about 10 miles east of Oroville, *Dillingham 804* (UC); Del Norte Co.: Prairie Creek Trail north of Hunnewell-Donald Grove, *Jamieson 69* (UC); Humboldt Co.: Redwood Valley Road about 0.65 mile from Highway 299, *Farr 77* (UC) [determined by Jamieson] and Haul Road on south margin of Prairie Creek, Prairie Creek Redwoods State Park, *Norris 71735 & Jamieson 69* (UC); Lake Co.: Alder Creek, Cobb Mountain, *Toren & Dearing 7096* (CAS); Santa Cruz Co.: Barrel Mill Creek, Ben Lomond Mountain, *Kellman 679* (CAS).

Pleuridium acuminatum Lindberg [Ditrichaceae]

Literature: Kellman 2003; Koch 1950a; Shevock and Toren 2001; Yip 2000, 2002; Yurky 1995. As *Pleuridium bakeri* Cardot and Thériot 1904. As *Pleuridium bakeri* var. *elongatum* Cardot and Thériot 1904. As *Pleuridium bolanderi* Bourell 1981; Brandegee 1891; Harpel 1980a; Harthill et al. 1979; Kingman 1912; Koch 1950a; Koch and Ikenberry 1954; Lesquereux and James 1884; Mishler 1978; Steere et al. 1954; Toren 1977. As *Pleuridium californicum* Grout 1928–1940; Harthill et al. 1979; Koch 1950a; Stark and Whittemore 1992. As *Pleuridium stramineum* Austin 1877c; Jamieson 1969; Smith 1970.

Illustrations: Smith 1978; Yip 2000.

Geographic subdivisions: CW, GV, NW, SN, SW. Selected specimens: Contra Costa Co.: Mt. Diablo State Park, *Norris* 100537; Fresno Co.: Cripe Road, 0.65 miles from junction with Peterson Mill Road, Sierra National Forest, *Shevock & York* 14938 (determined by Yip); Lake Co.: Hidden Valley north of Middletown, *Toren & Dearing* 7578 (CAS) [determined by Yip]; Mendocino Co.: County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, *Norris* 11738, 11747 & 11770 (determined by Yip); Riverside Co.: Forest Road 4S05, San Jacinto Mountains, San Bernardino National Forest, *Harpel* 976 (pers. herb.); Santa Cruz Co.: near Ben Lomond, *Kellman* 190 (CAS); Trinity Co.: near Denny, *Norris* 10723 (determined by Yip).

Pleuridium subulatum (Hedwig) Rabenhorst [Ditrichaceae]

Literature: Bradshaw 1926; Crum and Anderson 1981; Kellman 2003; Lawton 1971; Lesquereux 1868; Shevock and Toren 2001; Sigal 1975; Watson 1880; Yip 2000, 2002; Yurky 1990, 1995. As *Pleuridium alternifolium* var. *howei* Renauld and Cardot 1893.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978; Yip 2000.

Geographic subdivisions: CaR, CW, GV, NW, SN. Selected specimens: Butte Co.: Neal Road south of Chico to Paradise about 0.5 mile east of Highway 99, Norris 10611a (determined by Yip); Del Norte Co.: French Hill, Six Rivers National Forest, Harpel 3166 (pers. herb.); Fresno Co.: Sycamore Flat Campground, Pine Flat Reservoir, Sierra National Forest, Norris 50970; Lake Co.: Highway 175 at Loch Lomond along edge of swamp near Hobergs, Toren 7444 (CAS) [determined by Yip]; Marin Co.: Temelpa Trail, Mt. Tamalpais State Park, Yurky 537 (SFSU); Santa Cruz Co.: Henry Cowell State Park, Kellman 594 (CAS).

Pogonatum contortum (Menzies ex Bridel) Lesquereux [Polytrichaceae]

Literature: Koch 1950a; Lawton 1971; Lesquereux 1868; Watson 1880. As *Pogonatum laterale* Holmberg 1969; Jamieson 1969.

Illustrations: Lawton 1971. Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Highway 299, Jedediah Smith Redwoods State Park, Norris 85073, trail between Regua and False Klamath Cove, Redwood National Park, Norris 70375; Humboldt Co.: Prairie Creek Redwoods State Park, Norris 7930 and 2 miles north of Pollywog Butte, Norris 23417 and MacFadden 22227 (MO), and north of Orick on Fern Canyon Road about 0.1 mile north of Fern Canyon, Mueller 6715 (MO) [determined by Pursell].

*Pohlia andalusica (Höhnel) Brotherus [Mniaceae]

Illustrations: Ignatov and Ignatova 2003; Ireland 1982; Shaw 1981c.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: north side Smith River about 1 mile west of Gasquet, Six Rivers National Forest, Norris 70344; Santa Cruz Co.: Mill Street Dam, San Lorenzo River, Kellman 2918 (CAS).

Pohlia annotina (Hedwig) Lindberg [Mniaceae]

Literature: Crum and Anderson 1981; Flowers 1973; Harthill et al. 1979; Holmberg 1969; Koch 1950a, 1951f; Lawton 1971; McGrew 1976; Shaw 1981c; Showers 1982; Spjut 1971; Strid 1974; Toren 1977.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Shaw 1981c.

Geographic subdivisions: CaR, MP, NW.

Selected specimens: Modoc Co.: Patterson Lake, South Warner Wilderness, Modoc National Forest, Harpel 2283 (pers. herb.); Siskiyou Co.: upper reaches of Scott Camp Creek Basin, Norris 53072.

Pohlia bolanderi (Lesquereux) Brotherus [Mniaceae]

Literature: Shaw 1982. As Bryum bolanderi Lesquereux 1868. As Webera bolanderi Lesquereux and James 1884.

Illustrations: Shaw 1982.

Geographic subdivisions: NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Dinkey Lake, Dinkey Lake Wilderness, Sierra National Forest, Shevock & York 13894 (determined by Shaw); Inyo Co.: Chocolate Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, Norris 46865 (determined by Shaw); Mono Co.: Lee Vining Creek at Lee Vining Campground, Norris 48374 (determined by Shaw); Siskiyou Co.: English Lake, Klamath National Forest, Spiut 1562 (UC); Trinity Co.: near Browns Meadow, Norris 23139 (determined by Shaw); Tulare Co.: Slate Mountain Botanical Area, headwaters of the Middle Fork Tule River, Sequoia National Forest, Shevock 15678 & 15690 and First Mosquito Lake, Mineral King, Sequoia National Park, Shevock & O'Brien 15952 (determined by Shaw); Ventura Co.: summit road

near Mt. Pinos about 1 mile below Chula Vista Campground, Los Padres National Forest, Laeger 1719 (CAS).

*Pohlia bolanderi (Lesquereux) Brotherus var. seriata Shaw [Mniaceae]

Illustrations: Shaw 1982.

Geographic subdivisions: NW, SN.

Selected specimens: Siskiyou Co: between Waterdog and Russian Lakes, Klamath National Forest, McGrew 363 (UC) [confirmed by Spence]; Tuolumne Co.: below Olmstead Point, Tioga Road, Yosemite National Park, Kellman 552 (CAS).

Pohlia camptotrachela (Renauld & Cardot) **Brotherus** [Mniaceae]

Literature: Koch 1958; Koch and Ikenberry 1954; Renauld and Cardot 1888; Shaw 1981c.

Illustrations: Ignatov and Ignatova 2003; Shaw

Geographic subdivisions: CaR, NW, SN, SNE.

Selected specimens: Fresno Co.: Highway 180 about 2.5 miles north of Indian Basin, Sequoia National Forest, Shevock & York 17137 and between Crown Creek and Blue Canyon, Kings Canyon National Park, Shevock & York 14136 (determined by Shaw); Humboldt Co.: junction of Thomas Road and Salmon Creek Road, Nomura & Kirn 103 (UC) and Tish-Tang-a-Tang Creek near Grogans Hole, Six Rivers National Forest, Norris 47832 (determined by Shaw); Inyo Co.: Baxter Pass Trail, Bighorn Sheep Zoological Area, John Muir Wilderness, Inyo National Forest, Shevock 16617; Madera Co.: Norris Creek along Norris Lake Trail, Sierra National Forest, Shevock & Kellman 19696 (determined by Shaw); Mariposa Co.: Summit Road about 2 miles north of Fish Camp, Sierra National Forest, Norris 85363; Placer Co.: near Haig Tree, Tahoe Redwood Grove, Tahoe National Forest, Koch 3155 (UC) [determined by Shaw]; Siskiyou Co.: near Doe Flat, Norris 47931 (determined by Shaw); Tulare Co.: trail from Silliman Pass to Lodgepole, Sequoia National Park, Norris 46526; Tuolumne Co.: near Herring Creek Reservoir, Stanislaus National Forest, Norris 100399.

Pohlia cardotii (Renauld in Renauld & Cardot) **Brotherus** [Mniaceae]

Literature: Shaw 1982.

Illustrations: Lawton 1971; Shaw 1982.

Geographic subdivisions: SN, SNE.

Selected specimens: Inyo Co.: vicinity of Heart Lake on trail from Onion Valley to Kearsarge Pass, John Muir Wilderness, Inyo National Forest, Norris 46817; Tulare Co.: slopes above Ranger Lakes at Silliman Pass, Kings Canyon National Park, Norris 46539 (determined by Shaw).

Pohlia cruda (Hedwig) Lindberg [Mniaceae]

Literature: Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Howe 1896; Jamieson 1969; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McGrew 1976; Shaw 1982; Showers 1982; Strid 1974; Yurky 1990, 1995. As *Bryum crudum* Lesquereux 1868; Watson 1880. As *Webera cruda* Lesquereux and James 1884.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Shaw 1982; Sharp et al. 1994; Smith 1978. Geographic subdivisions: CaR, MP, NW, SN, SNE, SW.

Selected specimens: Del Norte Co.: Mill Creek, Jedediah Smith Redwood State Park, Norris 23110 (determined by Shaw); Inyo Co.: east of Dragon Peak and north of Golden Trout Lake, John Muir Wilderness, Inyo National Forest, Norris 46720 (determined by Shaw); Mariposa Co.: Half Moon Meadow on trail to Ten Lakes, Yosemite National Park, Shevock, Wilken, & Fritzke 18495 (determined by Shaw); Modoc Co.: about 16 miles east of Medicine Lake on road to Beeler Reservoir, Norris 22499 (determined by Shaw); Riverside Co.: trail to Mt. San Jacinto, San Jacinto State Park, Harpel 1048 (pers. herb.); Trinity Co.: above Terrace and Upper Cliff Lakes, Norris 53011; Tulare Co.: road to Mineral King near Silver City, Sequoia National Park, Shevock 17657 (determined by Shaw).

Pohlia drummondii (C. Müller Hal.) Andrews in Grout [Mniaceae]

Literature: Flowers 1973; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Shaw 1981c, 1982; Showers 1982; Strid 1974. As Bryum commutatum Watson 1880. As Bryum nudicaule Lesquereux 1868; Watson 1880. As Webera commutata Lesquereux and James 1884. As Webera nudicaulis Lesquereux and James 1884.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Shaw 1981c.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Fresno Co.: Baxter Lake, Kings Canyon National Park, *Shevock & York 16550* (determined by Shaw); Inyo Co.: Dingleberry Lake above Lake Sabrina, John Muir Wilderness, Inyo National Forest, *Raven s.n.* (CAS) [determined by Shaw]; Siskiyou Co.: Squaw Valley Creek, Mount Shasta, Shasta-Trinity National Forest, *W. B. Cooke 15756a-c* (UC) [determined by Shaw]; Tulare Co.: Slate Mountain, Sequoia National Forest, *Shevock 15680*.

Pohlia elongata Hedwig [Mniaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Long 1978; Shaw 1982. As *Bryum polymorphum* Lesquereux 1868. As *Pohlia acuminata* Koch 1950a. As *Pohlia elongata* var. *greenii* Shaw 1982. As *Webera polymorpha* Lesquereux and James 1884.

Illustrations: Allen 2002; Crum and Anderson

1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Shaw 1982; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: SN, SW.

Selected specimens: Riverside Co.: Cedar Springs, Santa Rosa Mountains, *Harpel 2348a* (pers. herb.); Tulare Co.: Forest Road 14S11 just east of bridge crossing of Big Meadows Creek, Sequoia National Forest, *Shevock & York 13680* and Marble Falls Trail above Potwisha Campground, Sequoia National Park, *Shevock 12936* (confirmed by Shaw); Unspecified county: *Bolander 347 & 367* (NY).

Pohlia filum (W. P. Schimper) Mårtensson [Mniaceae]

Literature: As *Pohlia schleicheri* Toren 1977. **Illustrations:** Ignatov and Ignatova 2003; Shaw 1981c.

Notes: The original published source for this taxon as occurring in California has been determined to be a different *Pohlia* species.

Geographic subdivisions: CaR, GV, NW.

Selected specimens: Shasta Co.: Shasta College turnoff, Interstate 5 north of Redding, *Norris* 57777; Siskiyou Co.: from Cracker Meadows to Young Valley, *Norris & Ignatov* 74704.

*Pohlia lescuriana (Sullivant) Ochi [Mniaceae]

Illustrations: Ignatov and Ignatova 2003; Ireland 1982; Shaw 1982.

Geographic subdivisions: CaR, GV, NW.

Selected specimens: Del Norte Co.: Coastal Trail between Regua and False Klamath Cove, Redwood National Park, *Norris 24001*; Humboldt Co.: near Round Prairie about 3 miles north of Highway 299 on Wiregrass Ridge, *Norris 52911* (determined by Shaw) and near Coyote Peak on Bald Hills Road, *Norris 22343*; Tehama Co.: Battle Creek southeast of Manton, *Norris 21320*.

Pohlia longibracteata Brotherus in Röll [Mniaceae]

Literature: Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a; Lawton 1971; Shaw 1982; Steere et al. 1954; Thomson and Ketchledge 1958; Yurky 1990, 1995. As *Mniobryum longibracteatum* Koch and Ikenberry 1954.

Illustrations: Lawton 1971; Shaw 1982. Geographic subdivisions: CW, NW, SN.

Selected specimens: Del Norte Co.: Damnation Creek, Del Norte Redwood State Park, *Norris & Taranto 10972*; Humboldt Co.: about 2 miles north of Redwood Valley, *Norris 21203* (determined by Shaw); Marin Co.: north of Mt. Tamalpais, *Toren 315* (SFSU); Mendocino Co.: Highway 1 near Rockport at milepost 101, *Norris 8552* (determined by Shaw); Nevada Co.: Washington Creek, 4.1 miles from Highway 20, Tahoe National Forest, *Shevock & Toren 20734* (confirmed by Shaw); Santa Cruz Co.: near Porter Picnic area, 2.8 miles north of Aptos, Forest of Nisene Marks State Park, *D. W.*

Taylor 14662 (UC) and Wilder Creek, Kellman 827 (CAS).

Pohlia ludwigii (Sprengel ex Schwägrichen) Brotherus [Mniaceae]

Literature: Koch 1950a; Lesquereux 1868; Spjut 1971. As *Bryum bigelovii* Lesquereux and James 1884; Shaw 1982; Sullivant 1856.

Illustrations: Ignatov and Ignatova 2003; Lawton 1971; Shaw 1982.

Notes: This species for California is based on the type of *Bryum bigelovii* Sullivant (1856).

Geographic subdivisions: SN.

Selected specimens: Reported from near Sonora (Tuolumne County) and mapped for the Sierra Nevada in Shaw (1982). However, we have not located a California specimen of this species during our herbarium search in California herbaria.

Pohlia nutans (Hedwig) Lindberg [Mniaceae]

Literature: Bradshaw 1926; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Kellman 2003; Kingman 1912; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Shaw 1982; Shevock and Toren 2001; Showers 1982; Spjut 1971; Strid 1974; Yurky 1990, 1995. As Bryum nutans var. bicolor Lesquereux 1868; Watson 1880.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Shaw 1982; Smith 1978. Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Alameda Co.: near Claremont Hotel, Berkeley, Morse 26 (UC) [determined by Shaw]; Fresno Co.: between Crown Creek and Blue Canyon, Kings Canyon National Park, Shevock & York 14142 (determined by Shaw); Lake Co.: south shore of Clear Lake at Sulfur Bank Mine, Toren & Dearing 7278 (CAS); Mendocino Co.: Pgymy Cypress Forest along Summers Lane near Highway 20 and Fort Bragg, Norris 11768; Mono Co.: near Lake Mary, Mammoth Lakes region, Inyo National Forest, Shevock & Nelson 13787 (determined by Shaw); Nevada Co.: Sagehen Creek Biological Station, Tahoe National Forest, Tavares 1963 (UC) [determined by Shaw]; Siskiyou Co.: trail to Paradise Lake about 1 mile from Marble Valley Guard Station, Spjut 1140 (UC); Tulare Co.: Slate Mountain Botanical Area, Sequoia National Forest, Shevock 15680 (determined by Shaw).

Pohlia obtusifolia (Villars ex Bridel) L. Koch [Mniaceae]

Literature: Koch 1950a, 1958; McGrew 1976; Shaw 1982. As *Bryum cucullatum* Lesquereux 1868; Watson 1880. As *Webera cucullata* Lesquereux and James 1884.

Illustrations: Lawton 1971; Shaw 1982; Smith 1978.

Geographic subdivisions: SN, SNE.

Selected specimens: Fresno Co.: Highway 180 near Yucca Point Trail, Sequoia National Forest, Shevock 12469 and near Taboose Pass, Kings Canyon National Park, York 1520 (UC); Inyo Co.: north of Mt. Powell near Lake Sabrina, Outlet Creek, John Muir Wilderness, Inyo National Forest, Laeger 46a (CAS, DUKE) [determined by Shaw]; Kern Co.: Cache Creek east of Horse Canyon north of Tehachapi, Shevock & Hare 14908; Mono Co.: Koenig Lake near Leavitt Lake, east of Sonora Pass, Toiyabe National Forest, Spjut, Norris, & J. Koponen 6260 (UC).

Pohlia pacifica A. J. Shaw [Mniaceae]

Literature: Kellman 2003; Shaw 1982.

Illustrations: Shaw 1982.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: Del Norte Redwoods State Park, Shaw 4173 (MICH) and Prairie Creek Redwoods State Park, Norris & Piippo 82472; Lake Co.: between Summit Lake and Smokehouse Creek, Mendocino National Forest, Toren & Dearing 7651 (CAS) [confirmed by Shaw]; Marin Co.: Chimney Peak Trailhead, Robertson 1834 (UC); Santa Cruz Co.: Big Creek in Swanton, Kellman 1906 (CAS) and Ben Lomond, San Lorenzo River, Kellman 1164 (CAS).

Pohlia proligera (Kindberg) Brotherus [Mniaceae]

Literature: Crum and Anderson 1981; Shaw 1981c, 1982; Showers 1982.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Shaw 1981c, 1982; Smith 1978.

Geographic subdivisions: CaR, MP, SN, SNE. Selected specimens: Inyo Co.: Taboose Creek Trail, John Muir Wilderness, Inyo National Forest, *Shevock 13881* (determined by Shaw); Modoc Co.: Patterson Lake, South Warner Wilderness, Modoc National Forest, *Harpel 2284* (pers. herb.); Siskiyou Co.: Sisson Southern Trail, Mt. Shasta, *Cooke 15657c* (UC) [determined by Shaw].

Pohlia tundrae A. J. Shaw [Mniaceae]

Literature: Shaw 1981a, 1981c, 1982. Illustrations: Shaw 1981a, 1981c, 1982. Geographic subdivisions: NW, SN, SNE.

Selected specimens: Fresno Co.: South Fork Tamarack Creek, Highway 168 between Shaver Lake and Huntington Lake, Sierra National Forest, *Norris 99908*; Inyo Co.: above Robinson Lake south of Onion Valley, Inyo National Forest, *Norris 46638*; Siskiyou Co.: Bingham Lake, *McGrew 637* (UC); Tulare Co.: Primrose Lake, Sequoia National Park, *J.T. Howell s.n.* (CAS) and Bakeoven Meadows, Inyo National Forest, *J.T. Howell s.n.* (CAS) [determined by Shaw].

Pohlia wahlenbergii (Weber & D. Mohr) Andrews in Grout [Mniaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Long 1978; McGrew 1976; Mishler 1978; Shaw 1981f, 1982; Shevock and Toren 2001; Showers 1982; Spjut 1971; Toren 1977. As Bryum albicans Brandegee 1891; Lesquereux 1868; Watson 1880. As Mniobryum albicans Kingman 1912. As Mniobryum wahlenbergii Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954. As Webera albicans Lesquereux and James 1884; Moxley 1928.

Illustrations: Allen 2002; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Koponen et al. 1995; Lawton 1971; Sharp et al. 1994; Shaw 1982; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: near junction between Dinkey and Mystery Lake, Dinkey Lakes Wilderness, Sierra National Forest, Shevock & York 13929 (confirmed by Shaw); Humboldt Co.: along Dyerville to Mattole Road about 2 miles north of Panther Gap, Norris 24129 (determined by Shaw); Modoc Co.: Big Valley Mountains, Baker & Nutting s.n. (UC) [confirmed by Shaw]; Monterey Co.: town of Arroyo Seco along Highway 101, Norris 48520 (determined by Shaw); Nevada Co.: Washington Road, 2.7 miles from Highway 20, Tahoe National Forest, Shevock & Toren 20714; San Francisco Co.: San Francisco, Rattan s.n. (UC) [determined by Shaw]; Santa Barbara Co.: La Jolla Vieja Canyon, Santa Rosa Island, Channel Islands National Park, Shevock & Rodriguez 20866 (determined by Shaw); Tulare Co.: Watchtower Loop Trail to Heather Lake, Sequoia National Park, Shevock 16456 (determined by Shaw).

Polytrichastrum alpinum (Hedwig) G. L. Smith [Polytrichaceae]

Literature: Kellman 2003; McGrew 1976; Shevock and Toren 2001. As *Pogonatum alpinum* Cooke 1941; Flowers 1973; Holmberg 1969; Howe 1897; Ireland 1982; Koch 1950a, 1958; Lawton 1971; Lesquereux 1868; Showers 1982; Spjut 1971. As *Pogonatum alpinum* var. *brevifolium* Watson 1880. Illustrations: Flowers 1973; Ignatov and Smith Merrill 1995; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1971; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE.

Selected specimens: Del Norte Co.: Smith River along Highway 199 about 9 miles east of junction with Highway 1, Six Rivers National Forest, *Norris* 85029; Inyo Co.: slopes above George Lake west of Bishop, John Muir Wilderness, Inyo National Forest, *Norris* 71448; Modoc Co.: Highway 89 at Bear Creek, *Norris* 77949; San Francisco Co.: Mt. Davidson, *Toren* 7764 (CAS); Santa Cruz Co.:

West Berry Creek, Big Basin Redwoods State Park, *Kellman 2487* (CAS); Shasta Co.: Summit Lake, Highway 89, Lassen Volcanic National Park, *Duell 2079* (UC); Trinity Co.: Rush Creek below Rush Creek Lakes, Trinity Alps Wilderness, Shasta-Trinity National Forest, *Norris 85411*.

Polytrichum commune Hedwig [Polytrichaceae]

Literature: Bradshaw 1926; Flowers 1973; Ireland 1982; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982; Spjut 1971.

Illustrations: Abramov and Volkova 1998; Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Smith Merrill 1995; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1971, 1978.

Notes: The Humboldt County plants in coastal prairie areas are up to 1 foot tall.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Calaveras Co.: Highway 4 at road to Spicer Reservoir, Stanislaus National Forest, Norris 77177; Fresno Co.: east slope Bald Mountain, Sierra National Forest, Shevock 10992; Humboldt Co.: Christmas Prairie, Bonstell s.n. (UC); Mendocino Co.: Pygmy Cypress Forest along Caspar Little Lake Road about 6 miles east of Highway 1, Norris & Piippo 82501; Nevada Co.: Pacific Crest Trail south of Interstate 80, Donner Summit, Tahoe National Forest, Whittemore 4158 (MO); Siskiyou Co.: near Doe Flat, Norris 47938; Tulare Co.: edge of Heather Lake, Sequoia National Park, Shevock 16489; Tuolumne Co.: Wheat's Meadow Trail near Whittakers, Dardanelles, Stanislaus National Forest, Somer 86 (MO).

Polytrichum formosum Hedwig [Polytrichaceae] **Literature:** Koch 1950a; McGrew 1976; Showers 1982.

Illustrations: Abramov and Volkova 1998; Ignatov and Smith Merrill 1995; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1971, 1978. As *Polytrichastrum formosum* Ignatov and Ignatova 2003.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Alpine Co.: Highway 89 at Hope Valley, *Norris 48477*; Butte Co.: North Table Mountain, northeast of Cherokee Road, *Janeway 5568* (MO) [determined by Whittemore]; Inyo Co.: Horton Lakes area, Inyo National Forest, *Harpel 2369* (pers. herb.); Mono Co.: Gardisky Lake west of Lee Vining, Inyo National Forest, *Norris 104223*; Siskiyou Co.: Duck Lakes trail near Parrott's Mill Road, *Norris 22818* and Pacific Crest Trail about 30 miles northeast of Sneid Valley, *G. Allen 712* (MO) [determined by Allen]; Tulare Co.: Big Meadows near Ranger Station, Sequoia Na-

Polytrichum juniperinum Hedwig [Polytrichaeae] Literature: Bourell 1981; Cooke 1941; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Ireland 1982; Jamieson 1969; Kellman 2003; Koch 1950a,

tional Forest, Shevock 13670.

1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McGrew 1976; Shevock and Toren 2001; Showers 1982; Smith 1970; Spjut 1971; Strid 1974; Sullivant 1856; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Smith Merrill 1995; Ireland 1982; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1971, 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Del Norte Co.: Forest Road 4803, Siskiyou National Forest, *Norris 70904*; San Francisco Co.: Glen Canyon, San Miguel Hills, *Shevock 18882 & 18892*; Santa Barbara Co.: Water Canyon, Santa Rosa Island, Channel Islands National Park, *Shevock & Rodriquez 20808*; Santa Cruz Co.: Highway 9 about 1.5 miles north of Boulder Creek, *Norris 55572*; Siskiyou Co.: Soda Creek Road about 4 miles northeast of Interstate 5 near Dunsmuir, Shasta-Trinity National Forest, *Norris 84810*; Sonoma Co.: South Ridge Trail above Lake Sonoma at Skaggs Springs Road, *Norris 86916*; Tulare Co.: Grapevine Grade along County Road M-15, between White River and California Hot Springs, *Shevock 6766*.

Polytrichum longisetum Swartz ex Bridel [Polytrichaceae]

Literature: Ireland 1982. As *Polytrichum gracile* Flowers 1973; Koch 1950a. As *Polytrichastrum longisetum* Lawton 1971.

Illustrations: Abramov and Volkova 1998; Flowers 1973; Ignatov and Smith Merrill 1995; Ireland 1982; Lawton 1971; Smith 1971. As *Polytrichastrum longisetum* Ignatov and Ignatova 2003.

Geographic subdivisions: MP, NW, SN, SNE.

Selected specimens: Fresno Co.: west of Palisade Crest, Glacier Lake, Kings Canyon National Park, DeDecker 2796 (CAS); Inyo Co.: above Robinson Lake south of Onion Valley, Inyo National Forest, Norris 46635; Modoc Co.: Alcohol Crater Rim, Modoc National Forest, Harpel 16319 (pers. herb.); Siskiyou Co.: ridges south of Cyclone Gap, Holmberg 878 (UC); Tulare Co.: Crabtree Meadows, west of Mt. Whitney, Sequoia National Park, Raven s.n. (CAS).

Polytrichum piliferum Hedwig [Polytrichaceae]

Literature: Bourell 1981; Coville 1893; Flowers 1973; Harthill et al. 1979; Holmberg 1969; Ireland 1982; Kellman 2003; Kingman 1912; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; McGrew 1976; Mishler 1978; Shevock and Toren 2001; Showers 1982; Strid 1974; Sullivant 1856; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Ignatov and Smith Merrill 1995; Ireland 1982; Lawton 1971; Ochyra 1998a; Smith 1978.

Geographic subdivisions: CaR, CW, MP, SN, SNE, SW.

Selected specimens: Del Norte Co.: along Oregon Mountain Road near Highway 199 about 6 miles south of the Oregon border, *Norris 9869*; Fresno Co.: near Boyden Cave, Monarch Wilderness, Sequoia National Forest, *Shevock & York 12293*; Lake Co.: Bachelor Valley near Hell's Peak, *Toren & Dearing 6856* (CAS); Mono Co.: above Second Tyee Lake south of Mammoth Lakes, Inyo National Forest, *Norris 86812*; Monterey Co.: bluffs at the Pinnacles, Hunter-Liggett Military Reservation, *Norris 87294*; Tehama Co.: Highway 36 east of Red Bluff at Seven Mile Creek, *Norris 21303*.

Polytrichum sexangulare Flörke ex Bridel [Polytrichaceae]

Literature: Showers 1982.

Illustrations: Ignatov and Smith Merrill 1995; Lawton 1971; Smith 1971. As *Polytrichastrum sex-angulare* Ignatov and Ignatova 2003.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Fresno Co.: slopes from Mono Pass to Golden Lake, *Norris 47032*; Inyo Co.: slopes above Chocolate Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris 46872 & 46875* and slopes above Treasure Lake, Inyo National Forest, *Norris 46966*; Shasta Co.: near Soda Lake, Lassen Volcanic National Park, *Showers 837* (UC); Tulare Co.: summit plateau of Table Mountain, Sequoia National Park, *Laeger 162* (CAS, UC).

*Polytrichum strictum Menzies ex Bridel [Polytrichaceae]

Illustrations: Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Nevada Co.: about 0.5 mile northeast of Bowman Lake, Tahoe National Forest, *Ahart 10612* (UC).

Porotrichum bigelovii (Sullivant) Kindberg [Neckeraceae]

Literature: Bourell 1981; Frantz and Cordone 1967; Holmberg 1969; Jamieson 1969; Showers 1982; Yurky 1990, 1995. As *Hypnum bigelovii* Lesquereux 1868; Sullivant 1856; Watson 1880. As *Porothamnium bigelovii* Bradshaw 1926; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Smith 1970; Spjut 1971; Steere et al. 1954; Thomson and Ketchledge 1958. Illustrations: Lawton 1971; Schofield and Thompson 1966; Sullivant 1856.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Del Norte Co.: Highway 199 about 9 miles east of junction with Highway 101, Six Rivers National Forest, *Norris 84993*; El Dorado Co.: Bear Creek Picnic Area southeast of Georgetown, Eldorado National Forest, *Norris & Piippo 82323*; Lake Co.: Alder Creek, Cobb Mountain, *Toren & Dearing 7087* (CAS); Mendocino

Co.: seaward bluffs near Ranger Station, Sinkyone Wilderness State Park, *Norris 71743*; San Francisco Co.: Delaveaga Dell, AIDS Memorial Grove, Golden Gate Park, *Hermann 17451* and *Shevock 19526*; Santa Barbara Co.: Lobos Canyon, Santa Rosa Island, Channel Islands National Park, *Shevock & Rodriquez 20852*; Tulare Co.: Lake Canyon Creek below Oriole Lake, Sequoia National Park, *Shevock 17617*.

Pseudobraunia californica (Lesquereux) Brotherus [Hedwigiaceae]

Literature: Bourell 1981; Bradshaw 1926; Harthill et al. 1979; Kellman 2003; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Sigal 1975; Steere et al. 1954; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As *Braunia californica* Howe 1897; Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Brotherus 1924–1925; Lawton 1971. Geographic subdivisions: CaR, CW, GV, NW, SN. **Selected specimens:** Alameda Co.: Brushy Peak northeast of Livermore, Norris 87203; Calaveras Co.: Highway 4, 1.2 miles north of Copperopolis, Shevock 19327; Glenn Co.: west of town of Elk Creek along Ivory Mill Road, Mendocino National Forest, Shevock 15804; Monterey Co.: bluffs at the Pinnacles, Hunter-Leggett Military Reservation, Norris 87273; San Benito Co.: Pinnacles National Monument, J. T. Howell s.n. (UC); Siskiyou Co.: Soda Creek Road about 4 miles northeast of Interstate 5 near Dunsmuir, Shasta-Trinity National Forest, Norris 84799; Tulare Co.: Elk Creek near Potwisha Campground, Middle Fork Kaweah River, Sequoia National Park, Shevock, Norris, & Barahona 13186; Yuba Co.: Highway 20 near Timbuctoo. Norris 67491.

*Pseudo-calliergon angustifolium Hedenäs [Campyliaceae]

Illustrations: Hedenäs 1990. Geographic subdivisions: SNE.

Selected specimens: Inyo Co.: BLM Warm Springs, Inyo Mountains, *Laeger 1454* (CAS) [determined by Hedenäs].

*Pseudo-calliergon trifarium (Weber & D.

Mohr) Loeske [Campyliaceae]

Illustrations: Hedenäs 1990; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Inyo Co.: east of Pine Creek Pass, John Muir Wilderness, Inyo National Forest, *Weis 394* (UC) and Gem Lake, Little Lakes Basin, Inyo National Forest, *Weis & Hubbs 402* (UC).

*Pseudocrossidium crinitum (Schultz) Zander [Pottiaceae]

Illustrations: Eckel 1997a; Zander 1993.

Geographic subdivisions: DMoj, DSon, GV, SNE. **Selected specimens:** Colusa Co.: Highway 20 at milepost 74, *Norris 52523 & 52524*; Inyo Co.: west

of BLM Goodale Creek Campground, *Norris* 92794 & 92797; San Diego Co.: Palm Canyon, Anza-Borrego State Park, *Norris* 50587; San Bernardino Co.: north slope of Kingston Peak, Kingston BLM Wilderness, *Laeger* & *Bogan* 1745 (CAS).

Pseudocrossidium obtusulum (Lindberg) H. Crum & L. E. Anderson [Pottiaceae]

Literature: Eckel 1997a; Kellman 2003; Shevock and Toren 2001. As *Pseudocrossidium revolutum* Zander 1981a.

Illustrations: Eckel 1997a; Tan et al. 1981; Zander

Geographic subdivisions: CW, DMoj, DSon, NW, SN, SNE, SW.

Selected specimens: Conta Costa Co.: Antioch Dunes National Wildlife Refuge, Norris 97036; Kern Co.: near Visitor Center, Red Rock Canyon State Park, Shevock, Kellman, & Laeger 20535; Lake Co.: Manning Creek, Highway 175, about 4 miles west of Lakeport, Toren, Bourell, Dearing, & Shevock 7002a (CAS); Placer Co.: Highway 49 on north face of American River Canyon, 0.6 mile north of junction of Foresthill Road, Whittemore 3518 (CAS, MO); Riverside Co.: South Fork San Jacinto River about 7 miles east of Hemet, Norris 58050; San Diego Co.: Box Canyon, Anza-Borrego State Park, Norris 50636; San Francisco Co.: Army Street at Highway 101, Toren 7820 (CAS); Santa Cruz Co.: Highway 9 about 1.5 miles north of Boulder Creek, Norris 55558 & 55560; Trinity Co.: Highway 299 about 3.5 miles northwest of Big Bar, Shasta-Trinity National Forest, T. Sevelson 11 (UC).

Pseudoleskeella serpentinensis P. Wilson & Norris [Leskeaceae]

Literature: Wilson and Norris 1989. **Illustrations:** Wilson and Norris 1989.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Smith River at Highway 199, Jedediah Smith Redwoods State Park, *Norris* 68927 and Middle Fork Gasquet Road along trail to Stony Creek, *Wilson* 943 & 945 (UC) and west side Smith River about one mile west of Gasquet, *Norris* 70340; Humboldt Co.: junction of Red Mountain and South Red Mountain Road, *Norris* 56452 & 56456; Siskiyou Co.: trail from Wilderness Falls toward Doe Flat, Klamath National Forest, *Norris* 67821 and Doe Creek, *Norris* 23069; Sonoma Co.: The Cedars about 7 miles north of Cazadero, *Robertson* 1580 (CAS) & 1561 (UC).

Pseudoleskeella tectorum (Funck ex Bridel) Kindberg ex Brotherus [Leskeaceae]

Literature: Spjut 1971; Wilson and Norris 1989. **Illustrations:** Ignatov and Suragina 2000; Lawton 1971; Lewinsky 1974; Wilson and Norris 1989. As *Leskeella tectorum* Flowers 1973.

Geographic subdivisions: DMoj, SW.

Selected specimens: Inyo Co.: slopes of Rogers

Peak, Panamint Mountains, Death Valley National Park, Shevock, York, & Davis 21363; Riverside Co.: summit of Toro Peak, Santa Rosa Mountains, Harpel 2352 (pers. herb.) and Garnet Queen Creek, Santa Rosa Mountains, San Bernardino National Forest, Shevock 20528; San Bernardino Co.: Curtis Canyon, Clark Mountains Wilderness, Mojave National Preserve, Shevock, Spence, Glazer, & Laeger 23636 and Kingston Peak, Kingston BLM Wilderness, Laeger & Bogan 1753, 1755, & 1761.

*Pseudoscleropodium purum (Hedwig) Fleischer in Brotherus [Brachytheciaceae]

Illustrations: Buck 1998; Crum and Anderson 1981; Lawton 1971; Smith 1978.

Notes: This species is a recent introduction to the California bryoflora occurring as a coastal lawn weed.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: lawns on the campus of Humboldt State University, Arcata, *Nor-ris* 71990b.

Pseudotaxiphyllum elegans (Bridel) Iwatsuki [Hypnaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Isopterygium borrerianum* Holmberg 1969; Jamieson 1969. As *Isopterygium elegans* Koch 1950a; Lawton 1971; McGrew 1976; Showers 1982; Yurky 1990, 1995.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Del Norte Co.: Coastal Trail between Requa and False Klamath Cove, Redwood National Park, Norris 24059; Humboldt Co.: Prairie Creek Redwoods State Park, MacFadden 22251 (MO); Mendocino Co.: Simpson Road, Jackson State Forest, Showers 3193 (SFSU, UC); San Francisco Co.: Mt. Davidson, Toren 7804 (CAS) and Mt. Sutro, Shevock 19179; Shasta Co.: Upper Kings Creek, Lassen Volcanic National Park, Showers 2257 (SFSU); Siskiyou Co.: near Sugar Lake, Klamath National Forest, Norris & McGrew 45615; Sonoma Co.: Gualala River near Lee Noble Road, Norris 86973; Trinity Co.: about 1 mile below Rush Creek Lakes, Shasta-Trinity National Forest, Norris 85406; Tuolumne Co.: border of Emigrant Wilderness along Burst Rock Trail about 8 air miles east of Strawberry, Stanislaus National Forest, Norris 82975.

Pterigynandrum filiforme Hedwig

[Pterigynandraceae]

Literature: Howe 1896; Koch 1950a, 1951e; Lawton 1971; Lesquereux 1868; McGrew 1976; Showers 1982; Spjut 1971; Sullivant 1856; Toren 1977; Watson 1880.

Illustrations: Brotherus 1924–1925; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Colusa Co.: about 1.2 miles east of Sites, *Norris* 72675; Fresno Co.: Cedar

Grove along trail between Avalanche and Bubbs Creek, Kings Canyon National Park, *Shevock 13768*; Humboldt Co.: Friday Ridge Road at junction with Titlow Hill Road, Six Rivers National Forest, *Norris 76790*; Lake Co.: Mill Creek, Mt. Sanhedrin, Mendocino National Forest, *Toren 7142* (CAS); Tehama Co.: Battle Creek along Forest Road 29N35 about 4 miles east of Mineral, Lassen National Forest, *Norris 48157*; Trinity Co.: Canyon Creek between Ripstein Camp and McKay Camp, Klamath National Forest, *Norris 7989*; Tulare Co.: Belnap Redwood Grove near Camp Nelson, Sequoia National Forest, *Shevock, Norris, & Barahona 13214*.

Pterogonium gracile (Hedwig) J. E. Smith [Leucodontaceae]

Literature: Bourell 1981; Bradshaw 1926; Brandegee 1891; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; McCleary 1972; Mishler 1978; Moxley 1928; Shevock and Toren 2001; Steere 1954; Sullivant 1856; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As Pterogonium gracile var. californicum Cardot and Thériot 1900. As Pterogonium gracile var. duplicato-serratum Lesquereux 1868; Watson 1880.

Illustrations: Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CaR, CW, NW, SN, SW. Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87204*; Fresno Co.: Cedarbrook Picnic area about 1 mile from Highway 245 near Pinehurst, Sequoia National Forest, *Shevock 12815*; Monterey Co.: Big Sur Creek near Pico Blanco Boy Scout Camp, Los Padres National Forest, *Norris 75839*; Riverside Co.: near Lower San Juan Picnic Area, *Norris 58163*; Santa Barbara Co.: Soledad Peak, Santa Rosa Island, Channel Islands National Park, *Shevock & Norris 20747*; Shasta Co.: Fall Creek Road about 1 mile southeast of McCloud Bridge at Shasta Lake, Shasta-Trinity National Forest, *Norris 84861*.

Pterygoneurum californicum H. Crum [Pottiaceae]

Literature: Crum 1967a. Illustrations: Crum 1967a.

Notes: This species, known only from the type collection, was obtained from an area that is now converted to a mix of urban and agriculture. We have not been able to recollect this species, however, suitable habitat in several nearby preserved landscapes may yet yield a new occurrence.

Geographic subdivisions: GV.

Selected specimens: Kern Co.: alkali flats along Panama Lane, 5 miles west of Highway 99 near Bakersfield, *Koch* 4026 (MICH).

*Pterygoneurum lamellatum (Lindberg) Juratzka [Pottiaceae]

Illustrations: Flowers 1973; Ignatov and Ignatova 2003; Smith 1978; Zander 1993.

Geographic subdivisions: MP.

Selected specimens: Modoc Co.: salt flats about 9 miles east of Cedarville, *Norris* 47435.

Pterygoneurum ovatum (Hedwig) Dixon [Pottiaceae]

Literature: Crum and Anderson 1981; Koch 1955; Lawton 1971.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: DMoj, DSon, GV, MP, SNE.

Selected specimens: Imperial Co.: Clark Lane south of Coyote Wells, Colorado Desert, *Norris & Piippo 82073*; Inyo Co.: Forest Road 7S01, 0.4 mile from Highway 168, Inyo National Forest, *Shevock 15251* and Wildrose Canyon Road, 1 mile west of Charcoal Kilns, Panamint Mountains, Death Valley National Park, *Shevock & Harpel 19056*; Kern Co.: Rosamond Dry Lake, *MacFadden 3522* (MO) [determined by Delgadillo]; Modoc Co.: about 9 miles east of Cedarville, *Norris 47447 & 47464* and about 2 miles east of Middle Lake, *Norris 70421*; Tulare Co.: Pixley Vernal Pool Preserve, San Joaquin Valley, *McClintock s.n.* (CAS); Ventura Co.: Quatal Canyon at boundary of Los Padres National Forest, *Norris 55389 & 80842*.

Pterygoneurum subsessile (Bridel) Juratzka [Pottiaceae]

Literature: Koch 1955. As *Pottia subsessilis* Lesquereux 1868; Sullivant 1856.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Sharp et al. 1994; Zander 1993.

Geographic subdivisions: DMoj, MP.

Selected specimens: Inyo Co.: north of the Racetrack, Death Valley National Park, *Norris* 10209h (determined by Crum); Modoc Co.: about 9 miles east of Cedarville, *Norris* 47440, 47455, & 47463.

Ptychomitrium gardneri Lesquereux [Ptychomitriaceae]

Literature: Howe 1896; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Reese 1998; Sigal 1975; Toren 1977; Watson 1880; Yurky 1990, 1995.

Illustrations: Cao and Vitt 1994; Lawton 1971. Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Butte Co.: Big Chico Creek at northeast boundary of Bidwell Park, *Norris* 70045; Contra Costa Co.: Mitchell Canyon, Mt. Diablo State Park, *Koch* 3300 (UC); Humboldt Co.: Quinby Creek about 3 miles north of Denny, *Norris* 52700; Lake Co.: base of Copper Butte, boundary

of Snow Mountain Wilderness, Mendocino National Forest, *Toren & Bourell 5160* (CAS); Placer Co.: American River, 1 mile east of Rawhide Mines, *MacFadden 281* (UC); Siskiyou Co.: Highway 3 above junction with Highway 96 overlooking Klamath River, *Shevock 16888*; Tulare Co.: trail to Marble Falls from Potwisha Campground, Marble Fork Kaweah River, Sequoia National Park, *Shevock 12965*.

*Pyramidula tetragona (Bridel) Bridel [Funariaceae]

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003.

Geographic subdivisions: CW.

Selected specimens: Santa Barbara Co.: Cherry Canyon above pier, Santa Rosa Island, Channel Islands National Park, *Norris, Bratt, & Chaney 102098.*

Racomitrium aciculare (Hedwig) Bridel [Grimmiaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; McGrew 1976; Showers 1982; Spjut 1971; Toren 1977; Watson 1880. As *Grimmia nevii* Howe 1896.

Illustrations: Bednarek-Ochyra 1995; Crum and Anderson 1981; Frye 1917b; Ignatov and Ignatova 2003; Ireland 1982; Koponen et al. 1995; Lawton 1971; Smith 1978; Wagner 1998.

Geographic subdivisions: CaR, CW, NW, SN. Selected specimens: Fresno Co.: below outlet of Mystery Lake, Dinkey Lakes Wilderness, Sierra National Forest, Shevock & York 13922; Humboldt Co.: trail above Bridge Camp west of Clair Eagle Lake, Norris 68838; Madera Co.: Forest Highway 81, Chiquito Ridge, Sierra National Forest, Shevock & Kellman 19752 (determined by Bednarek-Ochyra); Nevada Co.: near Fuller Lake between Bowman Lake and Highway 20, Tahoe National Forest, Shevock, Ertter, & Morosco 15718 (determined by Blom); Santa Cruz Co.: San Lorenzo River below junction with Eagle Creek, Kellman 575 (CAS); Tulare Co.: Mineral King, East Fork Kaweah River, Sequoia National Park, Shevock & O'Brien 15948 (determined by Blom); Tuolumne Co.: Cherry Creek, Stanislaus National Forest, Shevock 19560 (determined by Bednarek-Ochyra).

Racomitrium affine (Schleicher ex Weber & D. Mohr) Lindberg [Grimmiaceae]

Literature: Frisvoll 1988. As *Racomitrium heter-ostichum* var. *alopecurum* Spjut 1971.

Illustrations: Bednarek-Ochyra 1995; Frisvoll 1988; Fyre 1918a; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Lake Co.: east of Cobb Mountain, *Toren & Dearing 7134* (CAS, KRAM) [determined by Bednarek-Ochyra] and north slope of Kneecap Ridge, tributary of Sheep Creek, Men-

docino National Forest, *Toren 8835* (CAS) [determined by Bednarek-Ochyra]; Plumas Co.: Butterfly Valley Botanical Area northwest of Quincy, Plumas National Forest, *Laeger 1589* (CAS, KRAM) [determined by Bednarek-Ochyra].

Racomitrium depressum Lesquereux [Grimmiaceae]

Literature: Frisvoll 1988; Holmberg 1969; Koch 1950a, 1951e; Lesquereux 1868; Lesquereux and James 1884; Showers 1982; Steere et al. 1954; Watson 1880.

Illustrations: Frisvoll 1988; Frye 1917b.

Geographic subdivisions: CaR, NW, SN, SW.

Selected specimens: Alpine Co.: Pacific Creek at Pacific Valley, Highway 4 east of Pacific Grade Summit, Norris 77212; Del Norte Co.: Adams Station along Smith River, Eastwood 21461 (MO); Fresno Co.: LeConte Canyon, Kings Canyon National Park, Shevock & Haultain 18624 (determined by Bednarek-Ochyra); Madera Co.: Forest Highway 81 near Shakeflat Creek, Sierra National Forest, Shevock & Kellman 19746 (determined by Bednarek-Ochyra); Mendocino Co.: Upper Baechtal Canyon near Willits, Branscomb 22472 (MO); Nevada Co.: near Fuller Lake, Tahoe National Forest, Shevock, Ertter, & Morosco 15718 (determined by Bednarek-Ochyra); Riverside Co.: North Fork San Jacinto River along Seven Pines Trail, San Jacinto State Park, Harpel 1097 (CAS, KRAM) [determined by Bednarek-Ochyra]; Tehama Co.: Highway 36 at milepost 96, Lassen National Forest, Norris 55978 (determined by Bednarek-Ochyra); Tulare Co.: Twisselmann Botanical Area, south side of Sirretta Pass, Kern Plateau, Sequoia National Forest, Shevock 17524 (determined by Blom); Tuolumne Co.: Highway 120 near Tamarack Flat, Yosemite National Park, Shevock 18475 (determined by Bednarek-Ochyra).

Racomitrium elongatum Ehrhart ex Frisvoll [Grimmiaceae]

Literature: Frisvoll 1983; Kellman 2003; Yurky 1995

Illustrations: Bednarek-Ochyra 1995; Frisvoll 1983; Wagner 1998.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: Gasquet-Orleans Road at Kelsey Creek Trail, Six Rivers National Forest, *Norris & Piippo 82411* and French Hill Road about 3.5 miles above Highway 199 southwest of Gasquet, *Norris 85054*; Lake Co.: Eight Mile Valley, Cow Mountain BLM Recreation Area, *Toren 6925* (CAS); Mendocino Co.: BLM Road to Red Mountain east of Ukiah, *Norris 72610*; Santa Cruz Co.: Sempervirens Falls, Big Basin Redwoods State Park, *Kellman 696* (CAS); Trinity Co.: Highway 299 about 2.6 miles east of Del Loma, *Silver 875* (UC).

Racomitrium ericoides (Hedwig) Bridel [Grimmiaceae]

Literature: As *Racomitrium canescens* var. *epilosum* Holmberg 1969. As *Racomitrium canescens* var. *ericoides* Holmberg 1969; Lawton 1971.

Illustrations: Bednarek-Ochyra 1995; Frisvoll 1983; Heinonen 1971; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Pappas Flat 2 miles west of Gasquet, *Norris 7810*; Humboldt Co.: Highway 33 about 11 miles east of Dinsmore, *Norris 22045*; Mendocino Co.: Highway 1 along South Fork Eel River, *Norris 8567b*; Siskiyou Co.: Butler Flat, *Norris 10177* and 3.5 miles east of Somes Bar, *Norris 9985*; Sonoma Co.: about 1 mile northeast of Baxman Ranch, 10 miles from Plantation, *Koch 527* (MO).

*Racomitrium fasciculare (Hedwig) Bridel [Grimmiaceae]

Illustrations: Bednarek-Ochyra 1995; Crum and Anderson 1981; Frye 1918a; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Amador Co.: above junction of West and East Fork of Panther Creek, *Norris & Shevock 103276*.

Racomitrium heterostichum (Hedwig) Bridel [Grimmiaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Frisvoll 1988; Harpel 1980a; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e, 1958; McGrew 1976; Showers 1982; Spjut 1971; Stark and Whittemore 1992; Toren 1977. As *Grimmia heterosticha* Howe 1896.

Illustrations: Bednarek-Ochyra 1995; Crum and Anderson 1981; Frisvoll 1988; Frye 1918a; Ignatov and Ignatova 2003; Ireland 1976, 1982; Smith 1978; Wagner 1998.

Geographic subdivisions: CaR, CW, NW, SN.

Selected specimens: Del Norte Co.: Sanger Lake southeast of O'Brien, (Oregon), Siskiyou National Forest, Norris 70840; El Dorado Co.: Sly Park Creek, Norris 58617; Lake Co.: Forest Road M-1 at Eel River crossing near Lake Pillsbury, Mendocino National Forest, Toren 7441 (CAS); Mariposa Co.: Highway 140 near El Portal, Yosemite National Park, Shevock 20452 (determined by Bednarek-Ochyra); Placer Co.: Drum Powerhouse Road, Tahoe National Forest, Shevock & Norris 20663 (determined by Bednarek-Ochyra); Santa Cruz Co.: Chalk Mountain, Big Basin Redwoods State Park, Kellman 1078 (CAS); Siskiyou Co.: northeast of Cook and Green Pass, Rogue River National Forest, Shevock & Toren 20105 (determined by Bednarek-Ochyra); Tulare Co.: Redwood Mountain Redwood Grove, Kings Canyon National Park, Shevock 17474.

Racomitrium lanuginosum (Hedwig) Bridel [Grimmiaceae]

Literature: Crum and Anderson 1981.

Illustrations: Bednarek-Ochyra 1995; Crum and Anderson 1981; Frye 1918a; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, NW.

Selected specimens: Del Norte Co.: Stony Creek about 1 mile north of Gasquet, North Fork Smith River, Norris 9654, 70743 & Norris & Piippo 82452; Humboldt Co.: Highway 33 about 11 miles east of Dinsmore, Norris 22018; Siskiyou Co.: Interstate 5 at Henley-Hornbrook Exit, Toren, Mishler, et al. 7360a (CAS).

*Racomitrium lawtonae Ireland [Grimmiaceae]

Illustrations: Ireland 1970, 1976. Geographic subdivisions: CaR.

Selected specimens: Siskiyou Co.: Klamath River at Ash Creek Bridge, Klamath National Forest, *Norris & Hillyard 105223*.

Racomitrium macounii Kindberg [Grimmiaceae]

Literature: Frisvoll 1988. As *Racomitrium heterostichum* var. *macounii* Spjut 1971.

Illustrations: Bednarek-Ochyra 1995; Frisvoll 1988; Frye 1918a; Wagner 1998. As *Racomitrium sudeticum* var. *macounii* Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: El Dorado Co.: between Wrights Lake and Grouse Lake, Eldorado National Forest, *Norris 76741*; Humboldt Co.: East Fork about 5 air miles north of Mad River, Six Rivers National Forest, *Norris 83885*; Mendocino Co.: Highway 101 at milepost 63 north of Willits, *Norris 8461*; Siskiyou Co.: Haypress Meadows, Marble Mountain Wilderness, Klamath National Forest, *Norris 12323*; Trinity Co.: Highway 299 about 4 miles west of Weaverville, *Norris 73531*.

Racomitrium microcarpon (Hedwig) Bridel [Grimmiaceae]

Literature: Kellman 2003. As *Racomitrium heterostichum* var. *ramulosum* Koch and Ikenberry 1954

Illustrations: Bednarek-Ochyra 1995; Frisvoll 1988; Frye 1918a; Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: CW. SN.

Selected specimens: Calaveras Co.: about 1 mile west of Salt Springs Reservoir, Stanislaus National Forest, *Norris & Shevock 103224*; Marin Co.: Mt. Tamalpais north of the Mount Theater Parkway, *Robertson 328* (UC); Santa Cruz Co.: east side Highway 9 near Boulder Creek, *Kellman 1158* (CAS).

*Racomitrium molle Cardot [Grimmiaceae]

Illustrations: No illustration located for this species.

Geographic subdivisions: NW.

Selected specimens: Siskiyou Co.: Klamath National Forest, Big Duck Lake, *Norris 23340*, Paynes Lake, *Norris 46334* and Granite Lake, *Norris 52324* (determined by Bednarek-Ochyra).

Racomitrium norrisii Bednarek-Ochyra & Ochyra [Grimmiaceae]

Literature: Bednarek-Ochyra and Ochyra 2000. **Illustrations:** Bednarek-Ochyra and Ochyra 2000.

Geographic subdivisions: SN.

Selected specimens: El Dorado Co.: along South Fork American River at Carpenter Creek, Eldorado National Forest, *Norris 58441, 58448b, 58449 & 58468* and South Fork American River at Bridal Veil Campground, Eldorado National Forest, *Norris 58364*; Fresno Co.: South Fork Kings River near Deer Cove Creek, Sequoia National Forest, *Shevock 14499*; Mariposa Co.: Merced River near El Portal, Yosemite National Park, *Shevock & Norris 20162* and Merced River, Redbud Picnic Area, Sierra National Forest, *Shevock & Norris 20160* (determined by Bednarek-Ochyra); Tuolumne Co.: Columbia, South Fork Stanislaus River, *Gifford & Ikenberry 51* (DUKE) [determined by Bednarek-Ochyra].

Racomitrium obesum Frisvoll [Grimmiaceae]

Literature: Frisvoll 1988. **Illustrations:** Frisvoll 1988.

Geographic subdivisions: CaR, MP, NW, SN.

Selected specimens: Del Norte Co.: Gasquet-Orleans Road about 3 miles from Big Flat, Six Rivers National Forest, Norris 74161 and Poker Creek, Siskiyou National Forest, Shevock & Toren 20140 & 20142 (determined by Bednarek-Ochyra); Humboldt Co.: head of Mill Creek along Forest Road 10N02, Six Rivers National Forest, Norris 70564; Modoc Co.: Highway 89 at Bear Creek, Norris 77952; Nevada Co.: Washington Road near Washington Creek, Shevock & Toren 20721 (determined by Bednarek-Ochyra); Siskiyou Co.: West Branch Campground northwest of Happy Camp, Klamath National Forest, Norris 75781; Tulare Co.: Redwood Mountain Grove, Kings Canyon National Park, Shevock 17476 (determined by Bednarek-Ochyra).

Racomitrium occidentale (Renauld & Cardot) Renauld & Cardot [Grimmiaceae]

Literature: Yurky 1995. As *Racomitrium heterostichum* var. *occidentale* Lawton 1971; Yurky 1990. **Illustrations:** Frisvoll 1988; Frye 1918a; Lawton 1971; Wagner 1998.

Geographic subdivisions: CaR, CW, MP, NW. Selected specimens: Humboldt Co.: Highway 299 about 3 miles west of Willow Creek, *Norris 12029*; Marin Co.: Ridge Trail near Five Brooks, Point Reyes National Seashore, *Yurky 608 & 868* (SFSU); Mendocino Co.: Fox Creek, Branscomb Reserve of The Nature Conservancy, *Norris 47150*; Shasta Co.: Highway 299 east of Burney at milepost 83, *Norris 21510*; Siskiyou Co.: Forest Road

41N05, 7.5 miles from junction with Forest Road 13, Shasta-Trinity National Forest, *Norris & Hillyard 106461*; Trinity Co.: Flame Gulch near Forest Glen, *Norris 22054*.

Racomitrium pacificum Ireland & Spence [Grimmiaceae]

Literature: Christy and Wagner 1996; Frisvoll 1988; Ireland and Spence 1987.

Illustrations: Frisvoll 1988; Ireland and Spence 1987; Wagner 1998.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: North Fork Smith River south of Stony Creek, Six Rivers National Forest, *Norris 9636* (determined by Ireland), Gasquet Toll Road at Twelve Mile Creek, Six Rivers National Forest, *Norris 55885* (determined by Bednarek-Ochyra) and Cedar Creek at junction with Smith River, Six Rivers National Forest, *Norris 9687* (determined by Bednarek-Ochyra); Humboldt Co.: junction of Red Mountain Road and South Red Mountain Road, *Norris 56438*; Siskiyou Co.: trail from Wilderness Falls to Doe Flat, Klamath National Forest, *Norris 67745*.

Racomitrium sudeticum (Funck) Bruch & W. P. Schimper [Grimmiaceae]

Literature: Frisvoll 1988. As *Racomitrium heterostichum* var. *sudeticum* McGrew 1976; Showers 1982.

Illustrations: Bednarek-Ochyra 1995; Frisvoll 1988; Frye 1918a; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Ochyra 1998a; Wagner 1998.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: Packsaddle Creek, Norris 52736; Humboldt Co.: Quinby Creek about 3 miles north of Denny, Norris 52690; Shasta Co.: Shotgun Creek near North Fork Shotgun Creek, south-southeast of Sims, Norris & Hillyard 103875; Siskiyou Co.: Long Gulch Lake southwest of Callahan, Norris 57516; Trinity Co.: Long Gulch Lake, Klamath National Forest, Spjut, Norris, & J. Koponen 6287 (UC); Tulare Co.: Mineral King above second Mosquito Lake, Sequoia National Park, Shevock & O'Brien 15973 (determined by Muñoz) and above Crystal Lake, Mineral King, Shevock & O'Brien 16009 (determined by Blom).

Racomitrium varium (Mitten) A. Jaeger [Grimmiaceae]

Literature: Bourell 1981; Holmberg 1969; Kellman 2003; Koch 1950a; Lawton 1971; Spjut 1971; Toren 1977; Yurky 1990, 1995.

Illustrations: Frye 1918a; Lawton 1971; Wagner 1998.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Fresno Co.: South Fork Dinkey Creek below Virginia Lake, Sierra National Forest, *Shevock & York 17419* (determined by Muñoz); Lake Co.: Crab Tree Hot Springs, Mendocino National Forest, *Toren & Dearing 5241* (CAS);

Mendocino Co.: along Covelo Road about 3.1 miles northeast of Longvale, *Norris* 21682 and Highway 101 at Dora Creek, *Shevock* 20373 (determined by Bednarek-Ochyra); Nevada Co.: Washington Road near Washington Creek, Tahoe National Forest, *Shevock & Toren* 20723 (determined by Bednarek-Ochyra); Placer Co.: Dutch Flat Reservoir at dam crossing, *Shevock & Norris* 20698 (determined by Bednarek-Ochyra); Santa Cruz Co.: Bonny Doon Ecological Reserve, *Kellman* 737 (CAS).

Literature: Kellman 2003; Lawton 1971; McGrew

Rhizomnium glabrescens (Kindberg) T. Koponen [Mniaceae]

1976; Spjut 1971. As Mnium glabrescens Holmberg 1969; Howe 1897; Jamieson 1969; Koch 1950a, 1951e; Thomson and Ketchledge 1958. Illustrations: Koponen 1973a; Lawton 1971. Geographic subdivisions: CaR, CW, NW, SN. **Selected specimens:** Del Norte Co.: Trees of Mystery to Hidden Beach, Roskell 10003 (UC); Humboldt Co.: Foothill Trail, Prairie Creek Redwoods State Park, Norris 46016; Lake Co.: Alder Creek, Cobb Mountain, Toren & Dearing 7084 (CAS); Mendocino Co.: Road 409 about 1 mile east of Highway 1 south of Fort Bragg, Norris 11709; Placer Co.: Big Tree Grove, Tahoe National Forest, Koch 3154 (UC); San Mateo Co.: along trail near Little Butano Creek, Butano State Park, Whittemore 4017 (MO); Siskiyou Co.: Crackers Meadow below Young's Peak, Norris & Ignatov 74765; Tulare Co.: trail to Heather Lake via Watchtower Loop near junction with Hump Trail, 2 miles from Wolverton, Sequoia National Park, Shevock 16459.

Rhizomnium magnifolium (Horikawa) T. Koponen [Mniaceae]

Literature: McGrew 1976. As *Mnium punctatum* var. *elatum* Crum and Anderson 1981; Koch and Ikenberry 1954. As *Rhizomnium perssonii* Lawton 1971; Spjut 1971.

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: NW, SN.

Selected specimens: Del Norte Co.: near Doctor Rock, *Norris* 50344; Humboldt Co.: headwaters Bunch Grass Creek about 0.9 miles north of Big Hill Road, *Norris* 47800; Mendocino Co.: along County Road 409 west of Highway 1, Jackson State Forest, *R.W. Smith* 102 (UC); Siskiyou Co.: Kelly Lake about 12 air miles northwest of Happy Camp, Klamath National Forest, *Norris* 83284; Tulare Co.: west side of First Mosquito Lake, Mineral King, Sequoia National Park, *Shevock* & *O'Brien* 15962.

Rhizomnium pseudopunctatum (Bruch & W. P. Schimper) T. Koponen [Mniaceae]

Literature: McGrew 1976.

Illustrations: Abramov and Volkova 1998; Ignatov and Ignatova 2003; Lawton 1971; Smith 1978. As

Mnium pseudopunctatum Crum and Anderson

Geographic subdivisions: NW, SN.

Selected specimens: Fresno Co.: trail from Dutch Lake to Florence Lake, Sierra National Forest, Norris 71630; Siskiyou Co.: near Duck Lake, Norris 22886 and Sugar Lake, Klamath National Forest, McGrew 66, 141, & 199 (UC); Tulare Co.: trail to Heather Lake via the Hump Loop Route, Sequoia National Park, Shevock 16503.

Rhizomnium punctatum (Hedwig) T. Koponen [Mniaceae]

Literature: As *Mnium punctatum* Flowers 1973; Koch 1950a, 1958; Lesquereux 1868; Showers 1982: Watson 1880.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. **Selected specimens:** El Dorado Co.: near Sayles Canyon Trailhead, Eldorado National Forest, Norris 70997; Humboldt Co.: north of Orick, Fern Canyon Road west of Highway 101, Mueller 6713 (UC); Mendocino Co.: about 4 miles east of Mendocino on Little Lake Road, Mueller 6627 (UC); Mono Co.: Lee Vining Grade, Highway 120 about 0.5 mile above Highway 395, Koch 1768 (UC).

Rhytidiadelphus loreus (Hedwig) Warnstorf [Hylocomiaceae]

Literature: Homberg 1969; Ireland 1982; Jamieson 1969; Koch 1950a.

Illustrations: Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CW, NW.

Selected specimens: Humboldt Co: Prairie Creek Redwoods State Park at James Irvine Trail, Jamieson 185 (UC) and 5 miles north of Park Headquarters, Norris 68370, Eureka, Jacoby Creek Road at old railroad bridge, Becking 65-07-80 (UC), and Greenwood Heights Road about 3.5 miles southeast of Old Arcata Road and 4 miles north of Kneeland, Norris 45838 (confirmed by Rohrer); Mendocino Co.: 3 miles south of Piercy, Flowers 3966 (NY); San Mateo Co.: Butano Ridge Fire Trail, Butano State Park, Becking s.n. (UC); Santa Barbara Co.: cultivated in redwood section of Santa Barbara Botanic Garden, Laeger 718 (CAS).

Rhytidiadelphus squarrosus (Hedwig) Warnstorf [Hylocomiaceae]

Literature: Shevock and Toren 2001.

Illustrations: Abramov and Volkova 1998; Lawton

1971; Smith 1978.

Notes: This species is likely to occur in California only as a lawn weed in the coastal areas.

Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: Japanese Tea Garden, Golden Gate Park, Toren, Showers, & Smith 2811 (CAS, SFSU).

Rhytidiadelphus triquetrus (Hedwig) Warnstorf [Hylocomiaceae]

Literature: Holmberg 1969; Ireland 1982; Koch 1950a, 1951e: Lawton 1971. As Hylocomium triquetrum var. californicus Renauld and Cardot 1890. Illustrations: Abramov and Volkova 1998; Ignatov et al. 1996; Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: French Hill Road about 3.5 miles above Highway 199 southwest of Gasquet, Six Rivers National Forest, Norris 85071 and along Forest Road 4803, Siskiyou National Forest, Norris 70879; Humboldt Co.: headwaters of Freshwater Creek about 2 miles southeast of Kneeland, Norris 68303; Lake Co.: Forest Road 23N56 north of Low Gap west of Round Mountain just south of Glenn County line, Mendocino National Forest, Toren 8805 (CAS); Marin Co.: Rock Spring, Mt. Tamalpais State Park, Robertson 2038 (CAS); Placer Co.: Canyon Creek near Dutch Flat, MacFadden 9796 (MO); Plumas Co.: 1 mile southwest of Meadow Valley Cemetery and 7 miles west of Quincy, Plumas National Forest, Dillingham 928 (CAS); Siskiyou Co.: about 1 mile west of White Mountain near Cook and Green Pass, Klamath National Forest, Norris 50190, near West Branch Campground on Happy Camp-O'Brien Road, Norris 75772 and Elliott Creek near Seattle Bar, Rogue River National Forest, Shevock & Toren 20088.

*Rhytidiopsis robusta (W. J. Hooker) Brotherus [Hylocomiaceae]

Illustrations: Lawton 1971.

Notes: A rather remarkable range extension into California from the Pacific Northwest considering that this species has yet to be located in the coast redwood region of either Del Norte, Humboldt or Mendocino counties. While a labeling error would be likely to explain this record, this moss was actually brought to the senior author by the collector before it was processed as an herbarium specimen. Geographic subdivisions: CW, NW (expected). Selected specimens: San Mateo Co.: Butano Ridge Fire Trail, Butano State Park, Becking s.n. (UC).

Roellia roellii (Brotherus ex Röll) Andrews ex H. Crum [Mniaceae]

Literature: Crum 1967b; Holmberg 1969; Mc-Grew 1976; Showers 1982; Spjut 1971. As Roellia lucida Koch 1950a. As Bryum sandbergii Flowers 1973; Lawton 1971.

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: CaR, MP, NW, SN, SNE.

Selected specimens: Del Norte Co.: near Doctor Rock, Norris 50324; Glenn Co.: south of Plasket Meadows between Jenks Place and Chimney Rock, Mendocino National Forest, Toren & Isle 8813 (CAS); Mariposa Co.: Half Moon Meadow to Ten Lakes, Yosemite National Park, Shevock, Wilken, & Fritzke 18486; Modoc Co.: Joseph Creek, Warner

Mountains, Modoc National Forest, Sanger s.n. (UC); Mono Co.: Barney Lake, Toiyabe National Forest, Norris 67128 and Lundy Creek, Hoover Wilderness, Norris & Hillyard 104123; Tehama Co.: Middle Fork Beegum Creek about 1.5 miles west of Rat Trap Gap, Norris 57018; Tulare Co.: Sawtooth Peak Trail, Mineral King, Sequoia National Park, Shevock & O'Brien 16036.

Sanionia uncinata (Hedwig) Loeske [Campyliaceae]

Literature: As Drepanocladus uncinatus Flowers 1973; Ireland 1982; Janssens 1983; Koch 1950a, 1951e, 1958; Lawton 1971; McGrew 1976; Showers 1982; Spjut 1971; Strid 1974. As Hypnum uncinatum Lesquereux 1868; Watson 1880.

Illustrations: Flowers 1973; Hedenäs 1989c, 1993a, 2003; Ireland 1982; Janssens 1983; Kanda 1978; Lawton 1971; Ochyra 1998a; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Alpine Co.: Highway 89 at Hope Valley, Toiyabe National Forest, Norris 48475; Del Norte Co.: exit of Sanger Lake along Forest Road 4803 southeast of O'Brien (Oregon), Six Rivers National Forest, Norris 70766; Inyo Co.: above George Lake west of Bishop, John Muir Wilderness, Inyo National Forest, Norris 71489 and Inyo Co.: near Golden Trout Lake northwest of Onion Valley, John Muir Wilderness, Inyo National Forest, Norris 46694; Siskiyou Co.: Haypress Meadows, Marble Mountain Wilderness, Klamath National Forest, Norris 12334; Tulare Co.: Forest Road 14S11 just east of bridge crossing of Big Meadows Creek, Sequoia National Forest, Shevock & York 13679.

Schistidium agassizii Sullivant & Lesquereux in Sullivant [Grimmiaceae]

Literature: As *Grimmia agassizii* Crum and Anderson 1981; Flowers 1973; Koch 1950a, 1958; McGrew 1976; Spjut 1971; Strid 1974. As *Grimmia alpicola* Bourell 1981; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Lawton 1971; McGrew 1976; Showers 1982; Toren 1977.

Illustrations: Blom 1998; Bremer 1980a; Crum and Anderson 1981; Flowers 1973; Holmes 1976; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, NW, SN, SNE, SW.

Selected specimens: Inyo Co.: slopes east of Dragon Peak and north of Golden Trout Lake near Onion Valley, John Muir Wilderness, Inyo National Forest, *Norris 46726*; Madera Co.: Jackass Creek above Minarets Road, Sierra National Forest, *Shevock & Kellman 19700* (determined by Blom); Mariposa Co.: below Glacier Point Road along Bridalveil Creek, Yosemite National Park, *Shevock & Norris 20189* (determined by Blom); Siskiyou Co.: Klamath River at Clear Creek, *Norris 10506*; Trinity Co.: Highway 36 at North Fork Rattlesnake

Creek about 4 miles east of Forest Glen, *Norris* 23783; Tulare Co.; Mineral King, East Fork Kaweah River, Sequoia National Park, *Shevock & O'Brien 15947* (determined by Blom); Tuolumne Co.: South Fork Tuolumne River at Highway 120, Yosemite National Park, *Shevock 18473* (determined by Blom); Ventura Co.: Chorro Grande Canyon about 1 mile north of Highway 33, Los Padres National Forest, *Norris 55542*.

Schistidium atrichum (C. Müller Hal. & Kindberg) W. A. Weber [Grimmiaceae]

Literature: As *Grimmia atricha* Flowers 1973; Koch 1949a, 1950a; Lawton 1971; Showers 1982; Toren 1977.

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: CaR, SW.

Selected specimens: San Bernardino Co.: northeast slope of Mt. San Antonio, Lytle Creek Canyon, San Gabriel Mountains, Angeles National Forest, *Wheeler s.n.* (UC) [determined by Blom]; Siskiyou Co.: Mt. Shasta, Shasta-Trinity National Forest, *Howe s.n.* (NY) [determined by Blom].

Schistidium cinclidodonteum (C. Müller Hal. in Röll) B. Bremer [Grimmiaceae]

Literature: As *Grimmia cinclidodontea* Flowers 1973; Harpel 1980a; Harthill et al. 1979; Long 1978; Spjut 1971. As *Grimmia pacifica* Lawton 1979.

Illustrations: Flowers 1973; Lawton 1971; Robinson and Hermann 1964.

Geographic subdivisions: CaR, NW, SN, SNE, SW.

Selected specimens: Alpine Co.; Highway 4 about 4.8 miles west of Ebbetts Pass, Stanislaus National Forest, *Shevock 19963* (determined by Blom); Lake Co.: Upper Nye Camp just north of Snow Mountain Wilderness boundary, Mendocino National Forest, *Shevock, Bourell, & Toren 15839* (determined by Blom); Madera Co.: Minarets Road at Rock Creek, Sierra National Forest, *Shevock & Kellman 19762* (determined by Blom); Riverside Co.: Seven Pines Trail, San Bernardino National Forest, *Harpel 1131* (CAS); Tulare Co.: North Fork Kaweah River at junction with Redwood Creek, Kings Canyon National Park, *Shevock 16642* (determined by Blom).

Schistidium confertum (Funck) Bruch & W. P. Schimper [Grimmiaceae]

Literature: Blom 1996. As *Grimmia apocarpa* var. *conferta* Flowers 1973. As *Grimmia conferta* Lesquereux 1868.

Illustrations: Blom 1996, 1998.

Geographic subdivisions: CaR, CW, NW.

Selected specimens: Contra Costa Co.: south shore of Briones Reservoir, *Norris & Hillyard 106534*; Lake Co.: Crockett Camp Trailhead to Snow Mountain Wilderness, Mendocino National Forest, *Toren & Bourell 5140a* (CAS) and below West Peak, *Toren & Dearing 7469* (CAS) [determined by Blom];

Siskiyou Co.: Mt. Shasta, *Howe s.n.* (NY) [determined by Blom].

Schistidium dupretii (Thériot) W. A. Weber [Grimmiaceae]

Literature: Blom 1996. As *Grimmia alpicola* var. *dupretii* Harthill et al. 1979; Mishler 1978. As *Grimmia dupretii* Holmberg 1969; Spjut 1971.

Illustrations: Blom 1996, 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971.

Geographic subdivisions: CaR, NW.

Selected specimens: Shasta Co.: Shotgun Creek near North Fork Shotgun Creek, south-southeast of Sims, *Norris & Hillyard 103888*; Siskiyou Co.: between Big Flat and Yellow Rose Mine, *Norris 9116* (COLO) [determined by Blom], Edgar Creek about 3.6 miles east of junction with Forest Road 13, Shasta-Trinity National Forest, *Norris & Hillyard 106480*.

Schistidium flaccidum (De Notaris) Ochyra [Grimmiaceae]

Literature: Blom 1996. As *Grimmia flaccida* Toren 1977.

Illustrations: Blom 1996, 1998; Lawton 1971. **Geographic subdivisions:** CaR, NW, SN, SNE, SW.

Selected specimens: Inyo Co.: trail to Tyee Lakes below South Lake, Inyo National Forest, *Shevock 15280* (determined by Blom); Lake Co.: West Peak Summit, Snow Mountain Wilderness, Mendocino National Forest, *Toren & Dearing 7505* (CAS); Mono Co.: June Lake Loop, Highway 158 above Silver Lake, *Shevock 20043* (determined by Blom); Shasta Co.: north side of Warner Valley below Sifford Lakes, Lassen Volcanic National Park, *Showers 2396* (UC); Ventura Co.: above Blue Rock Springs, *Norris 55422*.

Schistidium maritimum (Turner ex Scott) Bruch & Schimper [Grimmiaceae]

Literature: As *Grimmia maritima* Crum and Anderson 1981; Koch 1950a; Lawton 1971.

Illustrations: Blom 1998; Bremer 1980a; Crum and Anderson 1981; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: College Cove, Trinidad State Beach, *Silver 902* (UC) and *Norris 47755*, Trinidad Head, *Wolski 2319* (UC) and near Albalone Point, Patricks Point State Park, *Norris 23889*; Mendocino Co.: Russian Gulch State Park, *Koch 3764* (UC).

Schistidium occidentale (E. Lawton) Churchill in Funk & D. R. Brooks [Grimmiaceae]

Literature: As *Grimmia occidentalis* Lawton 1967b, 1971; Showers 1982; Toren 1977; Toren and Sigal 1974.

Illustrations: Lawton 1971.

Geographic subdivisions: SN, SNE, SW.

Selected specimens: Alpine Co.: Highway 4 about 2 miles north of Ebbetts Pass, Toiyabe National Forest, Shevock 19968 (determined by Blom); Fresno Co.: trail between Crown Creek and Blue Canyon, Kings Canyon National Park, Shevock & York 14147 (determined by Blom); Inyo Co.: Little Cottonwood Creek near Horseshoe Meadows, Golden Trout Wilderness, Shevock, Lin, & Chen 17747 (determined by Blom); Los Angeles Co.: Dorr Canyon, Angeles Crest Highway, Angeles National Forest, Shevock 21659 (determined by Ochyra); Tulare Co.: Nathan's Camp near Rock Creek Ranger Station, Sequoia National Park, Shevock 18514 (determined by Blom); Tuolumne Co.: Deadman Creek adjacent to Highway 108, 3.5 miles west of Sonora Pass, Stanislaus National Forest, Shevock 18596 (determined by Blom).

*Schistidium platyphyllum (Mitten) Persson in Persson & Gjaerev [Grimmiaceae]

Illustrations: Blom 1998. Geographic subdivisions: SN.

Selected specimens: Fresno Co.: Cedar Grove just west of Zumwalt Meadows along South Fork Kings River, Kings Canyon National Park, *Shevock 17472* (determined by Blom).

Schistidium rivulare (Bridel) Podpěra [Grimmiaceae]

Literature: As *Grimmia alpicola* var. *rivularis* Crum and Anderson 1981; Flowers 1973; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Spjut 1971.

Illustrations: Blom 1998; Bremer 1980a; Crum and Anderson 1981; Flowers 1973; Ignatov and Cao 1994; Ignatov and Ignatova 2003; Ireland 1982; Koponen et al. 1995; Lawton 1971; Ochyra 1998a; Sharp et al. 1994.

Geographic subdivisions: CaR, NW, SN, SNE. **Selected specimens:** Fresno Co.: LeConte Canyon, Middle Fork Kings River, Kings Canyon National Park, Shevock & Haultain 18647 (determined by Blom); Lake Co.: Eel River west of Copper Butte and Snow Mountain Wilderness, Mendocino National Forest, Toren & Bourell 5164a (CAS); Mono Co.: Leavitt Creek adjacent to Highway 108, 4.5 miles east of Sonora Pass, Toiyabe National Forest, Shevock 18603 (determined by Blom); Siskiyou Co.: Big Carmen Lake about 6.5 miles east of Callahan, Klamath National Forest, Spjut, Norris, & J. Koponen 6282; Tehama Co.: Mill Creek about 0.5 mile beyond Mill Creek Campground, Norris 55937; Tulare Co.: Marble Fork Kaweah River at Little Deer Creek off of Crystal Cave Road, Sequoia National Park, Shevock 15637 (determined by Blom); Tuolumne Co.: Tioga Road 0.5 mile west of Siesta Lake, Yosemite National Park, Shevock 19501 (determined by Blom).

Schistidium tenerum (J. E. Zetterstedt) Nyholm [Grimmiaceae]

Literature: As *Grimmia tenera* McGrew 1976. **Illustrations:** Blom 1996, 1998; Bremer 1980b.

Geographic subdivisions: NW, SN.

Selected specimens: Humboldt Co.: junction of Red Mountain and South Red Mountain Road, *Norris 56441*; Siskiyou Co.: near Bear Lake, *Norris 24207*; Tulare Co.: slopes above Ranger Lakes toward Silliman Pass, Kings Canyon National Park, *Norris 46587*.

Schizymenium shevockii A. J. Shaw [Mielichhoferiaceae]

Literature: Shaw 2000. **Illustrations:** Shaw 2000.

Geographic subdivisions: SN, SW.

Selected specimens: Fresno Co.: Highway 180 near Yucca Point, Sequoia National Forest, Shevock 12468, Boyden Cave, Sequoia National Forest, Shaw 9884 (DUKE), trail between Boulder Creek and Boyden Cave, Monarch Wilderness, Sequoia National Forest, Shevock & York 13643 (determined by Shaw) and 10 km north of the intersection of Forest Road 9 and Trimmer Balch Camp Road south of Haslett Basin, Sierra National Forest, Shaw 9905 & 9907 (DUKE); Mariposa Co.: Highway 140 along Merced River at Slate Creek Bridge, 1 mile west of Sierra National Forest boundary on BLM land, Shevock 20467 (confirmed by Shaw); Riverside Co.: San Diego State University Santa Margarita River Ecological Reserve between Temecula and Fallbrook, Shevock 20506 (determined by Shaw); Tulare Co.: County Road M-99 near Hospital Flat Campgound, Kern River Canyon, Sequoia National Forest, Shevock 17038 (determined by Shaw).

Scleropodium californicum (Lesquereux) Kindberg [Brachytheciaceae]

Literature: Harthill et al. 1979; Howe 1896; Kellman 2003; Koch 1950a; McCleary 1972; Millspaugh and Nuttall 1923; Sayre 1940; Shevock and Toren 2001; Steere 1954; Thomson and Ketchledge 1958; Whitemore and Sommers 1999; Yurky 1990, 1995. As *Brachythecium californicum* Kingman 1912. As *Hypnum californicum* Brandegee 1891; Lesquereux 1868; Watson 1880.

Illustrations: Sharp et al. 1994.

Geographic subdivisions: CW, NW, SN.

Selected specimens: Humboldt Co.: Eel River about 3 miles north of the start of Avenue of the Giants, *Norris 72153*; Lake Co.: base of Mt. Konocti above Clear Lake at Soda Bay, *Toren & Shevock 8536* (CAS); Marin Co.: trail near Mud Lake, Point Reyes National Seashore, *Norris 71824*; Mariposa Co.: Summit Road about 2 miles north of Fish Camp, Sierra National Forest, *Norris 85367*; Mendocino Co.: Highway 101 at Cummings turnoff, *Norris 21616*; Monterey Co.: Arroyo Seco Creek about 4 miles west of Greenfield, *Norris 48501*; San Francisco Co.: Alcatraz Island, Golden Gate National Recreation Area, *Shevock, Toren, & Thomas 20214*; Santa Cruz Co.: Majors Creek at Highway 1, *Kellman 1091* (CAS).

Scleropodium cespitans (Wilson ex C. Müller Hal.) L. Koch [Brachytheciaceae]

Literature: Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; McCleary 1972; Mishler 1978; Shevock and Toren 2001; Spjut 1971; Thomson and Ketchledge 1958; Toren 1977; Yurky 1990, 1995. As Hypnum caespitosum Lesquereux 1868; Watson 1880. As Scleropodium apocladum Kingman 1912; Koch 1950a; Koch and Ikenberry 1954; McCleary 1972. As Scleropodium caespitosum Bradshaw 1926; Steere 1954.

Illustrations: Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, GV, NW, SN. Selected specimens: Butte Co.: Big Chico Creek about 3 miles southwest of upper boundary of Bidwell Park, Norris 70076; Kern Co.: Highway 178 at Democrat Hot Springs, Kern River Canyon, Sequoia National Forest, Norris & Piippo 82208; Mendocino Co.: Greenwood Ridge Road at Navarro River near entrance to Hendy Woods State Park, Norris 53106; San Luis Obispo Co.: Lynch Canyon Road about 3 miles from Interlake Road south of San Antonio Reservoir, Norris 85156; Santa Cruz Co.: Harvey West Park, City of Santa Cruz, Kellman 1238 (CAS); Sonoma Co.: Austin Creek near intersection with Russian River, Norris 53139; Stanislaus Co.: sandstone cliff about 2 miles east of Oakdale, Koch 1471 (UC).

Scleropodium colpophyllum (Sullivant) Grout [Brachytheciaceae]

Literature: Kellman 2003; Koch 1950a; Moxley 1928; Shevock and Toren 2001; Steere 1954. As Eurhynchium colpophyllum Bradshaw 1926; Howe 1897. As Hypnum colpophyllum Watson 1880. As Scleropodium touretii var. colpophyllum Holmberg 1969; Jamieson 1969; Lawton 1971; Long 1978; Spjut 1971; Toren 1977; Yurky 1990, 1995.

Illustrations: Lawton 1971.

Geographic subdivisions: CW, NW, SN, CW. Selected specimens: Fresno Co.: Mist Falls Trail near Bubbs Creek junction, South Fork Kings River, Kings Canyon National Park, Shevock & York 14467; Humboldt Co.: about 1 mile east of Albee Creek Campground, Humboldt Redwoods State Park, Norris 56271; Placer Co.: Drum Forebay Road about 1 mile north of Interstate 80, Norris 81988; Riverside Co.: North Fork San Jacinto River near Seven Pines Trail, San Jacinto State Park, Harpel 1111 (pers. herb.); Santa Cruz Co.: Highway 8 near San Lorenzo Park north of Boulder Creek, Norris & Piippo 82260; Trinity Co.: Corral Bottom Road about 1.5 miles from Big Bar, Norris 21038.

Scleropodium julaceum E. Lawton [Brachytheciaceae]

Literature: Harthill et al. 1979; Kellman 2003; Lawton 1967; Long 1978; Shevock and Toren 2001; Thomson and Ketchledge 1958; Toren 1977; Yurky 1990.

Illustrations: Lawton 1967a.

Geographic subdivisions: CW, SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris* 87193; Lake Co.: north shore of Lake Pillsbury at Pogie Point, Mendocino National Forest, *Toren & Bourell* 5045 (CAS); Los Angeles Co.: Sepulveda Canyon, *MacFadden* 18595 (LAM); Monterey Co.: Arroyo Seco Creek about 4 miles west of Greenfield, *Norris* 48505; San Benito Co.: Caves Trail, Pinnacles National Monument, *R. Gantt s.n.* (UC); San Luis Obispo Co.: Highway 166 at Clear Creek, Los Padres National Forest, *Norris* 80666; Santa Cruz Co.: Quail Hollow Ranch County Park, *Kellman* 201 (CAS).

Scleropodium obtusifolium (Mitten) Kindberg in Macoun [Brachytheciaceae]

Literature: Bradshaw 1926; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Howe 1896; Jamieson 1969; Kellman 2003; Kingman 1912; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; Mishler 1978; Shevock and Toren 2001; Showers 1982; Spjut 1971; Toren 1977; Yurky 1995.

Illustrations: Flowers 1973; Lawton 1971.

Geographic subdivisions: CaR, CW, MP, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Grizzly Falls along Highway 180, South Fork Kings River, Sequoia National Forest, *Shevock 12433*; Lake Co.: Upper Nye Camp just north of Snow Mountain Wilderness, Mendocino National Forest, *Shevock, Bourell, & Toren 15833*; Modoc Co.: Crowder Flat Road about 2 miles south of Oregon border, *Norris 79145*; Santa Barbara Co.: about 1 mile south of Bates Canyon Campground, *Norris 55376*; Riverside Co.: Gardner Valley, San Bernardino National Forest, *Harpel 1954* (pers. herb.) [confirmed by Schofield]; Shasta Co.: Fall Creek Road at Dekkas Rock above Shasta Lake, Shasta-Trinity National Forest, *Norris 84833*.

Scleropodium touretii (Bridel) L. Koch [Brachytheciaceae]

Literature: Bourell 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McCleary 1972; Mishler 1978; Shevock and Toren 2001; Sigal 1975; Smith 1970; Spjut 1971; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As *Hypnum illecebrum* Brandegee 1891; Lesquereux 1868; Watson 1880. As *Scleropodium illecebrum* Kingman 1912; Millspaugh and Nuttall 1923; Sayre 1940; Steere 1954.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, NW, SN, SW.

Selected specimens: Glenn Co.: Highway 36 at Georgie Dells Road, *Norris* 56061; Humboldt Co.: South Fork Mountain Road about 8 air miles north

of Mad River, Six River National Forest, *Norris* 83883; Riverside Co.: near Ortega Oaks Campground, *Norris* 58148; San Mateo Co.: Spring Creek above reservoir, Filoli Center just north of Woodside, *Whittemore & Noyes* 4386 (UC); Tulare Co.: Marble Falls trail above Potwisha Campground, Marble Fork Kaweah River, Sequoia National Park, *Shevock* 12963.

Scopelophila cataractae (Mitten) Brotherus [Pottiaceae]

Literature: Shaw and Anderson 1988; Steen 1986; Zander 1967.

Illustrations: Allen 2002; Crum and Anderson 1981; Sharp et al. 1994; Zander 1967, 1993.

Geographic subdivisions: SN.

Selected specimens: Calaveras Co.: Old Discovery Mine at Copperopolis, *Steen 810605-2* (CINC, DUKE, UC).

Scouleria aquatica W. J. Hooker in Drummond [Scouleriaceae]

Literature: Bourell 1981; Churchill 1985; Flowers 1973; Holmberg 1969; Howe 1897; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Showers 1982; Spjut 1971; Yurky 1990, 1995. As *Grimmia scouleri* Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Brotherus 1924–1925; Flowers 1973; Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN, SNE.

Selected specimens: Amador Co.: below Devil's Lake Trailhead northeast of Bear River Reservoir, Eldorado National Forest, Norris 82699; Humboldt Co.: South Fork Tish-Tang-a-Tang Creek east of Hoopa, Norris & Whittemore 52390; Inyo Co.: Big Pine Creek adjacent to Glacier Lodge Road, 0.4 miles below Sage Flat Campground, Inyo National Forest, Shevock 15323; Lake Co.: tributary of Stony Creek, west slope of Crockett Peak, Snow Mountain Wilderness, Mendocino National Forest, Toren & Dearing 7591 (CAS); Marin Co.: Mt. Tamalpais State Park, J.T. Howell s.n. (CAS); Mendocino Co.: South Fork Eel River, Branscomb Nature Conservancy Preserve north of Branscomb, Norris 47219; Siskiyou Co.: Klamath River at Ishi Pishi Bridge near Somes Bar, Klamath National Forest, Norris 12253.

Scouleria marginata E. Britton [Scouleriaceae]

Literature: Christy and Wagner 1996; Churchill 1985; Howe 1896; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Spjut 1971.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: Smith River at Highway 199 about 9 miles east of junction with Highway 101, Six Rivers National Forest, *Norris 85006*; El Dorado Co.: South Fork American River at Bridal Veil Falls Campground, Eldorado National Forest, *Norris 58365*; Fresno Co.: South Fork

Kings River at Boulder Creek near Boyden Cave, Sequoia National Forest, *Shevock & York 14508*; Mariposa Co.: Merced River at El Portal, Yosemite National Park, *Norris & Shevock 100241*; Plumas Co.: Highway 89 about 3 miles from Crescent Mills, Plumas National Forest, *Norris 69966*; Siskiyou Co.: Salmon River about 4 miles west of Cecilville, Klamath National Forest, *Norris 10060*; Tulare Co.: North Fork Kern River about 1.5 miles above junction with Little Kern River, Golden Trout Wilderness, Sequoia National Forest, *Shevock 16522*.

Sematophyllum adnatum (Michaux) E. Britton [Sematophyllaceae]

Literature: Shevock and Toren 2001.

Illustrations: Buck 1998; Sharp et al. 1994.

Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: Mt. Da-

vidson, San Francisco, Shevock 18929.

*Sphagnum bartlettianum Warnstorf [Sphagnaceae]

Illustrations: Crum and Anderson 1981.

Geographic subdivisions: NW.

Selected specimens: Mendocino Co.: Pygmy Forest just east of Mendocino. *Andrus* 7421 (NY) [determined by Andrus].

Sphagnum capillifolium (Ehrhart) Hedwig [Sphagnaceae]

Literature: Crum and Anderson 1981; Koch 1950a. As *Sphagnum acutifolium* Lesquereux 1868; Watson 1880.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: NW, SNE.

Selected specimens: Humboldt Co.: Big Lagoon County Park, 13 miles south of Orick, *Silver 899* (UC); Mono Co.: Tioga Junction Campground off of Highway 120, Inyo National Forest, *Norris* 48366.

Sphagnum compactum Lamarck & A. P. de Candolle [Sphagnaceae]

Literature: Crum and Anderson 1981; Warnstorf 1890; Watson 1880. As *Sphagnum rigidum* var. *compactum* Lesquereux 1868.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: NW, SN.

Selected specimens: Fresno Co.: Marie Lake, *Wheeler 6553* (CAS, DUKE, UC) [determined by Shaw] and above Ranger Lakes near Silliman Pass, Kings Canyon National Park, *Norris 46599* (NY) [determined by Andrus]; Siskiyou Co.: above Big Boulder Lake west of Carrville, Klamath National Forest, *Norris & Streimann 74838*.

*Sphagnum contortum Schultz [Sphagnaceae] Illustrations: Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Mendocino Co.: Pygmy Cypress Forest along Airport Road about 1 mile east of Highway 1 south of Fort Bragg, *Norris 73156*; Siskiyou Co.: Klamath National Forest, near Russian Lake, *McGrew 598* (UC), Lower Russian Lake, *McGrew 304* (UC), Waterdog Lake, *McGrew 470* (UC) [determined by Andrus].

Sphagnum fimbriatum Wilson & W. J. Hooker [Sphagnaceae]

Literature: Crum and Anderson 1981; Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; Showers 1982; Warnstorf 1890; Watson 1880.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: NW; SN, SNE.

Selected specimens: Fresno Co.: meadow at base of Maxson Dome, John Muir Wilderness, Sierra National Forest, *Shevock 17442* (determined by Crum) and near Camp 171, eastern base of Mt. Brewer, Kings Canyon National Park, *Brewer 2810* (MO, UC); Humboldt Co.: near McClellan Mountain about 5 miles east of Bridgeville, *Norris 45815*, *45816*, & *45821* (determined by Andrus); Mono Co.: Cinnabar Canyon north of road to Bodie, *Messick 1539* (UC) [determined by Andrus].

Sphagnum fuscum (W. P. Schimper) Klinggräff [Sphagnaceae]

Literature: Crum and Anderson 1981; Showers 1982.

Illustrations: Crum 1984; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: Fresno Co.: just above first Dinkey Lake, Dinkey Lakes Wilderness, Sierra National Forest, *Shevock & York* 13903 (determined by Crum); Glenn Co.: Keller Lake, west slope of Black Butte, Mendocino National Forest, *Toren & Nilles* 98-218 (CAS) [determined by Crum]; Mono Co.: Tioga Junction Campground, Highway 120, Inyo National Forest, *Norris* 48362 (determined by Andrus); Tulare Co.: Oriole Lake, Sequoia National Park, *Shevock, Norris, & Barahona* 13175 (determined by Crum).

*Sphagnum girgensohnii Russow [Sphagnaceae]

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: SN, SNE.

Selected specimens: Inyo Co.: near Bishop Lake, John Muir Wilderness, Inyo National Forest, *Shevock & Haultain 18616* (determined by Crum) and Treasure Lake at headwaters of Rock Creek, John Muir Wilderness, Inyo National Forest, *Norris* 71555; Tulare Co.: Moose Lake, Sequoia National

Park, Munneke, Evens & Roll s.n. (CAS, DUKE) [determined by Shaw].

Sphagnum henryense Warnstorf [Sphagnaceae]

Literature: Andrus 1980.

Illustrations: Crum 1980, 1984; Crum and Anderson 1981.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Panther Flats Campground, Highway 199, *Thiers 37513* (SFSU) [determined by Andrus]; Humboldt Co.: near Patricks Point State Park, *Bourell 1189* (CAS) and Bald Mountain between High Prairie and Snow Camp, *Tracy 4608* (UC) [determined by Andrus]; Mendocino Co.: along Albion-Little River Road south of Mendocino County Airport Landing Strip, *Bourell 3614* (CAS) and 3 miles east of Fort Bragg, *Mason s.n.* (UC) [determined by Andrus].

*Sphagnum inundatum Russow [Sphagnaceae]

Illustrations: Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Fresno Co.: tributary of Kaiser Creek east of Idaho Lake, Kaiser Wilderness, Sierra National Forest, *Shevock 21002* (determined by Shaw); Madera Co.: Sky Ranch Road, 0.3 mile from Cold Springs Saddle, Sierra National Forest, *Shevock & Kellman 19661* (determined by Shaw); Mariposa Co.: Yosemite Creek below Grant Lakes, Yosemite National Park, *Shevock & Ertter 19536* (determined by Shaw); Tulare Co.: meadow east of Sirretta Ridge and Round Meadow, Sequoia National Forest, *Laeger 300 & 301* (CAS, DUKE) [determined by Shaw].

Sphagnum lescurii Sullivant in Gray [Sphagnaceae]

Literature: As Sphagnum auriculatum Lesquereux

Illustrations: No illustration located for this species.

Geographic subdivisions: SN, SNE.

Selected specimens: Fresno Co.: between Wet Meadows and Spanish Lake, John Muir Wilderness, Sierra National Forest, *Shevock 14162*; Inyo Co.: Rock Creek, Inyo National Forest, *Shevock 13812*; Tulare Co.: Deep Meadow about 4 miles north of Quaking Aspen, Sequoia National Forest, *Shevock 17491* (determined by Crum).

Sphagnum magellanicum Bridel [Sphagnaceae]

Literature: Koch 1950a.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: SN.

Selected specimens: Fresno Co.: Swamp Meadow below Swamp Lake, Sierra National Forest, *York* 2020 (CAS) [determined by Crum]; undetermined county: *James* 71 (NY) [determined by Andrus].

Sphagnum mendocinum Sullivant [Sphagnaceae]

Literature: Koch 1950a; Lesquereux and James

1884; Warnstorf 1890; Watson 1880.

Illustrations: Crum 1984. Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: Patrick's Point, *Tracy 4363* (UC) and shore of Lake Prairie, *Norris 50412*; Mendocino Co.: Albion-Little River Road south of Mendocino County Airport Landing Strip, *Bourell 3616* (CAS), County Road 409, 2.5 miles east of Highway 1, Jackson State Forest, *Smith 84* (UC) and Pygmy Forest along Summers Road east of Fort Bragg, *Norris 23444* and Pygmy Cypress Forest, *Andrus 7416* (MO) [determined by Andrus].

Sphagnum palustre Linnaeus [Sphagnaceae]

Literature: Crum and Anderson 1981; Koch 1950a. As *Sphagnum cymbifolium* Lesquereux 1868.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Panther Flats Campground, Highway 199, *Thiers 37568* (SFSU) [determined by Andrus]; Humboldt Co.: Big Lagoon, *Tracy 6770* (MO, UC) and *Norris 46066*; Mendocino Co.: Albion-Little River Road south of Mendocino County Airport landing airstrip, *Bourell 2077* (CAS) and Pygmy Cypress Forest along Summers Road east of Fort Bragg, *Norris 23441* and Pygmy Cypress Forest, *Andrus 7415* (MO) [determined by Andrus].

*Sphagnum papillosum Lindberg [Sphagnaceae]

Illustrations: Crum 1984; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Mendocino Co.: about 2.5 miles east of Noyo, *Bacigalupi 6505* (MO, UC), Pygmy Cypress Forest about 5 miles east of Albion, *Norris 11798* and Summers Road east of Fort Bragg, *Norris 23460*, near Fort Bragg, Mitchell Creek, *Thiers 39464* (SFSU) (determined by Andrus) and Pygmy Cypress Forest Preseve, Jackson State Forest, *Showers 3260* (SFSU) [determined by Andrus; Crum].

*Sphagnum platyphyllum (Lindberg) Warnstorf [Sphagnaceae]

Illustrations: Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Mendocino Co.?: CA occurrence not specified, *Bolander s.n.* (UC) [determined by Andrus]; undetermined county: *James 70* (NY) [determined by Andrus].

*Sphagnum quinquefarium (Lindberg in Braithwaite) Warnstorf [Sphagnaceae]

Illustrations: Crum 1984; Crum and Snider 1977; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Mendocino Co.: Pygmy Cypress Forest, 0.5 mile south of Casper east of Highway 1, *Tavares & Sharsmith 729 & 731* (UC), County Road 409, about 1 mile east of Highway 1 south of Fort Bragg, *Norris 11755* (determined by Andrus).

*Sphagnum russowii Warnstorf [Sphagnaceae]

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: Fresno Co.: headwaters of Blue Canyon Creek, Kings Canyon National Park, *York 1478* (CAS) [determined by Crum]; Mendocino Co.: Pygmy Cypress Forest along Summers Road east of Fort Bragg, *Norris 23461* (determined by Andrus); Mono Co.: one mile east of Tioga Pass, Inyo National Forest, *J.T. Howell s.n.* (CAS) and *Norris 48364* (determined by Andrus); Tuolumne Co.: Cathedral Lake, Yosemite National Park, *Sharsmith 2196* (UC) [determined by Andrus].

Sphagnum squarrosum Crome in Hoppe [Sphagnaceae]

Literature: Flowers 1973; Crum and Anderson 1981; Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; Showers 1982; Warnstorf 1890.

Illustrations: Crum 1984; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: NW, SN, SNE.

Selected specimens: El Dorado Co.: Grass Lake along Highway 89 west of Luther Pass, Eldorado National Forest, Norris 71320; Humboldt Co.: Mill Creek off of Azalea Avenue, McKinleyville, DeMartini s.n. (UC) [determined by Andrus]; Mariposa Co.: in spray of Vernal Falls, Merced River, Yosemite National Park, *Eastwood 339* (CAS, MO) [determined by Andrus]; Mono Co.: Junction Campground at road junction to Saddlebag Lake, Inyo National Forest, Shevock 13781 & 13783 (determined by Crum); Siskiyou Co.: Mud Spring, Middle Creek, Wheeler 3042 (CAS, DUKE, UC) [determined by Shaw]; Tulare Co.: Ranger Lakes below Silliman Pass, Kings Canyon National Park, Norris 46599; Tuolumne Co.: Mt. Dana, Yosemite National Park, Bolander s.n. (UC) [determined by Andrus].

Sphagnum strictum Sullivant [Sphagnaceae]

Literature: Crum 1997.

Illustrations: Crum 1984; Crum and Anderson 1981; Ireland 1982; Sharp et al. 1994; Smith 1978. **Geographic subdivisions:** SN.

Selected specimens: Fresno Co.: outlet of first Dinkey Lake, Dinkey Lakes Wilderness, Sierra National Forest, *Shevock & York 13885* (determined by Crum).

Sphagnum subnitens Russow & Warnstorf [Sphagnaceae]

Literature: Crum and Anderson 1981. As *Sphagnum plumulosum* Koch 1950a.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Smith 1978.

Geographic subdivisions: NW, SN.

Selected specimens: Fresno Co.: just north of Potter Pass, Kaiser Wilderness, Sierra National Forest, Shevock 21025 and near Charlotte Lake, Kings Canyon National Park, Aken & Munnecke s.n. (CAS, DUKE) [determined by Shaw]; Humboldt Co.: Big Lagoon County Park, Norris 48315 (determined by Andrus) and Lake Prairie, Norris 50411; undetermined county: Bolander 211 (NY) [determined by Andrus; Warnstorf].

Sphagnum subsecundum Nees in Sturm [Sphagnaceae]

Literature: Crum and Anderson 1981; Koch 1950a; Lesquereux 1868; McGrew 1976; Showers 1982; Watson 1880.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: El Dorado Co.: Grass Lake near Luther Pass, Eldorado National Forest, *Bourell 674* (CAS) [determined by Andrus]; Humboldt Co.: Snow Camp Lake, *Norris 50380*; Mariposa Co.: Glacier Point Road at Summit Meadow west of Bridalveil Creek, Yosemite National Park, *Shevock & Norris 20184* (determined by Shaw); Siskiyou Co.: Sugar Lake west of Callahan, Klamath National Forest, *Norris 57375*; Tulare Co.: below Heather Lake, Sequoia National Park, *Shevock 16496* (determined by Crum); Tuolumne Co.: Tiltill Valley, Rancheria Mountain Trail above Hetch Hetchy, Yosemite National Park, *Mason 12067* (UC) [determined by Andrus].

Sphagnum teres (W. P. Schimper) Ångström in C. J. Hartman [Sphagnaceae]

Literature: Crum and Anderson 1981; Koch 1949a, 1950a; Showers 1982. As *Sphagnum squarrosulum* Lesquereux 1868.

Illustrations: Crum 1984; Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Smith 1978.

Geographic subdivisions: CaR, SN.

Selected specimens: El Dorado Co.: Grass Lake south of Lake Tahoe along Highway 89, Eldorado National Forest, *Stebbins 2315* (UC), *Thorne & Tilforth 39307* (MO, UC), *Norris 71310* and *Andrus 3031 & 7429* (MO) [determined by Andrus]; Nevada Co.: Willow Spring, 2.5 miles west of west end Bowman Lake and 1 mile south of road to

Graniteville, Tahoe National Forest, *Thorne, De-Buhr, & Tilforth 42276* (MO); Placer Co.: Osgood Swamp, *Andrus 7434* (MO, NY); Plumas Co.: Willow Lake Botanical Area, Lassen National Forest, *Shevock & Corbin 12229* and *Austin 370* (UC) [determined by Andrus]; Siskiyou Co.: south side of Mt. Shasta, *H. E. Brown 659* (NY) [determined by Andrus].

Sphagnum warnstorfii Russow [Sphagnaceae]

Literature: Andrus 1979.

Illustrations: Crum 1984; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982.

Geographic subdivisions: SN.

Selected specimens: Fresno Co.: near Bench Lake, Kings Canyon National Park, *Raven s.n.* (CAS, MO) [determined by Blomquist].

Steerecleus serrulatus (Hedwig) H. Robinson [Brachytheciaceae]

Literature: As *Eurhynchium serrulatum* Spjut 1971.

Illustrations: As *Rhynchostegium serrulatum* Buck 1998; Sharp et al. 1994.

Geographic subdivisions: NW, SW.

Selected specimens: Humboldt Co.: Highway 96 at milepost 18.71 about 7 miles north of Hoopa, Norris 22290; Lake Co.: Bartlett Springs Road, Carmiggelt 52 (UC); Los Angeles Co.: Rubio Canyon, above Pasadena, Angeles National Forest, McClatchie s.n. (UC); Siskiyou Co.: about 1 mile west of Elk Lick, Norris 23276 and 4 miles west of Etna on road to Sawyers Bar, Norris & Hermann 22667; Trinity Co.: near Brown's Meadow, Norris 23170.

Stegonia hyalinotricha (Cardot & Thériot)
Zander [Pottiaceae]

Literature: As *Phascum hyalinotrichum* Cardot and Thériot 1904; Harthill et al. 1979; Koch 1950a; McCleary 1972; Stark and Whittemore 1992; Steere 1954.

Illustrations: Sharp et al. 1994; Zander 1993. **Geographic subdivisions:** CW, GV, MP, SN, SNE, SW.

Selected specimens: Inyo Co.: Big Pine Volcanic Field, BLM Crater Mountain Area of Critical Environmental Concern, west of Highway 395, Shevock & Newberry 16951; Kern Co.: Highway 65 near Poso Creek, Shevock & York 16905 and Highway 178, about 1 mile east of first dam, Kern River Canyon, Sequoia National Forest, Norris 80776; Lassen Co.: Highway 138, 3 miles north of Susanville, Norris 52786 & 52791, hillside above Johnsondale Dump Road southeast of Susanville, Norris 52831 & 52832; Riverside Co.: Santa Margarita Ecological Reserve, Kellman 1394 (CAS) [determined by Stark]; San Diego Co.: 0.25 mile west of San Vicente Reservoir, 3 miles north of Lakeside, Stark 578 (MO) and adjacent to and west of Henshaw Lake, Cleveland National Forest, Stark 636a (MO); San Luis Obispo Co.: Nacimiento River at Twin Bridges, Camp Roberts Military Reservation, *Norris 100960*; Santa Barbara Co.: Green Mountain, San Miguel Island, Channel Islands National Park, *Wheeler 8031* (CAS, UC).

*Stegonia latifolia (Schwägrichen in Schultes) Venturi ex Brotherus [Pottiaceae]

Illustrations: Ochyra 1998a; Zander 1993. As *Pottia latifolia* Lawton 1971.

Geographic subdivisions: CaR, MP, SN.

Selected specimens: Fresno Co.: near summit of Dogtooth Peak, Dinkey Lakes Wilderness, Sierra National Forest, *York 1217* (CAS); Lassen Co.: Highway 395 about 3 miles north of Litchfield at milepost 79.7, *Norris 22596*; Tehama Co.: Highway 36, 56 miles east of Shasta County line, *Norris 8745*.

Stegonia pilifera (Bridel) H. Crum & L. E. Anderson [Pottiaceae]

Literature: As *Stegonia latifolia* var. *pilifera* Crum 1957.

Illustrations: Flowers 1973. As *Pottia latifolia* var. *pilifera* Lawton 1971.

Geographic subdivisions: MP, SN, SNE.

Selected specimens: Fresno Co.: Mt. Barnard, Sierra National Forest, *Raven s.n.* (CAN, CAS) [determined by Crum]; Lassen Co.: Highway 395 about 3 miles north of Litchfield at milepost 79.7, *Norris 22597*; Modoc Co.: about 9 miles east of Cedarville, *Norris 47445*; Mono Co.: White Mountain Peak, White Mountains, Inyo National Forest, *York 2453* (CAS).

Straminergon stramineum (Dickson ex Bridel) Hedenäs [Campyliaceae]

Literature: As *Calliergon stramineum* Koch 1949a, 1950a, 1958; Showers 1982.

Illustrations: Flowers 1973; Hedenäs 1993a, 2003; Ireland 1982; Kanda 1978; Lawton 1971; Smith 1978

Geographic subdivisions: SN, SNE.

Selected specimens: El Dorado Co.: Grass Lake along Highway 89, Eldorado National Forest, *Norris 79044*; Fresno Co.: between Marvin Pass and Mitchell Peak trail junction, Jennie Lakes Wilderness, Sequoia National Forest, *Shevock 14558*; Inyo Co.: Treasure Lake, John Muir Wilderness, Inyo National Forest, *Norris 71563*, Hearst Lake Trail from Onion Valley, *Norris 46784* and Robinson Lake, Inyo National Forest, *Norris 46644*.

Syntrichia amplexa (Lesquereux) Zander [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Barbula amplexa* Brandegee 1891; Lawton 1971; Lesquereux 1868; Watson 1880. As *Tortula amplexa* Harthill et al. 1979; Koch 1950a; Koch and Ikenberry 1954; Toren 1977; Yurky 1990, 1995.

Illustrations: Lawton 1971; Smith 1978.

Geographic subdivisions: CW, NW.

Selected specimens: Humboldt Co.: about 1 mile east of Payton Ranch north of Blocksburg, *Norris* 48195; Lake Co.: east of Hell's Peak near Bachelor Valley, *Toren* 1049 (SFSU); Marin Co.: Angel Island State Park, *J.T. Howell s.n.* (CAS); Monterey Co.: Pacific Grove, Monterey, *M. Howe s.n.* (UC); San Francisco Co.: China Beach, Golden Gate National Recreation Area, *Shevock* 19270; Santa Cruz Co.: at beach, Rancho del Oso Division, Big Basin Redwoods State Park, *Kellman* 1214 (CAS); Sonoma Co.: near Petaluma, *Koch* 1319 (UC).

Syntrichia bartramii (W. C. Steere in Grout) Zander [Pottiaceae]

Literature: Kellman 2003. As *Tortula bartramii* Harpel 1980a; Harthill et al. 1979; Koch 1950a; Lawton 1971; Long 1978; McGrew 1976; Mishler 1978.

Illustrations: Lawton 1971; Sharp et al. 1994. **Geographic subdivisions:** CW, DMoj, MP, SNE, SW.

Selected specimens: Inyo Co.: Long Lake near Morgan Pass, John Muir Wilderness, Inyo National Forest, *Shevock 13818* and Rogers Peak near Hummingbird Spring, Death Valley National Park, *York & Davis 2703* (CAS); Lassen Co.: Highway 395 about 3 miles north of Litchfield at milepost 79.7, *Norris & Hermann 22598*; Riverside Co.: Marion Mountain Campground, San Jacinto Mountains, San Bernardino National Forest, *Harpel 31* (pers. herb.); San Luis Obispo Co.: Boy Scout Road, Camp Roberts Military Reservation, *Norris 100903*; Santa Cruz Co.: south of Eagle Rock near Bonny Doon, *Kellman 867* (BUF, CAS) [determined by Zander].

Syntrichia bolanderi (Lesquereux & T. P. James) Zander [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Barbula bolanderi* Bradshaw 1926; Brandegee 1891; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Watson 1880. As *Tortula bolanderi* Harthill et al. 1979; Howe 1896; Koch 1950a, 1951e; Koch and Ikenberry 1954; McCleary 1972; Mishler 1978; Steere 1954; Steere et al. 1954; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995.

Illustrations: Lawton 1971.

Geographic subdivisions: CW, NW, SN, SW.

Selected specimens: Lake Co.: road to Harbin Springs near Boggs Mountain, *Toren & Dearing* 7282 (CAS); San Luis Obispo Co.: Queen Bee Campground about 1 mile east of La Panza Summit, *Norris* 55177; Santa Cruz Co.: Laurel Road at Highway 17, *Kellman* 2650 (CAS); Sonoma Co.: Russian Gulch Creek about 0.25 mile from Highway 1, *Koch* 3505 (UC); Riverside Co.: South Fork San Jacinto River about 7 miles east of Hemet, *Norris* 58056; Tehama Co.: end of Buckhorn Road, Black Butte Recreation Area, *Norris & Piippo* 82391; Tulare Co.: Wishon Road at Dunn Fire

Trail, Sequoia National Forest, Norris, Shevock, & Barahona 87034.

Syntrichia caninervis Mitten [Pottiaceae]

Literature: As *Tortula bistratosa* Harpel 1980a; Harthill et al. 1979; Lawton 1971; Long 1978; Toren 1977.

Illustrations: Ignatov and Ignatova 2003; Lawton 1971.

Geographic subdivisions: DMoj, DSon, MP, NW, SNE.

Selected specimens: Inyo Co.: Forest Road 7S01, 0.4 mile from Highway 168 west of Bishop, Inyo National Forest, *Shevock 15252* and Emigrant Canyon Road at Aguereberry Point Road, Panamint Mountains, Death Valley National Park, *Shevock & Harpel 19055*; Kern Co.: Sand Canyon just off Highway 58, *Shevock 13236*; Lake Co.: Highway 20 east of Highway 53 junction at Grizzly Spring, *Toren 6821* (CAS) [determined by Mishler]; Lassen Co.: narrow canyon along Amedee Canyon north of Honey Lake, *Norris 80992*; Modoc Co.: about 9 miles east of Cedarville along Highway 299, *Norris 47460 & 47474*; San Bernardino Co.: Granite Mountains, Mojave National Preserve, Mojave Desert, *Norris, Shevock, & Barahona 87745*.

Syntrichia laevipila Bridel [Pottiaceae]

Literature: Kellman 2003. As Barbula laevipila Lesquereux 1868; Lesquereux and James 1884; Watson 1880. As Tortula laevipila Harpel 1980a; Harthill et al. 1979; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; McCleary 1972; Mishler 1978; Spjut 1971; Steere 1954; Steere et al. 1954; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999.

Illustrations: Lawton 1971; Smith 1978; Zander 1993.

Notes: Dr. Brent Mishler of U.C. Berkeley has pointed out (personal communication) that the California collections labeled as *Syntrichia laeviplila* differ in many respects from the type collection of the species (Europe). The California material upon further study may require a different circumscription. This will be addressed in the *Syntrichia* treatment for the Bryophyte Flora North America (BFNA).

Geographic subdivisions: CaR, CW, GV, NW, SN, SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris 87189*; Kern Co.: Bloomfield Ranch adjacent to South Fork Kern River, Kern Plateau, *Shevock 12126a*; Los Angeles Co.: West Fork San Gabriel River, San Gabriel Mountains, Angeles National Forest, *Harpel 2208* (pers. herb.); Mendocino Co.: Highway 101 at Cummings turnoff, *Norris 21631*; Modoc Co.: near Post Canyon north of Adin, *Norris 47410*; San Diego Co.: about 1 mile north of Cuyamaca State Park Headquarters, *Norris 50716*; Shasta Co.: Highway 299 at Crystal Creek, Whiskeytown National Recreation Area, *Norris & Hillyard 105423*;

Sutter Co.: Philip Road near junction with Fiddyment Road northwest of Roseville, *Norris* 103673 & 103796.

*Syntrichia laevipila Bridel var. meridionalis (W.P. Schimper) Juratzka [Pottiaceae]

Illustrations: Kellman 2003; As *Tortula laevipila* var. *meridionalis* Lawton 1971.

Geographic subdivisions: CW, NW.

Selected specimens: Lake Co.: Middletown City Park on valley oak, *Toren 7349* (CAS) and east shore Clear Lake at town of Nice, *Toren 7708* (CAS) [confirmed by Mishler]; Santa Cruz Co.: San Lorenzo Valley, Quail Hollow Ranch County Park, *Kellman 945* (CAS).

Syntrichia latifolia (Bruch ex C. J. Hartman) Hübener [Pottiaceae]

Literature: Jamieson 1969; Kellman 2003; Koch 1950a, 1951e; Lawton 1971; Shevock and Toren 2001; Toren 1977. As *Barbula latifolia* Lesquereux 1868; Lesquereux and James 1884; Watson 1880. **Illustrations:** Lawton 1971; Smith 1978.

Geographic subdivisions: CW, GV, MP, NW, SN. **Selected specimens:** Fresno Co.: Big Creek at Blue Canyon near Bretz Campground, Sierra National Forest, Norris, Shevock, & Barahona 87401; Mendocino Co.: East Side Road at Knight Hill along Russian River about 8 miles south of Ukiah, Norris 72652; Modoc Co.: Pin Creek Campground east of Likely, Norris 9436; San Francisco Co.: Lafayette Park, Shevock 19236; Santa Cruz Co.: north of Soda Lake near Chittendon, Kellman 921 (CAS); Shasta Co.: about 2.3 miles east of Anderson on road to Olinda, Norris 47625; Tehama Co.: Sacramento River at Woodson Bridge State Park, Norris 50423; Tulare Co.: Mineral King, slopes above Eagle Lake Creek just below Eagle Lake, Sequoia National Park, Shevock & O'Brien 15986.

Syntrichia norvegica Weber [Pottiaceae]

Literature: As *Tortula norvegica* Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Koch 1950a, 1951e; Lawton 1971; Long 1978; Showers 1982; Spjut 1971.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Sharp et al. 1994.

Geographic subdivisions: DMoj, NW, SN, SNE, SW.

Selected specimens: Alpine Co.; above Red Lake Creek, Toiyabe National Forest, *Norris 88128*; Humboldt Co.: road to Eight Mile Lookout about 1 mile west of South Fork Mountain Road, Six Rivers National Forest, *Norris 83873*; Kern Co.: Scodie Mountains about 1 mile west of Walker Pass off of Highway 178, *Norris, Shevock, & Barahona 87121*; Lake Co.: north cirque of Hull Mountain, Mendocino National Forest, *Toren & Dearing 7232* (CAS); San Diego Co.: Mesa Picnic Area, O'Neal Regional Park south of Lower Otay Reservoir, *Norris & Piippo 82173*; Tulare Co.: below Paradise

Ridge near Paradise Cave, Sequoia National Park, Shevock 14641.

Syntrichia obtusissima (C. Müller Hal.) Zander [Pottiaceae]

Literature: As *Tortula obtusissima* Harthill et al. 1979; Koch 1950a.

Illustrations: Sharp et al. 1994.

Geographic subdivisions: DMoj, DSon, SN, SNE, SW

Selected specimens: Kern Co.: Highway 178 below Walker Pass about 2 miles northwest of Cranebrake Creek, Scodie Mountains, *Kellman 1442* (CAS); Riverside Co.; Snakeye Springs, Indian Cove, Joshua Tree National Park, *Norris 57971 & 57999* and along Highway 74 at eastern boundary of San Bernardino National Forest below Bighorn Overlook, *Norris 57860*.

Syntrichia pagorum (Milde) Amann [Pottiaceae]

Literature: Shevock and Toren 2001. As *Tortula pagorum* Anderson 1943; Crum and Anderson 1981; Harpel 1980a; Kellman 2003; Koch 1949a, 1950a; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Sharp et al. 1994; Stone 1971; Zander 1993.

Geographic subdivisions: CaR, CW, GV, NW, SW. Selected specimens: Alameda Co.: University of California Berkeley Campus, *Thornburg s.n.* (UC); Butte Co.: City Square of Gridley, *Norris 52539*; Riverside Co.: Soboba Indian Reservation, San Jacinto Mountains, *Harpel 1348* (pers. herb.); Sacramento Co.: Capitol Park at 15th and L Street, Sacramento, *Shevock 12582*; San Francisco Co.: Panhandle, Golden Gate Park, *Toren 7799* (CAS) and Alamo Square, *Shevock 18910*; Santa Cruz Co.: Zayante Trail, Henry Cowell Redwoods State Park, *Kellman 641* (UC); San Luis Obispo Co.: Tower Road near west end of Camp Roberts Military Reservation, *Norris 100876*; Tehama Co.: Black Butte Reservoir, *Norris 50444*.

Syntrichia papillosa (Wilson in Spruce) Juratzka [Pottiaceae]

Literature: Crum and Anderson 1981; Harthill et al. 1979; Kellman 2003; Koch 1950a; Schnooberger 1942; Shevock and Toren 2001.

Illustrations: Crum and Anderson 1981; Ireland 1982; Schnooberger 1942; Sharp et al. 1994; Zander 1993.

Geographic subdivisions: CW, NW, SW.

Selected specimens: Alameda Co.: University of California Berkeley campus, *Shevock & Norris* 24478; Lake Co.: Highway 175 at Middletown, *Toren 7250* (CAS); San Bernardino Co.: Meadowbrook City Park, City of San Bernardino, *Harpel 785* (pers. herb.); San Francisco Co.: Lafayette Park, *Shevock 19251*; Santa Cruz Co.: near Eagle Rock, *Kellman 869* (CAS).

*Syntrichia papillosissima (Coppey) Loeske [Pottiaceae]

Illustrations: As *Tortula papillosissima* Flowers 1953, 1973; Lawton 1971; Sharp et al. 1994. As *Tortula ruralis* var. *hirsuta* Harpel 1980a. See also Bizot 1954, 1965.

Geographic subdivisions: CaR, CW, MP, SN, SW. Selected specimens: Fresno Co.: canyon west of Boyden Cave, Monarch Wilderness, South Fork Kings River, Sequoia National Forest, Shevock & York 12338; Lassen Co.: slopes of Shaffer Mountain north of Honey Lake, Norris 76305; Mariposa Co.: Yosemite Valley, Yosemite National Park, Kellman 521 (CAS); Monterey Co.: along Arroyo Seco Creek about 4 miles west of Greenfield, Norris 48504; Modoc Co.: along Pepperdine Trail, South Warner Wilderness, Modoc National Forest, Sanger s.n. (UC); San Diego Co.: about 1 mile north of Cuyamaca State Park Headquarters, Norris 50715; Siskiyou Co.: Shasta River about 2 miles south of junction with Klamath River, Norris 102954.

Syntrichia princeps (De Notaris) Mitten [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Barbula muelleri* Lesquereux 1868; Sullivant 1856; Watson 1880. As *Tortula princeps* Bourell 1981; Bradshaw 1926; Cooke 1941; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; Long 1978; McCleary 1972; McGrew 1976; Mishler 1978; Showers 1982; Sigal 1975; Spjut 1971; Steere et al. 1954; Strid 1974; Thomson and Ketchledge 1958; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SN, SW.

Selected specimens: Fresno Co.: Horseshoe Bend along Highway 180, South Fork Kings River, Sequoia National Forest, *Shevock & York 12324*; Lake Co.: Clear Lake State Park, *Norris 47718*; Orange Co.: Upper Trabuco Canyon, Santa Ana Mountains, Cleveland National Forest, *Shevock 3989 & 3993*; Placer Co.: about 1 mile below Drum Powerhouse, *Norris 82001*; San Mateo Co.: Flume Trail near Boulder Creek Bridge just north of Woodside, *Whittemore 4406* (UC).

Syntrichia ruralis (Hedwig) Weber & D. Mohr [Pottiaceae]

Literature: Shevock and Toren 2001. As *Barbula ruralis* Sullivant 1856. As *Tortula intermedia* Holmberg 1969; Koch 1950a; Koch and Ikenberry 1954; Sayre 1940; Sigal 1975; Spjut 1971; Steere 1954. As *Tortula ruraliformis* Koch 1950a. As *Tortula ruralis* Bourell 1981; Bradshaw 1926; Coville 1893; Crum and Anderson 1981; Harpel 1980a;

Harthill et al. 1979; Jamieson 1969; Kingman 1912; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Lesquereux and James 1884; Long 1978; McCleary 1972; McGrew 1976; Mishler 1978; Showers 1982; Spjut 1971; Strid 1974; Toren 1977; Yurky 1990, 1995. As *Tortula ruralis* var. *crinita* Harpel 1980a; Mishler 1978. As *Tortula montana* Howe 1897; Millspaugh and Nuttall 1923.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CaR, CW, DMoj, DSon, MP, NW, SN, SNE, SW.

Selected specimens: Kern Co.: Kelso Creek Road about 2 miles south of Bird Springs Pass junction, *Shevock 14883*; Los Angeles Co.: between Black Jack Campground and Orizaba Mountain, Santa Catalina Island, *Shevock & Thorne 4035*; San Bernardino Co.: Granite Mountains, Mojave National Preserve, *Norris, Shevock, & Barahona 87762*; San Diego Co.: Old Highway Road near Bankhead Springs, *Norris & Piippo 82116*; San Mateo Co.: Lake Pilarcitos, *Koch 3371* (UC); Shasta Co.: Coffee Creek at East Fork Coffee Creek, *Norris & Hermann 22585*.

Tetraphis pellucida Hedwig [Tetraphidaceae]

Literature: Ireland 1982; Jamieson 1969; Koch 1950a; Lawton 1971; Lesquereux 1868; Smith 1970; Spjut 1971; Watson 1880; Weber and Simone 1977.

Illustrations: Abramov and Volkova 1998; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: NW, MP.

Selected specimens: Del Norte Co.: Smith River, Jedediah Smith State Park, Norris 67354 and along Highway 299 about 2 miles west of campgound, Norris 85075; Humboldt Co.: Prairie Creek Redwoods State Park, Jamieson 286 (UC); Mendocino Co.: County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, Norris 11714; Modoc Co.: Upper Rush Creek Campground about 8 miles north of Adin on Highway 299, Norris, Nelson, & Dowty 19448; Siskiyou Co.: between Tickner Creek and Blue Granite Lake, Klamath National Forest, Norris 52278.

Thamnobryum neckeroides (W. J. Hooker) E. Lawton [Neckeraceae]

Literature: As *Thamnobryum leibergii* Spjut 1971. **Illustrations:** Lawton 1971.

Geographic subdivisions: NW.

Selected specimens: Humboldt Co.: Tish-Tang-a-Tang Creek near Grogans Hole, Six Rivers National Forest, *Norris 47727*; Siskiyou Co.: about 1 mile east of Copper Butte, Klamath National Forest, *Norris 50236* and Haypress Meadows, Marble Mountain Wilderness, Klamath National Forest, *Norris 12390*; Tehama Co.: Beegum Basin, north

slope of North Yolla Bolly Mountain, Shasta-Trinity National Forest, *Norris* 57040.

Timmia austriaca Hedwig [Timmiaceae]

Literature: Brassard 1980; Crum and Anderson 1981; Holmberg 1969; Lawton 1971; Miller and Ireland 1978; Showers 1982; Spjut 1971.

Illustrations: Brassard 1979, 1980; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Mastracci 1993; Miller and Ireland 1978; Smith 1978.

Geographic subdivisions: CaR, NW.

Selected specimens: Del Norte Co.: Packsaddle Creek, Norris 52727 and South Siskiyou Fork below Prescott Cabin, Six Rivers National Forest, Norris 47923; Humboldt Co.: South Fork Tish-Tang-a-Tang Creek east of Hoopa, Norris & Whittemore 52386; Shasta Co.: Chaos Crags, Lassen Volcanic National Park, Showers 3739 (SFSU); Siskiyou Co.: Sugar Creek just east of Eaton Peak, Trinity Alps, Klamath National Forest, Spjut, Norris, & J. Koponen 6265 (UC), Salmon River near Big Flat, Norris 9183 and above Applegate River on road toward Cook and Green Pass, Rogue River National Forest, Shevock & Toren 20121.

Timmia bavarica Hessler [Timmiaceae]

Literature: As *Timmia megapolitana* var. *bavarica* Crum and Anderson 1981.

Illustrations: Brassard 1979; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Mastracci 1993; Sharp et al. 1994.

Geographic subdivisions: DMoj, SNE.

Selected specimens: Inyo Co.: Methuselah Trail, Schulman Grove, Ancient Bristlecone Pine Forest Botanical Area, White Mountains, Inyo National Forest, *Norris* 46837 & 46852 and Mt. Birch, John Muir Wilderness, Inyo National Forest, *Laeger* 188 (CAS); San Bernardino Co.: summit of Kingston Peak, BLM Kingston Wilderness, Mojave Desert, *Laeger* & Bogan 1762 (CAS) [determined by Brassard].

Timmiella anomala (Bruch in W. P. Schimper) Limpricht [Pottiaceae]

Literature: Harthill et al. 1979; Koch 1950a; Long 1978; McCleary 1972; Shevock and Toren 2001; Showers 1982. As *Trichostomum anomalum* Brandegee 1891; Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Allen 2002; Crum and Anderson 1981; Sharp et al. 1994; Zander 1993.

Geographic subdivisions: CW, SN, SW.

Selected specimens: El Dorado Co.: Highway 193 at Garden Valley Road, *Norris & Piippo 82308*; Fresno Co.: Spanish Mountain Jeep Road, Sierra National Forest, *Shevock & York 12402*; Monterey Co.: Salmon Creek Trail, Santa Lucia Range, Los Padres National Forest, *Norris 68227*; Riverside Co.: Ortega Oaks Campground, Cleveland National Forest, *Norris 58105 & 58130*; San Diego Co.: Flinn Springs County Park, *Norris 50669* and Mir-

amar Road near Miramar Air Station, *Norris* 50694; San Francisco Co.: Bernal Heights Park, *Shevock* 19258.

Timmiella crassinervis (Hampe) L. Koch [Pottiaceae]

Literature: Bourell 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Long 1978; Mishler 1978; Shevock and Toren 2001; Smith 1970; Strid 1974; Whittemore and Sommers 1999; Yurky 1990, 1995. As Timmiella flexiseta Kingman 1912. As Timmiella vancouveriensis Kingman 1912; Steere 1954; Steere et al. 1954. As Trichostomum flavo-virens var. crassinerve Lesquereux and James 1884. As Trichostomum flexipes Brandegee 1891; Lesquereux 1868; Lesquereux and James 1884; Sullivant 1856; Watson 1880.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, CW, NW, SN. **Selected specimens:** Butte Co.: Big Chico Creek, Upper Bidwell Park, Chico, Janeway 5514 (MO); Del Norte Co.: Smith River about 16 miles east of Gasquet along Highway 199, Six Rivers National Forest, Norris 8879; Lake Co.: Highway 53 about 1 mile south of Highway 20, Norris 47699; Madera Co.: Highway 41 at intersection of North Fork Road, Norris 51036; San Francisco Co.: McLaren Park, Shevock 19139; San Luis Obispo Co.: Foxen Canyon Road about 8 miles north of Los Olivos, Norris 68178; Santa Cruz Co.: Forest of Nisene Marks State Park, Kellman 212 (CAS); Siskiyou Co.: near Bear Lake, Norris 24193; Tulare Co.: Belknap Grove near Camp Nelson, Sequoia National Forest, Norris 50909.

*Tortella alpicola Dixon [Pottiaceae]

Illustrations: As *Tortella tortelloides* Eckel 1991. See Eckel (1997a) for discussion on this species.

Geographic subdivisions: NW.

Selected specimens: Lake Co.: canyon below Forest Road M-3 at Low Gap, Mendocino National Forest, *Shevock, Bourell, & Toren 15866* [determined by Eckel] and *Toren, Dearing, & Shevock 7714* (CAS).

*Tortella fragilis (W. J. Hooker & Wilson in Drummond) Limpricht [Pottiaceae]

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Eckel 1991; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Saito 1975; Smith 1978; Zander 1993.

Geographic subdivisions: SN, SNE.

Selected specimens: Inyo Co.: above Robinson Lake south of Onion Valley, Inyo National Forest, *Norris 46659* and east of Dragon Peak and north of Golden Trout Lake near Onion Valley, John Muir Wilderness, Inyo National Forest, *Norris 46748* (confirmed by Eckel); Mono Co.: above Robinson Lake on trail to Barney Lake southeast of Twin Lakes, Toiyabe National Forest, *Norris 99649*.

Tortella tortuosa (Hedwig) Limpricht [Pottiaceae]

Literature: Spjut 1971.

Illustrations: Abramov and Volkova 1998; Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Smith 1978; Zander 1993.

Geographic subdivisions: CaR, NW, SNE.

Selected specimens: Alpine Co.: Noble Canyon Trail near junction with Pacific Crest Trail, Toiyabe National Forest, *Norris 99691*; Fresno Co.: canyon above Boyden Cave, Monarch Wilderness, Sequoia National Forest, *Shevock & York 13617*; Mono Co.: Convict Creek above Convict Lake, Inyo National Forest, *Shevock 13792*; Shasta Co.: Fall Creek Road about 1 mile southeast of McCloud Bridge at Shasta Lake, Shasta-Trinity National Forest, *Norris 84880* and Highway 299 at Oak Run Road, *Norris 80315 & 80336*; Siskiyou Co.: near Echo Lake north of Red Butte about 5 air miles north of Seiad Valley, Klamath National Forest, *Spjut 1057* (UC) and *Norris 57607*.

Tortula atrovirens (J. E. Smith) Lindberg [Pottiaceae]

Literature: Kellman 2003; Millspaugh and Nuttall 1923; Shevock and Toren 2001. As Barbula atrovirens Watson 1880. As Desmatodon californicus Lesquereux 1868. As Desmatodon convolutus Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a; Koch and Ikenberry 1954; McCleary 1972; Sayre 1940; Sigal 1975; Spjut 1971; Steere 1954; Toren 1977; Yurky 1990, 1995. As Desmatodon nervosus Kingman 1912. As Desmatodon nervosus var. edentulus Brandegee 1891; Lesquereux 1868; Lesquereux and James 1884.

Illustrations: Flowers 1973; Smith 1978; Zander 1993.

Geographic subdivisions: CW, DMoj, DSon, SN, SW.

Selected specimens: Imperial Co.: about 2 miles east of Mountain Springs County Park, Colorado Desert, Norris & Piippo 82087 (determined by Delgadillo); Inyo Co.: mouth of Grapevine Canyon, Death Valley National Park, Norris 10217a (determined by Crum); Kern Co.: Highway 178, Lower Kern River Canyon at Richbar, Sequoia National Forest, Shevock & Tan 13035; Lake Co.: Hell's Peak, Toren 649 (SFSU, UC); Orange Co.: Mojeska Canyon near Tucker Bird Sanctuary, Cleveland National Forest, Shevock 4001; San Luis Obispo Co.: Highway 166 at Clear Creek, Los Padres National Forest, Norris 80633 (determined by Delgadillo); Santa Barbara Co.: Windmill Canyon, Santa Rosa Island, Channel Islands National Park, Shevock 20766 (determined by Delgadillo).

Tortula brevipes (Lesquereux) Brotherus [Pottiaceae]

Literature: Flowers 1973; Harpel 1980a; Harthill et al. 1979; Kingman 1912; Koch 1950a; Koch and

Ikenberry 1954; Lawton 1971; McCleary 1972; Mishler 1978; Shevock and Toren 2001; Steere 1954; Toren 1977. As *Barbula brevipes* Brandegee 1981; Lesquereux 1868; Watson 1880. As *Barbula macrotricha* Cardot and Thériot 1904.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CW, DMoj, DSon, GV, MP, NW, SN.

Selected specimens: Alameda Co.: on concrete retaining wall, Berkeley, *Cook 1* (UC); Colusa Co.: Highway 20 at milepost 74, *Norris 52511*; Imperial Co.: about 2 miles east of Mountain Springs County Park, *Norris & Piippo 82106*; Lake Co.: Highway 20 at New Long Valley Road, *Toren 7301* (CAS); Modoc Co.: vicinity of Hot Springs north of Middle Alkali Lake northeast of Cedarville, *Norris 47483*; Tulare Co.: north of Three Rivers just below Sequoia National Park boundary, *Shevock & Morosco 16765*.

Tortula californica E. B. Bartram [Pottiaceae]

Literature: Bartram 1945; Harthill et al. 1979; Koch 1950a; McCleary 1972; Steere 1954.

Illustrations: Bartram 1945; Sharp et al. 1994. **Geographic subdivisions:** CW, GV, MP, SW.

Selected specimens: Kern Co.: Hart Park east of Bakersfield, *Norris* 50749; Modoc Co.: about 9 miles east of Cedarville along Highway 299, *Norris* 47462; Monterey Co.: Highway 1 near milepost 65.02, Garrapata State Park, *Kellman* 2954 (CAS); Riverside Co.: Lower Decker Canyon, Elsinore Mountains, *Fosberg* 307 (LAM); San Diego Co.: Santa Margarita Ecological Reserve, between Temecula and Fallbrook, *Kellman* 1392 (CAS) [determined by Mishler]; Santa Barbara Co.: Cherry Canyon, Santa Rosa Island, Channel Islands National Park, *Shevock* 20913.

Tortula euryphylla Zander [Pottiaceae]

Literature: As Desmatodon latifolius Harthill et al. 1979; Koch 1950a, 1951e; Lawton 1971; Lesquereux 1868; McGrew 1976; Mishler 1978; Showers 1982; Spjut 1971; Strid 1974. As Desmatodon latifolius var. muticus Koch 1958; Lesquereux 1868; Watson 1880.

Illustrations: Ignatov and Ignatova 2003. As *Desmatodon latifolius* Crum and Anderson 1981.

Geographic subdivisions: CaR, NW, SN, SNE. Selected specimens: Inyo Co.: Chocolate Lake west of Big Pine, John Muir Wilderness, Inyo National Forest, *Norris 46898* and Horseshoe Meadows Road near Little Cottonwood Creek, Inyo National Forest, *Shevock & Ng 17593*; Siskiyou Co.: Big Duck Lake, Klamath National Forest, *Norris 23356*; Tulare Co.: Mineral King on trail to Sawtooth Pass, Sequoia National Park, *Shevock & O'Brien 16032*.

Tortula guepinii (Bruch & W. P. Schimper) Brotherus [Pottiaceae]

Literature: As *Barbula guepini* Watson 1880. As *Desmatodon guepinii* Harthill et al. 1979; Kingman

1912; Koch 1950a; Koch and Ikenberry 1954; Lesquereux 1868; Lesquereux and James 1884; McCleary 1972; Millspaugh and Nuttall 1923; Steere 1954; Toren 1977; Whittemore and Sommers 1999. Illustrations: Sharp et al. 1994.

Geographic subdivisions: CW, DSon, NW, SN, SW.

Selected specimens: Alameda Co.: Oakland, Bolander 47 (UC); Contra Costa Co.: Pine Canyon near Castle Rocks, Mt. Diablo State Park, Norris 100793; Kern Co.: Highway 178 about 0.7 mile east of Chimney Peak Road, Shevock & Tan 13073; Lake Co.: Manning Creek, Highway 175 about 4 miles west of Lakeport, Toren, Bourell, Dearing, & Shevock 6997 (CAS); San Benito Co.: Logs Path from Park Headquarters to High Peaks, Pinnacles National Monument, Koch 3720 (UC); San Diego Co.: Bow Willow Canyon Campground, Anza Borrego State Park, Norris 77742; Siskiyou Co.: Highway 96 about 2 miles from Fort Goff, Norris 72263; Tulare Co.: trail to waterfall near Stevenson Gulch, Middle Fork Tule River, Sequoia National Forest, Shevock & Tan 13108.

Tortula inermis Bridel [Pottiaceae]

Literature: Coville 1893; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Koch 1950a; Lawton 1971; Long 1978; Mishler 1978; Strid 1974; Werger and During 1989. As *Barbula inermis* Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: Flowers 1973; Lawton 1971; Sharp et al. 1994.

Geographic subdivisions: CW, DMoj, DSon, GV, NW, SN, SNE, SW.

Selected specimens: Fresno Co.: Warthan Creek about 7 miles west-southwest of Coalinga, *Norris 55128*; Kern Co.: Erskine Creek Canyon about halfway between Lake Isabella Blvd. and Liebel Ranch, Piute Mountains, *Shevock 13358*; Lake Co.: Mt. Konocti, shore of Clear Lake at Soda Bay, *Toren 7167* (CAS) [determined by Mishler]; Riverside Co.: between Key Ranch and Barker Dam, Joshua Tree National Park, Mojave Desert, *Norris 50523*; Tehama Co.: end of Buckhorn Road, Black Butte Recreation Area, *Norris & Piippo 82373*; Trinity Co.: Swede Rock along Trinity River, Shasta-Trinity National Forest, *Norris 51102*.

*Tortula leucostoma (R. Brown) W. J. Hooker & Greville [Pottiaceae]

Illustrations: As *Desmatodon leucostoma* Lawton 1971.

Geographic subdivisions: CaR, MP.

Selected specimens: Modoc Co.: Highway 139 at Biles Road about 13 miles northwest of Canby, *Norris 70480*; Tehama Co.: Howard Creek trail about 1 mile east of Highway 299, *Norris 55496* and Highway 36 east of Red Bluff at Mile Creek, *Norris 21243*.

Tortula mucronifolia Schwägrichen [Pottiaceae]

Literature: Harpel 1980a; Harthill et al. 1979; Koch 1950a; Showers 1982; Strid 1974; Toren 1977.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971; Sharp et al. 1994; Zander 1993.

Geographic subdivisions: CaR, MP, NW, SN, SW. Selected specimens: Modoc Co.: along Highway 299 about 2 miles east of Middle Lake, *Norris 70424*; Riverside Co.: road below Pine Cove, San Jacinto Mountains, San Bernardino National Forest, *Harpel 1237* (pers. herb.); Trinity Co.: Highway 299 about 4 miles west of Weaverville, *Norris 73507*; Tulare Co.: John Muir Trail at Wallace Creek, Sequoia National Park, *Peterson 34* (UC).

Tortula muralis Hedwig [Pottiaceae]

Literature: Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Howe 1896; Kellman 2003; Kingman 1912; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Shevock and Toren 2001; Showers 1982; Steere et al. 1954; Toren 1977; Yurky 1990, 1995.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Lawton 1971; Smith 1978.

Geographic subdivisions: CaR, CW, MP, NW, SW. Selected specimens: Humboldt Co.: on brick of house, Lewis Avenue and 11th Street, Arcata, *Norris* 8295; Lassen Co.: Highway 139 about 16 miles south of Adin, *Norris* 21459; Modoc Co.: vicinity of Hot Spring north of Middle Alkali Lake northeast of Cedarville, *Norris* 47506; Riverside Co.: Forest Road 5S09 along tributary of Stone Creek, San Jacinto Mountains, San Bernardino National Forest, *Harpel* 1189 (pers. herb.); San Francisco Co.: Golden Gate Park, San Francisco, *Shevock* 18904; Shasta Co.: along County Road A17 at intersection to Black Butte. *Norris* 23751.

Tortula obtusifolia (Schwägrichen) Mathieu [Pottiaceae]

Literature: Kellman 2003; Shevock and Toren 2001. As *Desmatodon avenaceus* Kingman 1912. As *Desmatodon obtusifolius* Crum and Anderson 1981; Flowers 1973; Koch 1950a; Lesquereux and James 1884; Showers 1982.

Illustrations: Crum and Anderson 1981; Flowers 1973; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Geographic subdivisions: CaR, CW, GV, NW, SN, SNE.

Selected specimens: Contra Costa Co.: Pine Canyon, Mt. Diablo State Park, *Norris 100788*; Inyo Co.: above Treasure Lake west of Big Pine, Inyo National Forest, *Norris 46972*; Lake Co.: Manning Creek, Highway 175 about 4 miles west of Lakeport, *Toren, Bourell, Dearing, & Shevock 6998* (CAS); Monterey Co.: bluffs at the Pinnacles, Hunter-Liggett Military Reservation, *Norris 87313*;

Shasta Co.: Interstate 5 about 3 miles north of Tehama County line, *Norris* 48221; Tehama Co.: Highway 36 about 5 miles northeast of Red Bluff, *Norris* 48078; Tulare Co.: Bear Creek Road north of Scicon, Sequoia National Forest, *Shevock* 3971.

Tortula plinthobia (Sullivant & Lesquereux in A. Gray) Brotherus [Pottiaceae]

Literature: Shevock and Toren 2001. As *Desmatodon plinthobius* Harpel 1980a; Harthill et al. 1979; Kingman 1912.

Illustrations: As *Desmatodon plinthobius* Crum and Anderson 1981; Flowers 1973.

Geographic subdivisions: CW, DMoj, MP, SW. Selected specimens: Modoc Co.: Highway 299 about 2 miles east of Middle Lake, *Norris 70423*; Riverside Co.: Snow Creek Canyon, Desert Water Agency, *Harpel 1160* (pers. herb.); San Francisco Co.: Third Street and Burke Street, San Francisco, *Shevock 20206*; San Luis Obispo Co.: Highway 58 about 1 mile east of La Panza Ranch, Los Padres National Forest, *Norris 76290*.

Tortula protobryoides Zander [Pottiaceae]

Literature: As *Pottia bryoides* Harthill et al. 1979; Koch 1950a; Lesquereux 1868; McCleary 1972; Steere 1954. As *Mildeella bryoides* Howe 1897.

Illustrations: Arts 1987; Ignatov and Ignatova 2003; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, NW, SW.

Selected specimens: Alameda Co.: Brushy Peak northeast of Livermore, *Norris* 87174; Lake Co.: Highway 53 about 1 mile south of Highway 20, *Norris* 47705; Los Angeles Co.: San Gabriel Canyon, *MacFadden* 16879 (MO), La Tuna Canyon, Verdugo Hills, *MacFadden* 8115 (MO), and San Clemente Island, *Wheeler* 8088 (CAS, UC); Monterey Co.: Sam Jones Road about 1 km east of Piojo Airstrip, Hunter-Liggett Military Reservation, *Norris* 87264; Riverside Co.: Santa Margarita River, *Kellman* 1379a (CAS) [determined by Stark]; San Diego Co.: San Vicente Dam about 3 miles north of Lakeside, *Stark* 692 (MO).

Tortula subulata Hedwig [Pottiaceae]

Literature: Harthill et al. 1979; Holmberg 1969; Kellman 2003; Koch 1950a, 1951e; Koch and Ikenberry 1954; Lawton 1971; Mishler 1978; Showers 1982; Spjut 1971; Steere et al. 1954; Toren 1977. As *Barbula subulata* Lesquereux 1868; Watson 1880. As *Tortula angustata* Howe 1897.

Illustrations: Ignatov and Ignatova 2003; Lawton 1971; Smith 1978; Zander 1993.

Geographic subdivisions: CaR, CW, MP, NW, SN. Selected specimens: Lake Co.: Cobb Mountain east of Geyser Rock, *Toren & Dearing 7085* (CAS); Mariposa Co.: Summit Road about 2 miles north of Fish Camp, Sierra National Forest, *Norris 85353*; Modoc Co.: Highway 89 at Bear Creek, *Norris 77940*; Santa Cruz Co.: Eagle Rock, *Kellman 886* (CAS); Shasta Co.: Lost Creek near Boundary Spring, Lassen Volcanic National Park,

Showers 2220 (UC); Siskiyou Co.: about 1 mile east of Copper Butte, Norris 50243; Tehama Co.; South Fork Beegum Creek about 1.5 miles west of Rat Trap Gap, Norris 56978; Tulare Co.: Forest Trail 31E18 at Silver Creek, Sequoia National Forest, Sheyock 9082.

Tortula systylia (W. P. Schimper) Lindberg [Pottiaceae]

Literature: As *Desmatodon systylius* Koch 1950a; Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Illustrations: As *Desmatodon systylius* Crum and Anderson 1981; Lawton 1971.

Geographic subdivisions: SN.

Selected specimens: Tulare Co.: Kern Plateau, along road 4.2 miles north of BLM Long Valley Campground and 6.7 miles southwest of Kennedy Meadows Road, *Shevock, Ng, & Markos 18306*.

*Tortula truncata (Hedwig) Mitten in Godman [Pottiaceae]

Illustrations: Zander 1993. As *Pottia truncata* Crum and Anderson 1981; Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: DMoj.

Selected specimens: Los Angeles Co.: Highway 138 about 3 miles west of Palmdale, *Norris* 68096.

Trachybryum megaptilum (Sullivant) W. B. Schofield [Brachytheciaceae]

Literature: As *Camptothecium megaptilum* Howe 1897; Koch 1950a; Koch and Ikenberry 1954. As *Homalothecium megaptilum* Bourell 1981; Holmberg 1969; Lawton 1971; and McGrew 1976.

Illustrations: Lawton 1971.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: Del Norte Co.: Forest Road 4803, Siskiyou National Forest, Norris 70881; Humboldt Co.: road to Eight Mile Lookout about 1 mile west of South Fork Mountain Road, Six Rivers National Forest, Norris 83857; Lake Co.: near Violet Spring, Mendocino National Forest, Toren 7435 & 7455 (CAS); Mendocino Co.: East Side Road at Knight Hill along Russian River about 8 miles south of Ukiah, Norris 72642; Plumas Co.: about 0.5 mile south of Snake Lake and 4 miles northwest of Quincy, Plumas National Forest, Dillingham 925 (CAS); Shasta Co.: Highway 299 about 1 mile north of Mineral School at road intersection to Oak Run, Norris 68632; Siskiyou Co.: south of Seattle Bar, Rogue River National Forest, Shevock & Toren 20090 and McCloud River Preserve, The Nature Conservancy, Norris & Hillyard 106584.

*Trematodon boasii W. B. Schofield [Bruchiaceae]

Illustrations: Schofield 1966c. Geographic subdivisions: SN.

Selected specimens: Sierra Co.: Highway 49 at

Yuba Pass, Tahoe National Forest, Kellman 251 (UC).

*Trichodon cylindricus (Hedwig) W. P.

Schimper [Ditrichaceae]

Illustrations: Crum and Anderson 1981; Ireland 1978, 1982; Seppelt 1999.

Geographic subdivisions: CaR, NW.

Selected specimens: Humboldt Co.: near Scotty Point south of Patricks Point off of Highway 1, Norris 72937; Lake Co.: north cirque of Hull Mountain, Mendocino National Forest, Toren & Dearing 7616 (CAS) [confirmed by Ireland]; Mendocino Co.: Mt. Sanhedrin south of Little Signal Peak, Toren, Heise, & Dearing 7622 (CAS); Siskiyou Co.: below Castle Lake at campground site, Shasta-Trinity National Forest, Toren & Shevock 8188 (CAS).

*Trichostomum brachydontium Bruch in F. A. Mueller [Pottiaceae]

Illustrations: Allen 2002; Smith 1978.

Geographic subdivisions: SNE.

Selected specimens: Inyo Co.: end of Big Pine Creek Road near Glacier Lodge, Inyo National Forest, *Laeger 1432* (CAS, MO).

*Trichostomum crispulum Bruch in F. A. Mueller [Pottiaceae]

Illustrations: Allen 2002; Ignatov and Ignatova 2003; Smith 1978; Zander 1993.

Geographic subdivisions: DMoj, NW.

Selected specimens: Humboldt Co.: Redwood Valley Road about 2 miles north of Redwood Valley, *Norris 21222*; Inyo Co.: South Fork Hanaupah Canyon, east base of Telescope Peak, Death Valley National Park, *Shevock & York 21343*; San Bernardino Co.: Coyote Canyon, Granite Mountains, Mojave National Preserve, *Norris 87853*.

*Trichostomum sweetii (E. B. Bartram) Stark [Pottiaceae]

Illustrations: Bartram 1945.

Geographic subdivisions: CW, DMoj, DSon.

Selected specimens: Contra Costa Co.: Mitchell Canyon, Mt. Diablo State Park, *Norris* 100613; Madera Co.: East Fork Chowchilla River, *Norris* 51068; Riverside Co.: eight miles west of Desert Center on road toward Twenty Nine Palms, Mojave Desert, *Norris* 57914; San Bernardino Co.: Interstate 15 at Zzyzx, *Bonine* 737 (UNLV) [determined by Stark].

Tripterocladium leucocladulum (C. Müller Hal.) A. Jaeger [Hypnaceae]

Literature: Christy and Wagner 1996; Crum 1987; Koch 1950a; Lawton 1971.

Illustrations: Brotherus 1924–1925; Lawton 1971. Geographic subdivisions: NW.

Selected specimens: Siskiyou Co.: Beaver Creek, south of junction of West Fork Beaver Creek, *Ownbey & Ownbey 1897* (CAS).

Triquetrella californica (Lesquereux) Grout [Pottiaceae]

Literature: Christy and Wagner 1996; Koch 1949a, 1950a; Shevock and Toren 2001; Stark 1980; Yurky 1995. As *Anomodon californicum* Lesquereux 1868.

Illustrations: Casas et al. 1993; Zander 1993. Geographic subdivisions: CW, NW, SW.

Selected specimens: Contra Costa Co.: Mount Diablo, *Bolander 203* (NY); Del Norte Co.: along Requa Trail, Redwood National Park, *Norris 24103*; Marin Co.: near Olema, Point Reyes National Seashore, *Howe 30* (NY); Mendocino Co.: MacKerricher State Park, *Norris 8533* (and CAS); San Diego Co.: slopes of San Vicente Reservoir midway between San Vicente Dam and south entrance parking lot, about 3 miles north of Lakeside, *Stark 540d, 584, & 684* (MO); San Francisco Co.: Tank Hill, Clarendon Heights, *Shevock 18920* (confirmed by Zander) and Clipper Street at Douglas Playground, *Toren 7778* (CAS); Sonoma Co.: near Bodega Marine Laboratory, *Norris 103485*.

Ulota megalospora Venturi in Röll [Orthotrichaceae]

Literature: Christy and Wagner 1996.

Illustrations: Grout 1928–1940; Lawton 1971.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: Gasquet-Orleans Road about 6.5 miles from Big Flat, Six Rivers National Forest, *Norris 74144 & 74145*; Humboldt Co.: near French Camp, *Norris 24304* and Forest Road 10N02 at head of Mill Creek, Six Rivers National Forest, *Norris 70593*; Siskiyou Co.: trail from Wilderness Falls toward Doe Flat, Klamath National Forest, *Norris 67815*; Trinity Co.: Onion Lake Road about 7 miles south of Onion Lake, Shasta-Trinity National Forest, *Norris & Rivera 72572*.

*Ulota obtusiuscula C. Müller Hal. & Kindberg in Macoun [Orthotrichaceae]

Illustrations: Ireland 1982; Smith 1978.

Geographic subdivisions: NW.

Selected specimens: Del Norte Co.: French Hill Road about 2.5 miles above Highway 199, southwest of Gasquet, Six Rivers National Forest, *Norris 85050* and Little Rattlesnake Mountain, Six Rivers National Forest, *Wheeler 7390* (UC); Humboldt Co.: Blue Lake near Weitchpec, *Norris 56340* and 2 miles south of the mouth of Mad River, *Norris 7660*; Trinity Co.: Highway 36 at Olsen Creek, Six Rivers National Forest, *Norris 56631*.

Ulota phyllantha Bridel [Orthotrichaceae]

Literature: Koch 1949a, 1950a.

Illustrations: Ireland 1982; Lawton 1971; Smith 1978.

Geographic subdivisions: CW, NW.

Selected specimens: Del Norte Co.: Kellogg Beach State Park at end of Pala Road west of Smith River,

Norris 75029; Humboldt Co.: College Cove about 2 miles north of Trinidad, Norris 23621, Ten Taypo Trail, Prairie Creek Redwood State Park, Norris 56767, and near Abalone Point, Patrick's Point State Park, Norris 23880; Marin Co.: coastal Headlands at Point Reyes Lighthouse, Point Reyes National Seashore, Robertson 1144 (UC) and Pierce Point Road, Point Reyes National Seashore, Robertson 1920 (CAS); Mendocino Co.: Inglenook Fen north of Fort Bragg, Norris 23433 and Norris 68777.

Vesicularia vesicularis (Schwägrichen) Brotherus [Hypnaceae]

Literature: Shevock and Toren 2001. As Vesicularia amphibola Koch 1949a, 1950a.

Illustration: Sharp et al. 1994.

Notes: This species is an introduced component of the California moss flora.

Geographic subdivisions: CW.

Selected specimens: San Francisco Co.: Golden Gate Park, Conservatory, *Toren 688* (CAS, SFSU), *Bradshaw s.n.* (CAS), and *Wagner s.n.* (CAS).

Warnstorfia exannulata (W. P. Schimper in B.S.G.) Loeske [Campyliaceae]

Literature: As *Drepanocladus exannulatus* Ireland 1982; Koch 1950a, 1958; Koch and Ikenberry 1954; Lawton 1971; McGrew 1976; Showers 1982; Spjut 1971; Wynne 1944. As *Harpidium exannulatum* Cooke 1941. As *Hypnum exannulatum* var. cochleae Watson 1880.

Illustrations: Flowers 1973; Hedenäs 1987, 1993a, 2003; Ireland 1982; Janssens 1983; Kanda 1978; Koponen et al. 1995; Lawton 1971; Smith 1978; Wynne 1944.

Geographic subdivisions: CaR, NW, SN.

Selected specimens: El Dorado Co.: Grass Lake west of Luther Pass, Eldorado National Forest, *Norris 71308*; Fresno Co.: Taboose Pass Trail, Kings Canyon National Park, *Shevock 13861*; Lassen Co.: Aspen Grove Campground, south end of Eagle Lake, Lassen National Forest, *Norris 52820*; Siskiyou Co.: South Sugar Lake, Klamath National Forest, *Norris & McGrew 45637*; Tuolumne Co.: near Piute Meadow, Emigrant Wilderness, Stanislaus National Forest, *Norris 77099*.

Warnstorfia fluitans (Hedwig) Loeske [Campyliaceae]

Literature: As *Drepanocladus fluitans* Ireland 1982; Janssens 1983; Koch 1950a, 1951e, 1958; McGrew 1976; Spjut 1971; Toren 1977; Wynne 1944. As *Dichelyma swartzii* Lesquereux 1868.

Illustrations: Flowers 1973; Hedenäs 1993a; Ireland 1982; Janssens 1983; Kanda 1978; Koponen et al. 1995; Lawton 1971; Smith 1978; Wynne 1944.

Geographic subdivisions: MP, NW, SN.

Selected specimens: Alpine Co.: Highway 89 at Hope Valley, Toiyabe National Forest, *Norris* 48476; Glenn Co.: Keller Lake, west slope of Black

Butte, Mendocino National Forest, *Toren & Nilles* 98-219 (CAS); Humboldt Co.: Snow Camp Lake, *Norris* 50378; Mendocino Co.: Pygmy Cypress Forest along County Road 409 about 1 mile east of Highway 1 south of Fort Bragg, *Norris* 11758; Modoc Co.: near Hager Reservoir, *Norris*, *Nelson*, & *Dowty* 19422; Tulare Co.: Mitre Basin, Sequoia National Park, *J.T. Howell s.n.* (CAS) and above Primose Lake, *J.T. Howell s.n.* (CAS).

Weissia andersoniana Zander [Pottiaceae]

Literature: As Weissia glauca Harpel 1980a. Illustrations: Sharp et al. 1994; Stoneburner 1981. Geographic subdivisions: DMoj, DSon, SW. Selected specimens: Inyo Co: south of Towne Pass, Death Valley National Park, Kellman, Shevock, & York 1427 (CAS); Riverside Co.: Snakeye Springs, Indian Cove, Joshua Tree National Park, Norris 57987 and Highway 74 at eastern boundary of San Bernardino National Forest, Norris 57870.

*Weissia andrewsii E. B. Bartram [Pottiaceae]

Illustrations: Sharp et al. 1994.

Geographic subdivisions: DMoj, DSon.

Selected specimens: Inyo Co.: Panamint City, Panamint Mountains, Death Valley National Park, York, Laeger, & Knaus 2491 (CAS); Riverside Co.: Joshua Tree National Park, Snakeye Springs, Indian Cove, Norris 57986 & 57989; and 5 miles south of road intersections to Salton View and Twenty Nine Palms, Norris 50549.

*Weissia condensa (Voit in J. W. Sturm) Lindberg [Pottiaceae]

Illustrations: Allen 2002; Sharp et al. 1994. Geographic subdivisions: DMoj, DSon, NW, SN. Selected specimens: Lake Co.: Highway 29 about 1 mile north of Middletown, *Toren & Dearing 7305* (CAS) [determined by Stoneburner]; San Bernardino Co.: Coyote Canyon, Granite Mountains, Mojave National Preserve, *Norris 87859* and summit ridge of Chemechuevi Peak, Chemechuevi Mountains, *Laeger 640* (CAS); Siskiyou Co.: Scott River about 8 miles west of Fort Jones, *Norris 58190*; Tulare Co.: Sequoia National Park: Kaweah River near Clough Cave, *Norris & Shevock 92743* and Yucca Point Trail near Ash Mountain Park Headquarters, *Shevock & Whitmarsh 16995*.

Weissia controversa Hedwig [Pottiaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Jamieson 1969; Kellman 2003; Koch 1950a, 1951e, 1958; Koch and Ikenberry 1954; Lawton 1971; McCleary 1972; Mishler 1978; Shevock and Toren 2001; Showers 1982; Sigal 1975; Strid 1974; Toren 1977; Whittemore and Sommers 1999; Yurky 1990, 1995. As *Weissia viridula* Brandegee 1891; Kingman 1912; Lesquereux 1868; Steere 1954; Steere et al. 1954; Sullivant 1856; Watson 1880. Illustrations: Allen 2002; Crum and Anderson

1981; Ignatov and Ignatova 2003; Ireland 1982;

Lawton 1971; Sharp et al. 1994; Smith 1978; Stoneburner 1981; Zander 1993.

Geographic subdivisions: CW, MP, NW, SN, SW. Selected specimens: Del Norte Co.: between Requa and False Klamath Cove, Redwood National Park, Norris 24048; Lassen Co.: Highway 138 about 3 miles north of Susanville, Norris 52793; Marin Co.: junction of Bolinas-Fairfax Road and Highway 1, Golden Gate National Recreation Area, Yurky 677 (SFSU); Riverside Co.: El Cariso Campground, Cleveland National Forest, Norris 58095; Trinity Co.: New River between Denny and Mills Creek, Norris 23941; Tulare Co.: Forest Trail 33E20 toward the Forks of the Kern River, Golden Trout Wilderness, Sequoia National Forest, Shevock 14269.

Weissia inoperculata (H. Crum) H. Crum, W. C. Steere & L. E. Anderson [Pottiaceae]

Literature: As *Hymenostomum inoperculatum* Andrews 1924; Crum 1957.

Illustrations: Crum 1957.

Geographic subdivisions: CaR, CW, GV, NW.

Selected specimens: Santa Clara Co.: Stanford University Campus at Sequoia Hall, Schofield s.n. (CAN) [determined by Crum]; Shasta Co.: Anderson to Shingletown Road about 11 miles east of Anderson, Norris 23707, Brushy Oak Trail at Oak Run Creek east of Highway 299, Norris 80372 and Highway 299 about 9 miles east of Bella Vista, Norris 47622; Trinity Co.: Hall City Caves east of Wildwood, Shasta-Trinity National Forest, Norris 71667.

Zygodon menziesii (Schwägrichen) Arnott [Orthotrichaceae]

Literature: Shevock 2000; Shevock and Toren 2001.

Illustrations: Catcheside 1980; Lewinsky 1989. **Notes:** This species has recently been transferred back into the genus *Codonoblepharon* Schwägrichen. See Crosby et al. 2000; Goffinet and Vitt 1998. **Geographic subdivisions:** CW.

Selected specimens: San Francisco Co.: Panhandle, Golden Gate Park, *Shevock 18773* and *Toren 7797* (CAS), Jefferson Park, *Shevock 18901* (confirmed by Vitt).

Zygodon rupestris W. P. Schimper ex Lorentz [Orthotrichaceae]

Literature: Shevock and Toren 2001. As Zygodon viridissimus Crum 1957; Crundwell 1957; Harthill et al. 1979; Koch 1950b; Mishler 1978; Saito 1970; Thomson and Ketchledge 1958; Toren 1977. As Zygodon viridissimus var. rupestris Holmberg 1969; Jamieson 1969. As Zygodon vulgaris Bourell 1981; Lawton 1971.

Illustrations: Ignatov and Lewinsky-Haapasaari 1994; Ireland 1981; Lawton 1971; Sharp et al. 1994; Smith 1978.

Geographic subdivisions: CW, NW, SN, SW.
Selected specimens: Calaveras Co.: South Fork

Mokelumne River between West Point and Railroad Flat, Norris & Shevock 103382; Del Norte Co.: Stony Creek about 1 mile north of junction with Smith River, Norris 52766 and west of Hiouchi Bridge, Jedediah Smith Redwoods State Park, Norris 67315; Humboldt Co.: Eel River about 3 miles north of the start of the Avenue of the Giants, Norris 72146; Los Angeles Co.: USFS San Dimas Experimental Forest, Angeles National Forest, Mishler s.n. (LAM); Mendocino Co.: Ornbaun Creek near Mountain View Road, Norris 53210; San Francisco Co.: St. Francis Blvd., San Francisco, Toren 5001 (CAS); Santa Cruz Co.: San Lorenzo River near Rincon Road, Henry Cowell Redwoods State Park, Kellman 669 (UC); Trinity Co.: Highway 299 at Big French Creek Campground west of Big Bar, Shasta-Trinity National Forest, Norris 46134.

APPENDIX II

EXCLUDED TAXA

Koch (1950a) provided a list of taxa at the end of each family entry that he considered as erroneous records for California. Several of these taxa have subsequently been documented from California with a voucher specimen. We have not transferred all of the remaining excluded records of Koch (1950a) to this section except in a few cases where we have additional information or comment. In some cases, a different circumscription or species concept required modifications to names that were used in earlier checklists of mosses for California.

Bryum arcticum (R. Brown) Bruch & W. P. Schimper [Bryaceae]

Literature: Lesquereux 1868; Lesquereux and James 1884; Watson 1880.

Notes: We were unable to locate any historic packets to confirm this taxon in California. We have excluded it from the catalogue even though Lesquereux (1868) references a Bolander collection from Mt. Dana, Yosemite National Park.

Callicladium haldanianum (Greville) H. Crum [Hypnaceae]

Literature: Lawton 1971.

Notes: Although attributed for California by Lawton (1971) no voucher is cited. The nearest documented collection that we have seen occurs in Arizona (MO).

Campylium radicale (Palisot de Beauvois) Grout [Campyliaceae]

Literature: Spjut 1971.

Notes: The specimen attributed in Spjut's thesis we believe was misidentified since it could not be located at UC under this name. Apparently this collection has been annotated and filed elsewhere in the herbarium. None of the California *Campylium* specimens we examined is this species.

Campylopus pilifer Bridel [Dicranaceae]

Literature: Frahm 1980.

Notes: Material originally attributed as this taxon in California has been re-named by Frahm as representing *Campylopus introflexus*. The nearest occurrence of *Campylopus pilifer* occurs in Arizona according to Frahm (1980).

Climacium dendroides (Hedwig) Weber & D. Mohr [Climaciaceae]

Literature: Flowers 1973.

Notes: The reference to *Climacium* occurring in California is based on Flowers (1973). There is a very small fragment of Climacium at MO attributed for California and collected by MacFadden in 1957. However, it is not an original label and the locality is not clearly specified. This is extremely atypical for MacFadden collections and we are inclined to dismiss this record as a possible herbarium processing/labeling error. It is unlikely that collectors would have overlooked this species in California considering its large size and distinctive appearance, however, it is possible that it could be located within the state near the Oregon border. Climacium dendroides is documented from herbarium specimens in Oregon and to the east in Arizona. This taxon appears to be distributed throughout the mountainous western states except California and Nevada.

Didymodon luridus Hornschush in Sprengel [Pottiaceae]

Literature: Moxley 1928. As *Didymodon trifarius* Jamieson 1969; Koch 1950a. As *Didymodon vinealis* var. *luridus* Zander 1993.

Notes: According to Zander, *Didymodon luridus* does not occur in California. Specimens attributed to this taxon in California are most likely within the *D. vinealis* complex.

Entodon brevisetus (W. J. Hooker & Wilson) Lindberg [Entodontaceae]

Literature: Harthill et al. 1979; Koch 1950a.

Notes: This moss has not been subsequently rediscovered in California. We concur with Koch (1950a) that the original specimen was most likely a labelling error. We are inclined to dismiss this taxon as a component of the California moss flora. This record is based on a collection attributed from Los Angeles County near Pasadena, *McClatchie 12* (EGB).

Funaria americana Lindberg in Sullivant [Funariaceae]

Literature: Koch 1950a; Yurky 1990, 1995. Attributed to California by Jennings (1913) and Bartram (1928). See also Crundwell and Nyholm 1974; Smith 1980.

Notes: Although attributed for California from several sources, we have not located a collection that we have determined to be this taxon in the state. We are of the opinion that these California records

are merely misidentifications, presumably of Funaria hygrometrica.

Grimmia donniana Smith [Grimmiaceae]

Literature: Crum and Anderson 1981; Spjut 1971. **Notes:** Although reported for California in the literature, all of the California specimens we have examined have been misidentified. No specimens of this taxon have been determined by Muñoz as occurring in the state as part of his review of California *Grimmia* holdings at UC.

Grimmia incurva Schwägrichen [Grimmiaceae]

Literature: McGrew 1976; Spjut 1971. As *Grimmia contorta* Lesquereux 1868; Lesquereux and James 1884.

Notes: Although reported for California for over a century, examination of specimens have not validated this taxon for California. According to Muñoz (personal communication), this taxon is unlikely to occur in California.

Grimmia involucrata Cardot [Grimmiaceae]

Literature: McCleary 1972.

Notes: The specimen attributed as this taxon from the Channel Islands was determined by Muñoz to be *Grimmia lisae*. According to Muñoz, this taxon would be unlikely to occur in California.

Grimmia pilifera Palisot de Beauvois [Grimmiaceae]

Literature: Coville 1893. As *Grimmia arizonae* Koch 1950a. See also Muñoz and Pando 2000.

Notes: Although attributed for California, we have not seen specimens to validate this species in the state. A Weber collection (COLO) from California labelled as *G. pilifera* has been determined by Muñoz as *G. lisae*. Muñoz and Hastings (personal communication) are both of the opinion that this species is not in California, however, Hastings does recognize *G. arizonae* as distinct from *G. pilifera*. The nearest confirmed occurrences for *G. pilifera* are in eastern Arizona.

Grimmia unicolor W. J. Hooker in Greville [Grimmiaceae]

Literature: Koch 1950a.

Notes: Specimens so labelled for California are misidentified, generally being *G. ovalis*. We have not seen a California packet annotated by either Greven or Muñoz to represent this species in California.

Haplocladium microphyllum (Hedwig) Brotherus [Leskeaceae]

Literature: Harthill et al. 1979; Koch 1950a; McCleary 1972; Steere 1954. As *Hypnum calyptratum* Sullivant 1856. As *Thuidium microphyllum* Sayre 1940.

Notes: *Haplocladium microphyllum* reported for California is based on a collection obtained from near Los Angeles on Santa Catalina Island [see Koch 1950a; Sayre 1940]. We were not able to lo-

cate this specimen to validate this entry. The nearest herbarium specimen that we were able to find of *Haplocladium microphyllum* occurs in Arizona. We therefore have excluded this taxon until it can be confirmed for California.

Hedwigia ciliata (Hedwig) Palisot de Beauvois [Hedwigiaceae]

Literature: Buck and Norris 1996; Koch 1950a; Steere et al. 1954.

Notes: Although frequently reported in the literature as a component of the California moss flora, the Californian material actually represents two different taxa. See narrative under *Hedwigia detonsa* and *Hedwigia stellata* in this catalogue.

Hypnum cupressiforme Hedwig [Hypnaceae]

Literature: Koch 1950a; Yurky 1995.

Notes: The California record is based on a Marin County collection that we have not been able to locate and validate. Mt. Tamalpais, *Bailey s.n.* (Koch 1950a). *Hypnum cupressiforme* has proven to be a rather weedy species once introduced, especially in Hawai'i. If it becomes introduced to California, it would likely become a naturalized component of the state bryoflora in the coastal counties as a lawn weed.

Mielichhoferia mielichhoferiana (Funck) Loeske [Mielichhoferiaceae]

Literature: Shaw 1994a, 1994b.

Notes: The California material attributed as *Mielichhoferia mielichhofieriana* or *Mielichhoferia mielichhoferia*. See narrative under *Mielichhoferia elongata* in this catalogue.

Pogonatum urnigerum (Hedwig) Palisot de Beauvois [Polytichaceae]

Literature: Spjut 1971.

Notes: The specimen attributed in Spjut's thesis we believe was misidentified since it could not be located at UC under this name. Apparently it has been annotated and filed elsewhere in the herbarium, most likely to another member of the Polytrichaceae.

Pohlia bulbifera (Warnstorf) Warnstorf [Mniaceae]

Literature: Harpel 1980a; Harthill et al. 1979; Long 1978.

Notes: See Shaw (1981a) for narrative features separating *Pohlia bulbifera* from *P. camptotrachela* and *P. andrewsii*. We were unable to locate and verify a California collection for this species.

Pohlia longicollis (Hedwig) Lindberg [Mniaceae] Literature: Strid 1974.

Notes: The specimen cited in Strid's thesis as representing this taxon was not located. We were unable to locate and verify a California collection for this species and therefore have excuded it at this time.

Pseudocrossidium revolutum (Bridel in Schrader) Zander [Pottiaceae]

Literature: Eckel 1997a.

Notes: Pseudocrossidium revolutum is currently viewed to be a Eurasian taxon and the western North American material is now treated as Pseudocrossidium obtusulum in this catalogue.

Racomitrium aquaticum (Bridel ex Schrader) Bridel [Grimmiaceae]

Literature: Christy and Wagner 1996.

Notes: According to Dr. Halina Bednarek-Ochyra (2000), *Racomitrium aquaticum* has been erroneously attributed for the Pacific Northwest. The plants referred to this taxon from the Pacific Northwest (Lawton 1971) actually represent a new recently described species (*Racomitrium ryszardii*). Specimens previously identified as *R. aquaticum* from California represent other taxa.

Racomitrium canescens (Hedwig) Bridel [Grimmiaceae]

Literature: Bourell 1981; Crum and Anderson 1981; Flowers 1973; Howe 1897; Koch 1950a; Lesquereux 1868; Watson 1880; Yurky 1990, 1995. **Notes:** Although reported for California in the literature, the California material represents *Racomitrium elongatum*, a taxon segregated from *R. canescens*.

Rhizomnium nudum (Britton & R. S. Williams) T. Koponen [Mniaceae]

Literature: Christy and Wagner 1996.

Notes: Distribution map in Christy and Wagner (1996) displays range into California, however, no collections of this species have been located even after extensive surveys.

Schistidium apocarpum (Hedwig) Bruch & W. P. Schimper [Grimmiaceae]

Literature: As *Grimmia apocarpa* Bourell 1981; Crum and Anderson 1981; Flowers 1973; Harpel 1980a; Harthill et al. 1979; Holmberg 1969; Howe 1896; Koch 1950a; Koch and Ikenberry 1954; Lawton 1971; Lesquereux 1868; Long 1978; McGrew 1976; Mishler 1978; Showers 1982; Sigal 1975; Spjut 1971; Steere et al. 1954; Toren 1977; Watson 1880. Misidentified as *Grimmia apocarpa* var. *atrofusca* McCleary 1972.

Notes: According to Hans Blom (1996), *Schistidium apocarpum*, common in northern Europe, has been misapplied to accommodate California collections. *Schistidium apocarpum* in North America is restricted to the extreme northeastern portion of the continent (Blom 1996). In California, the collections previously labelled as *Schistidium apocarpum* represent at least two undescribed species.

Schistidium heterophyllum (Kindberg in Macoun) McIntosh in L. E. Anderson, H. Crum & W. R. Buck [Grimmiaceae]

Literature: As *Grimmia heterophylla* Toren 1977; Toren and Sigal 1974.

Notes: Literature references for this taxon in California are based on collections that have subsequently been determined to be *Grimmia tergestina*.

Splachnum melanocaulon (Wahlenberg) Schwägrichen [Splachnaceae]

Literature: Lesquereux 1868.

Notes: Habitat available for this species is attributed to California as indicated by Mitten in Lesquereux (1868). However, there are no herbarium specimens for this taxon occurring in California. Based on the current distribution for this species, it would be highly unlikely for this species to occur in California. We have therefore excluded it from the California moss flora.

Syntrichia intermedia Bridel [Pottiaceae]

Literature: As *Tortula intermedia* McCleary 1972. **Notes:** This species is excluded from Mishler's dissertation (1984) as occurring in California. The references to this taxon obtained from the Channel Islands is in error. However, we have not been able to review specimens so labeled to determine the correct placement in this catalogue.

Tetraphis geniculata Girgensohn ex Milde [Tetraphidaceae]

Literature: Christy and Wagner 1996.

Notes: Christy and Wagner (1996) report a California occurrence for *Tetraphis geniculata*, however, we have not confirmed the report with a voucher specimen. *Tetraphis pellucida* is confirmed for California. However, both species are known to occur in mixed populations in the Pacific Northwest. While we have excluded this species, it is still possible that it will be documented for California.

Tortula fragilis (Taylor) Ochyra [Pottiaceae]

Literature: Harthill et al. 1979; Long 1978.

Notes: According to Mishler (personal communication) the earlier literature citations for this taxon as part of the California bryoflora are in error. The specimens originally attributed as *Tortula fragilis* most likely belong to *Tortula inermis* (*Syntrichia inermis* in this catalogue) and related species. *Tortula fragilis* is known from Mexico with the nearest U.S. occurrence being in the state of New Mexico. See also Mishler 1984.

APPENDIX III

Possible Additions to the California Moss Flora

Several mosses documented in adjacent states (primarily Oregon) are expected to occur in California based on our assessment of similar habitats and vegetation types. In this Appendix we list those species where herbarium specimens have verified an occurrence basically within 50 air miles of the California border. We view these taxa as likely to be located in the state with ongoing field study and collection. We provide this list of likely new state

additions here in the expectation that other collectors will locate a California occurrence in the near future.

Dicranoweisia crispula (Hedwig) Milde [Seligeriaceae]

Notes: Although reported in the literature for the state, all of the California material attributed to this taxon have been determined by us to represent *D. contermina*. A recent collection along the Nevada side of Lake Tahoe we believe to be *D. crispula*. This species should be expected on the California side of the Lake Tahoe Basin.

Illustrations: Crum and Anderson 1981; Flowers 1956.

Selected specimens: NEVADA: Douglas Co.: along Highway 28 about 0.5 mile north of junction with Highway 50 just east of Lake Tahoe, *Shevock* 22061.

Didymodon nevadensis Zander in Zander, Stark & Marrs-Smith [Pottiaceae]

Literature: Zander et al. 1995. **Illustrations:** Zander et al. 1995.

Notes: Although this species is currently not recorded for California, it was originally described from populations near Las Vegas on gypsum soils. Since suitable habitat for this species occurs in the Death Valley region, this species could eventually be located in the state.

Selected specimens: NEVADA: Clark Co.: Lime Ridge about 16 km north of Gold Butte, *Stark & Marrs-Smith NV-225a* (UNLV) and Bitter Ridge, 1.2 km north of Black Butte, *Stark NV-479* (UNLV).

Hypnum revolutum (Mitten) Lindberg var. ravauldii (Boulay) Ando [Hypnaceae]

Illustrations: No illustration located for this taxon. **Notes:** This *Hypnum* has recently been documented in the Sweetwater Range just across the state line in Nevada. It is to be expected on rock walls (esp. volcanics) within the pinyon pine-Utah juniper woodlands in Mono Co.

Selected specimens: NEVADA: Douglas Co.: Desert Creek Canyon about 0.5 mile from Desert Creek Campground, Sweetwater Range, Toiyabe National Forest, *Shevock* 22167 (determined by Schofield).

Racomitrium ryszardii Bednarek-Ochyra [Grimmiaceae]

Literature: Misapplied as *Racomitrium aquaticum* Christy and Wagner 1996. See Bednarek-Ochyra 2000.

Illustrations: Bednarek-Ochyra 2000. Misapplied as *Racomitrium aquaticum* Lawton 1971; Wagner 1998.

Notes: Although this species is currently not documented for California, *Racomitrium ryszardii* should be looked for in the headwaters of the Applegate and Rogue River watersheds in California.

Selected specimens: OREGON: Multnomah Co.: Cascade Range west of Mt. Hood, *Rambo s.n.* (UC) [determined by Bednarek-Ochyra].

Schistostega pennata (Hedwig) Weber & D. Mohr [Schistostegiaceae]

Illustrations: Lawton 1971.

Notes: Although this species is currently not recorded for California, a population approximately 35 air miles north of the California/Oregon state line appears to be the southernmost occurrence. Since suitable habitat for this species occurs in extreme northwest California, this species should eventually be located in the state.

Selected specimens: OREGON: Douglas Co.: Highway 138, south shore Diamond Lake, Umpqua National Forest, *Harpel 17848 & 18132* (CAS).

Tayloria serrata (Hedwig) Bruch & W. P. Schimper [Splachnaceae]

Literature: Christy and Wagner 1996; Koch 1950a (based on Sayre 1935).

Illustrations: Crum and Anderson 1981; Ignatov and Ignatova 2003; Ireland 1982; Lawton 1971.

Notes: Christy and Wagner (1996) reference California within the species range. A population about 35 air miles north of the California/Oregon state line appears to be the southernmost record. This species is highly probable to occur in California.

Selected specimens: OREGON: Jackson Co.: Blue Lake Basin, Sky Lakes Wilderness, Rogue River National Forest, *Norris* 52452.

Tomentypnum nitens (Hedwig) Loeske [Campyliaceae]

Literature: Koch 1950a; Spjut 1971. As *Camptothecium nitens* Wynne 1943.

Illustrations: Flowers 1973.

Notes: Although habitat occurs for this moss in California, published reports for this moss in northern California are based on mis-identified material. We were unable to locate and confirm a Californian collection of this taxon. This species is documented for Oregon (Christy and Wagner 1999). *Tomentypnum nitens* should be searched for in meadow-fen areas with marble-limestone bedrock in the Klamath Mountains. A recent population was obtained by Jessup a few miles north of the state line.

Selected specimens: OREGON: Klamath Co.: off of Clover Creek about 4 km southeast of junction with Dead Indian Memorial Road, Buck Lake area, *Jessup 971004.14* (UC).

APPENDIX IV

SYNONYMS AND EXCLUDED NAMES

The history and application of scientific names applied to California mosses can be traced in part back to Hampe (1860), Sullivant (1864), Lesquereux (1868), Watson (1880) and Lesquereux and James (1884). This appendix lists the former names that have been used in the botanical literature for mosses attributed from California. Alterna-

tive circumscriptions not selected in the current catalogue are also provided.

Acaulon muticum (Hedwig) Müller Hal. = A. rufescens Acaulon muticum (Hedwig) Müller Hal. var. rufescens (A. Jaeger) Crum = A. rufescens

 $Acaulon \ rubrum \ Grout = A. \ rufescens$

Acrocladium cuspidatum (Hedwig) Lindberg = Calliergonella cuspidata

Aloina aloides (Schultz) Kindberg = A. ambigua

Aloina aloides (Schultz) Kindberg var. ambigua (Bruch & Schimper) Craig in Grout = A. ambigua

Aloina pilifera (De Notaris) Crum & Anderson = A. bifrons

Aloina rigida var. pilifera (Bruch & Schimper) Limpricht = A. bifrons

Alsia abietina Sullivant = Dendroalsia abietina

Alsia californica var. flagellifera (Renauld & Cardot) Sullivant = A. californica

Alsia circinalis Sullivant & Kingman = Dendroalsia abietina

Alsia longipes Sullivant & Lesquereux = Bestia longipes Amblystegiella jungermannioides (Bridel) Giacomini = Platydictya jungermannioides

Amblystegium americanum Grout = Conardia compacta Amblystegium compactum (Müller Hal.) Austin = Conardia compacta

Amblystegium irriguum (Hooker & Wilson) Schimper in Bruch & Schimper = Hygroamblystegium tenax

Amblystegium riparium (Hedwig) Bruch & Schimper = Leptodictyum riparium

Amblystegium riparium var. trichopodium (Schultz) Bruch & Schimper = Leptodictyum humile

Amblystegium tenax (Hedwig) C. Jensen = Hygroamblystegium tenax

Ambystegium trichopodium (Schultz) Hartman = Leptodictyum humile

Amphoridium californicum Lesquereux & James = Amphidium californicum

Anacolia aristifolia Flowers in Grout = A. menziesii Anacolia menziesii var. baueri (Hampe) Flowers in Grout = A. baueri

Anisothecium varium (Hedwig) Mitten (misapplied for California). See Dicranella howei

Anoectangium californicum Howe = Amphidium californicum

Anoectangium obtusifolium (Brotherus & Paris) Grout = Molendoa sendtneriana

Anomobryum filiforme (Dickson) Solms-Laubach in Rabenhorst = A. julaceum

Anomodon californicum Lesquereux = Triquetrella californica

Antitrichia californica var. ambigua Renauld & Cardot = A. californica

Antitrichia curtipendula (Hedwig) Bridel (in California) = A. gigantea

Antitrichia curtipendula var. gigantea Sullivant & Lesquereux = A. gigantea

Arctoa blyttii (Bruch & Schimper) Grout = Kiaeria blyttii Arctoa falcata (Hedwig) Grout = Kiaeria falcata

Arctoa starkei (Weber & Mohr) Grout = Kiaeria starkei Atractylocarpus stenocarpus (Wilson) Zander = Campylopodiella stenocarpa

Atrichum oerstedianum (Müller Hal.) Mitten (in California) = A. undulatum

Atrichum undulatum var. selwynii (Austin) Grout = A. selwynii

Barbula acuta (Bridel) Bridel = Didymodon rigidulus

Barbula amplexa Lesquereux = Syntrichia amplexa
Barbula arctocarpa Lesquereux = Didymodon vinealis
Barbula atrovirens Schimper = Tortula atrovirens
Barbula bakeri Cardot & Thériot = Didymodon vinealis
Barbula bolanderi Lesquereux = Syntrichia bolanderi
Barbula brachyphylla Sullivant = Didymodon brachyphyllus
Parbula bravines Lesquereux = Tortula bravines

Barbula brevipes Lesquereux = Tortula brevipes
Barbula chloronotos (Bridel) Bridel = Crossidium squamiferum

Barbula cylindrica (Taylor) Schimper = Didymodon insulanus

Barbula fallax Hedwig = Didymodon fallax
Barbula flexifolia Hampe = Didymodon insulanus
Barbula guepinii Schimper = Tortula guepinii
Barbula inermis Müller Hal. = Tortula inermis
Barbula insulana De Notaris = Didymodon insulanus
Barbula laevipila Bridel = Syntrichia laevipila
Barbula latifolia (Bruch ex Hartman) Hübener = Syntrichia latifolia

Barbula macrotricha Cardot & Thériot = Tortula brevipes

Barbula muelleri Bruch & Schimper = Syntrichia princeps

Barbula platyneura Müller Hal. & Kindberg = Pseudocrossidium revolutum

Barbula rigidula Schimper = Didymodon rigidulus Barbula rubiginosa Mitten = Didymodon occidentalis Barbula ruralis Hedwig = Syntrichia ruralis Barbula semitorta Sullivant = Didymodon vinealis Barbula subfallax Müller Hal. = Didymodon insulanus Barbula subulata (Hedwig) P. Beauvois = Tortula subulata

Barbula vinealis Bridel = Didymodon vinealis
Barbula virescens Lesquereux = Didymodon insulanus
Bartramia fontana Hedwig = Philonotis fontana
Bartramia glauco-viridis Müller Hal. & Kindberg = B.
pomiformis

Bartramia menziesii Turner = Anacolia menziesii
Bestia breweriana (Lesquereux) Grout = Isothecium cristatum

Bestia breweriana var. howei (Kindberg) Grout = Isothecium cristatum

Bestia breweriana var. lutescens Lesquereux & James = Isothecium cristatum

Bestia cristata (Hampe) L. Koch = Isothecium cristatum Bestia holzingeri (Renauld & Cardot) Brotherus = Bryolawtonia vancouveriensis

Bestia occidentalis (Sullivant & Lesquerux) Grout = Bryolawtonia vancouveriensis

Bestia vancouveriensis (Kindberg) Wijk & Margadant = Bryolawtonia vancouveriensis

Blindia acuta var. flexipes Renauld & Cardot = B. acuta Blinda flexipes (Renauld & Cardot) Kindberg = B. acuta Brachythecium albicans var. occidentale Renauld & Cardot = B. albicans

 $Brachythecium\ bestii\ Grout=B.\ reflexum$

Brachythecium californicum (Lesquereux) Jaeger = Scleropodium californicum

Brachythecium collinum var. idahense Renauld & Cardot = B. velutinum

Brachythecium curtum (Lindberg) Limpricht = B. oedipodium

Brachythecium erythrorrhizon var. suberythrorrhizon (Renauld & Cardot) Grout = B. venustum

Brachythecium lamprochryseum Müller Hal. & Kindberg = B. frigidum

 $Brachythecium\ latifolium\ Kindberg=B.\ nelsoni$

Brachythecium pacificum Jennings = B. asperrimum Brachythecium petrophilum Williams = B. venustum Brachythecium starkei (Bridel) Bruch & Schimper var. explanatum (Bridel) Mönkemeyer = B. rutabulum

[Vol. 51

Brachthecium subasperrimum Cardot & Thériot = B. fri-

Brachythecium suberythrorrhizon Renauld & Cardot = B. venustum

Brachythecium velutinum var. venustum (De Notaris) Arcangeli = B. venustum

Brachythecium washingtonianum Eaton in Grout = B. asperrimum

Braunia californica Sullivant = Pseudobraunia californica

Bryum albicans (Wahlenberg) Roehling = Pohlia wahlenbergii

Bryum angustirete Kindberg = B. algovicum

Bryum argenteum var. lanatum (P. Beauvois) Hampe = B. lanatum

Bryum atwateriae Müller Hal. = B. miniatum
Bryum bigelovii Sullivant = Pohlia ludwigii
Bryum bolanderi Lesquereux = Pohlia bolanderi

Bryum californicum Sullivant = B. bicolor Bryum ceruum (Hedwig) Bruch & Schimper = B. uligi-

Bryum cirrhatum Hoppe & Hornschuch = Bryum lisae
Bryum commutatum Watson = Pohlia drummondii
Bryum crassirameum Renauld & Cardot = B. pseudotri-

quetrum
Bryum creberrimum Taylor = B. lisae

Bryum crudum Schreber = Pohlia cruda
Bryum cuspidatum (Bruch & Schimper) Schimper = B.

Bryum dichotomum Hedwig = B. bicolor Bryum duvallii Voit = B. weigelii

Bryum firmum Schreber = B. pseudotriquetrum

Bryum flagellosum Kindberg = B. pseudotriquetrum Bryum hendersonii Renauld & Cardot = B. canariense

Bryum inclinatum (Bridel) Sturm = B. amblyodon
Bryum intermedium Bridel (misapplied for California).
See B. lisae

Bryum lisae var. cuspidatum (Bruch & Schimper) Margadant = B. lisae

Bryum lonchocaulon Müller Hal. = B. lisae
Bryum microerythrocarpum Müller Hal. & Kindberg = B.
subapiculatum

Bryum nudicaule Lesquereux = Pohlia drummondii
Bryum nutans var. bicolor (Hoppe & Hornschuch) Bruch
& Schimper = Pohlia nutans

Bryum obconicum Hornschuch = B. capillare
Bryum occidentale Sullivant & Lesquereux = B

Bryum occidentale Sullivant & Lesquereux = B. capillare
Bryum pendulum (Hornschuch) Schimper = B. algovicum
Bryum polymorphum Bruch & Schimper = Pohlia elongata

Bryum provinciale Philibert = B. canariense
Bryum pseudotriquetrum var. bimum (Bridel) Liljeblad =
B. bimum

Bryum pseudotriquetrum var. crassirameum (Renauld & Cardot) Lawton = B. pseudotriquetrum

Bryum pyriforme Hedwig = Leptobryum pyriforme
Bryum sandbergii Holzinger = Roellia roellii
Bryum sangyilastum Popould & Cordot = R. capilla

Bryum sanguilentum Renauld & Cardot = B. capillare Bryum stenotrichum Müller Hal. = B. amblyodon Bryum subdrepanocladum Cardot & Thériot = B. capil-

Bryum subrotundum Bridel = B. pallescens
Bryum tortifolium Funck in Bridel = B. cyclophyllum

Bryum tozeri Greville = Epipterygium tozeri

Buxbaumia indusiata Bridel = B. viridis

Calliergon stramineum (Bridel) Kindberg = Straminergon stramineum

Camptothecium aeneum (Mitten) Jaeger = Homalothecium aeneum

Camptothecium aeneum var. dolosum (Renauld & Cardot)
Grout = Homalothecium aeneum

Camptothecium alsioides Kindberg = Homalothecium arenarium

Camptothecium amesiae Renauld & Cardot = Homalothecium pinnatifidum

Camptothecium arenarium (Lesquereux) Jaeger = Homalothecium arenarium

Camptothecium dolosum Renauld & Cardot = Homalothecium aeneum

Camptothecium lutescens (Hedwig) Schimper in Bruch & Schimper (in California) = Homalothecium fulgescens

Camptothecium lutescens var. fulgescens (Mitten ex Müller Hal.) Persson = Homalothecium fulgescens

Camptothecium lutescens var. occidentale Renauld & Cardot = Homalothecium fulgescens

Camptothecium megaptilum Sullivant = Trachybryum megaptilum

Camptothecium nevadense Lesquereux = Homalothecium nevadense

Camptothecium nitens (Hedwig) Schimper = Tomentypnum nitens

Camptothecium nuttallii (Wilson) Schimper in Bruch & Schimper = Homalothecium nuttallii

Camptothecium nuttallii var. stoloniferum Lesquereux = Homalothecium nuttallii

Camptothecium pinnatifidum (Sullivant & Lesquereux)
Sullivant = Homalothecium pinnatifidum

Campyliadelphus chrysophyllus (Bridel) Hedenäs = Campylium chrysophyllum

Campyliadelphus polygamus (Schimper in Bruch & Schimper) Kanda = Camplium polygamum

Campyliadelphus stellatus (Hedwig) Kanda = Campylium stellatum

Campylium polygamum var. fluitans Grout = C. polygamum

Campylopus atrovirens De Notaris (misapplied for California). See C. schmidii

Campylopus aureus Boscherelle & La Coste = C. schmidii

Catharinea callibryon Ehrhart = Atrichum undulatum
Catharinea undulata (Hedwig) Weber & Mohr = Atrichum undulatum

Ceratodon purpureus var. conicus (Hampe) Husnot = C. purpureus

Ceratodon purpureus var. xanthopus Sullivant = C. purpureus

Chenia leptophylla (Müller Hal.) Zander = Leptophascum leptophyllum

Chenia rhizophylla (Sakai) Zander = Leptophascum leptophyllum

Claopodium leuconeuron Sullivant & Lesquereux = C.
whippleanum

Claopodium whippleanum var. leuconeuron (Sullivant & Lesquereux) Grout = C. whippleanum

Cratoneuron commutatum (Bridel) Roth = Palustriella commutata

Crossidium desertorum Holzinger & Bartram = C. crassinerve

Crossidium erosum Holzinger & Bartram = C. crassinerve

Crossidium griseum (Juratzka) Juratzka = C. squamiferum

Crossidium spatulaefolium Holzinger & Bartram = C. aberrans

Crossidium squamiferum var. pottioideum (De Notaris) Mönkemeyer = C. squamiferum

Desmatodon avenaceus Kingman = Tortula obtusifolia Desmatodon californicus Lesquereux = Tortula atrovirens

Desmatodon convolutus (Bridel) Grout = Tortula atrovirens

Desmatodon glacialis Funck ex Bridel = Tortula glacialis Desmatodon guepinii Bruch & Schimper = Tortula guepinii

Desmatodon heimii (Hedwig) Mitten = Hennediella heimii

Desmatodon hendersonii (Renauld & Cardot) Grout = Didymodon tophaceus

Desmatodon latifolius (Hedwig) Bridel = Tortula euryphylla

Desmatodon latifolius var. muticus (Bridel) Bridel = Tortula glacialis

Desmatodon leucostoma (R. Brown) Berggren = Tortula leucostoma

Desmatodon nervosus Kingman = Tortula atrovirens

Desmatodon nervosus var. edentulus Bruch & Schimper = Tortula atrovirens

Desmatodon obtusifolius (Schwägrichen) Schimper = Tortula obtusifolia

Desmatodon plinthobius Sullivant & Lesquereux = Tortula plinthobia

Desmatodon sprengelii (Schwägrichen) Williams = Plaubelia sprengelii

Desmatodon stomatodontus (Cardot) Williams = Plaubelia sprengelii

Desmatodon suberectus (Hooker) Limpricht = Tortula leucostoma

Desmatodon systylius Schimper = Tortula systylia

Dichelyma falcatum (Hedwig) Myrin var. uncinatum (Mitten) Lawton = D. uncinatum

Dichelyma swartzii Lesquereux = Warnstorfia fluitans Dichodontium pellucidum var. fagimontanum (Bridel)

Kindberg = D. pellucidum Dicranella rubra Lindberg (misapplied for California).

See *D. howei*Dicranella varia (Hedwig) Schimper (misapplied for California). See *D. howei*

Dicranoweisia crispula (Hedwig) Milde (misapplied for California). See D. contermina

Dicranoweisia crispula (Hedwig) Milde var. contermina (Renauld & Cardot) Grout = D. contermina

Dicranum heteromallum Hedwig = Dicranella heteromalla

Dicranum palustre Bachelot de la Pylaie = Dicranella howei

Dicranum strictum Schleicher ex Mohr (misapplied for California). See Orthodicranum tauricum
Dicranum subulatum Hedwig = Dicranulla subulata

Dicranum subulatum Hedwig = Dicranella subulata Dicranum tauricum Sapehin = Orthodicranum tauricum

Dicranum varium Hedwig (misapplied for California). See Dicranella howei

Dicranum virens var. compactum Bruch & Schimper = Oncophorus virens

Dicranum virens var. serratum Bruch & Schimper = Oncophorus virens

 $Didymodon \ acutus \ (Bridel) \ Saito = D. \ rigidulus$

Didymodon australasiae var. umbrosus (Müller Hal.) Zander = D. umbrosus

Didymodon columbianus Hermann & Lawton = Bryoerythrophyllum columbianum Didymodon mexicanus Bescherelle = D. rigidulus

Didymodon mexicanus var. subulatus Thériot & Bartram = D. rigidulus

Didymodon recurvirostris (Hedwig) Jennings = Bryoerythrophyllum recurvirostrum

Didymodon rigidulus var. icmadophila (Schimper ex Müller Hal.) Zander = D. rigidulus

Didymodon rigidulus var. subulatus (Thériot & Bartram) Zander = D. rigidulus

Didymodon rubellus Bruch & Schimper = Bryoerythrophyllum recurvirostrum

Didymodon trifarius (Hedwig) Bridel = D. luridus

Didymodon vinealis var. brachyphyllus (Sullivant in Whipple) Zander = D. brachyphyllus

Didymodon vinealis var. flaccidus (Bruch & Schimper) Zander = D. insulanus

Didymodon vinealis var. luridus Hornschuch = D. luridus Didymodon vinealis var. nicholsonii (Culmann) Zander = D. nicholsonii

Didymodon vinealis var. rubiginosus (Müller Hal.) Zander = D. occidentalis

Ditrichum cylindricus (Hedwig) Grout = Trichodon cylindricus

Drepanocladus aduncus var. knieffii (Bruch & Schimper) Mönkemeyer = D. aduncus

Drepanocladus aduncus var. polycarpus (Blandow) Warnstorf forma capillifolius (Warnstorf) Mönkemeyer = D. capillifolius

Drepanocladus exannulatus (Bruch & Schimper) Warnstorf = Warnstorfia exannulata

Drepanocladus fluitans (Hedwig) Warnstorf = Warnstorfia fluitans

Drepanocladus polygamus (Bruch & Schimper) Hedenäs = Campylium polygamum

Drepanocladus sendtneri (Schimper ex Müller Hal.) Warnstorf (in California) = D. sordidus

Drepanocladus uncinatus (Hedwig) Warnstorf = Sanionia uncinata

Drepanocladus vernicosus (Mitten) Warnstorf = Hamatocaulis vernicosus

Dryptodon patens (Hedwig) Bridel = Grimmia ramondii Encalypta vulgaris var. muticus Bridel = E. vulgaris

Encalypta vulgaris var. rhaptocarpa (Schwägrichen) Lawton = E. rhaptocarpa

Entoshodon muehlenbergii (Turner) Fife = Funaria muhlenbergii

Entosthodon templetoni Schwägrichen = E. attenuatus Ephemerum serratum var. angustifolium Bruch & Schimper = E. serratum

Ephemerum serratum var. minutissimum (Lindberg) Grout = E. serratum

Eurhynchium brittoniae Grout = Kindbergia oregana Eurhynchium colpophyllum Sullivant = Scleropodium colpophyllum

Eurhynchium diversifolium Schimper in Bruch & Schimper = E. pulchellum

Eurhynchium oreganum (Sullivant) Jaeger = Kindbergia oregana

Eurhynchium praelongum (Hedwig) Bruch & Schimper = Kindbergia praelonga

Eurhynchium praelongum var. californicum Grout = Kindbergia praelonga

Eurhynchium praelongum var. stokesii (Turner) Dixon = Kindbergia praelonga

Eurhynchium pulchellum var. barnesii (Renauld & Cardot) Crum, Steere, & Anderson = E. pulchellum

Eurhynchium riparioides (Hedwig) P. Richards = Platyhypnidium riparioides Eurhynchium rusciforme (Bridel) Milde = Platyhypnidium riparioides

Eurhynchium serratum (Hedwig) Kindberg = Steerecleus serrulatus

Eurhynchium stokesii (Turner) Schimper in Bruch & Schimper = Kindbergia praelonga

Eurhynchium strigosum (Weber & Mohr) Schimper = E. pulchellum

Eurhynchium substrigosum Kindberg in Macoun & Kindberg = E. pulchellum

Eurhynchium substrigosum var. scabrisetum Grout = E. pulchellum

Fabronia ciliaris ssp. gymnostoma (Sullivant & Lesquereux) Grout = F. ciliaris

Fabronia gymnostoma Sullivant & Lesquereux in Sullivant = F. ciliaris

Fabronia octoblepharis Schwägrichen = F. ciliaris Fissidens cristatus Wilson ex Mitten = F. dubius

Fissidens julianus (Montagne) Schimper = F. fontanus Fissidens limbatus Sullivant = F. crispus

Fissidens limbatus var. ensiformis Grout = F. bryoides Fissidens milo-bakeri L. Koch = F. curvatus

Fissidens rufulus Bruch & Schimper (misapplied for California). See F. ventricosus

Fontinalis antipyretica var. gigantea Sullivant = F. gigantea

Fontinalis antipyretica var. mollis (Müller Hal.) Welch in Grout = F. mollis

Fontinalis antipyretica var. oregonensis Renauld & Cardot = F. chrysophylla

Fontinalis antipyretica var. patula (Cardot) Welch in Grout = F. antipyretica

Fontinalis californica Sullivant = F. antipyretica Fontinalis duriaei Schimper = F. hypnoides

Fontinalis hypnoides Hartman var. duriaei (Schimper) Husnot = F. duriaei

Fontinalis kindbergii Renauld & Cardot = F. howellii Fontinalis mercediana Lesquereux = F. neomexicana Fontinalis nitida Lindberg & Arnell = F. hypnoides

Fontinalis nitida Lindberg & Arnell = F. nypnoides
Fontinalis patula Cardot = F. antipyretica
Funaria bolanderi (Lesquereux) Holzinger in Brotherus

= Entosthodon bolanderi

Funaria calcarea Wahlenberg = F. muhlenbergii

Funaria californica Sullivant & Lesquereux = Entosthodon californicus

Funaria convoluta Hampe = F. hygrometrica

Funaria hibernica (Hooker) Boulay = F. muhlenbergii Funaria hygrometrica var. convoluta (Hampe) Grout = F. hygrometrica

Funaria hygrometrica var. utahensis Grout = F. hygrometrica

 $Funaria\ mediterranea\ Lindberg=F.\ calcarea$

Funaria muehlenbergii var. lineata Grout = F. muehlenbergii

Funaria muehlenbergii var. patula Bruch & Schimper = F. muehlenbergii

Funaria rubriseta Bartram = Entosthodon rubrisetus Funaria tusconi Bartram = Entosthodon tusconi

Grimmia ancistrodes Durieu de Maisonneuve in Montagne = G. trichophylla

 $Grimmia \ affinis \ Hornschuch = G. \ longirostris$

Grimmia agassizii (Sullivant & Lesquereux) Lesquereux & James = Schistidium agassizii

Grimmia alpestris var. manniae Müller Hal. = G. caespiticia

Grimmia alpicola Hedwig = Schistidium agassizii
Grimmia alpicola var dunretii (Thériot) Crum = Schi

Grimmia alpicola var. dupretii (Thériot) Crum = Schistidium dupretii

Grimmia alpicola var. rivularis (Bridel) Brotherus = Schistidium rivulare

Grimmia apocarpa Hedwig (misapplied for California). See Schistidium apocarpum (Appendix II)

Grimmia apocarpa var. ambigua (Sullivant) Grout (misapplied for California). See Schistidium apocarpum (Appendix II)

Grimmia apocarpa var. conferta (Funck) Sprengel = Schistidium confertum

Grimmia apocarpa var. gracilis (Schleicher) Weber & Mohr (misapplied for California). See Schistidium apocarpum (Appendix II)

Grimmia apocarpa var. pulvinata (Hedwig) Grout = Schistidium pulvinatum

Grimmia apocarpa var. tenerrima Nees, Hornschuch, & Sturm (misapplied for California) See Schistidium apocarpum (Appendix II)

Grimmia atricha Müller Hal. & Kindberg = Schistidium atrichum

Grimuia brevirostris Williams = G. hamulosa

Grimmia californica Sullivant in Whipple = G. lisae

Grimmia calyptrata Hooker in Drummond = Coscinodon calyptratus

 $Grimmia\ catalinensis\ Bartram = G.\ ovalis$

Grimmia cinclidodontea Müller Hal. in Röll = Schistidium cinclidodonteum

Grimmia commutata Hübener = G. ovalis

Grimmia conferta Funck = Schistidium confertum

Grimmia curvata (Bridel) DeSloover = G. ramondii

Grimmia decipiens auct (misapplied for California). See G. trichophylla

Grimmia dupretii Thériot = Schistidium dupretii

Grimmia flaccida (De Notaris) Lindberg = Schistidium flaccidum

Grimmia hartmanii Schimper (misapplied for California). See G. anomala

Grimmia hartmanii var. anomala (Hampe) Mönkemeyer = G. anomala

Grimmia heterophylla Kindberg in Macoun = Schistidium heterophyllum

Grimmia heterosticha Howe = Racomitrium heterosti-

Grimmia leucophaea Greville = G. laevigata

Grimmia maritima Turner = Schistidium maritimum

Grimmia muhlenbeckii Schimper = G. trichophylla

Grimmia nevii Müller Hal. ex Mohr = Racomitrium aciculare

Grimmia occidentalis Lawton = Schistidium occidentale Grimmia pacifica Lawton = Schistidium cinclidodonteum Grimmia raui Austin = Jaffueliobryum raui

Grimmia scouleri Müller Hal. = Scouleria aquatica

Grimmia sessitana De Notaris (excluded for California). See G. reflexidens

Grimmia tenera Zetterstedt = Schistidium tenerum

Grimmia tenerrima Renauld & Cardot = G. reflexidens Grimmia trichophylla var. brachycarpa De Notaris = G.

Grimmia trichophylla var. meridionalis Müller Hal. = G. trichophylla

Grimmia trichophylla var. muhlenbeckii (Schimper) Husnot = G. trichophylla

Grimmia watsoni Lesquereux & James = G. trichophylla Grimmia wrightii (Sullivant in Gray) Austin = Jaffueliobryum wrightii

Gymnostomum aeruginosum Small (misapplied for California). See Gymnostomum calcareum

 $Gymnostomum\ calcareum\ var.\ perpusillum\ Sullivant = G.$ calcareum

Gymnostomum recurvirostre Hedwig = Hymenostylium recurvirostre

Harpidium exannulatum (Schimper in Bruch & Schimper)
C. E. O. Jensen = Warnstorfia exannulata

Hedwigia albicans Lindberg (misapplied for California). See H. detonsa, H. stellata

 $Hedwigia\ albicans\ var.\ detonsa\ Howe=H.\ detonsa$

Hedwigia ciliata (Hedwig) P. Beauvois (misapplied for California). See H. detonsa, H. stellata

Hedwigia ciliata var. detonsa (Howe) Paris = H. detonsa Heterocladium aberrans Renauld & Cardot = H. procurrens

Heterocladium heteropteroides Best = H. macounii

Heterocladium heteropteroides var. filescens Best = H. macounii

Heterophyllium haldanianum (Greville) Kindberg = Callicladium haldanianum

Homalothecium aureum (Spruce) Robinson (misapplied for California). See H. pinnatifidum

Homalothecium megaptilum (Sullivant) H. Robinson =

Trachybryum megaptilum Homalothecium nitens (Hedwig) H. Robinson = Tomen-

typnum nitens Homalothecium nuttallii var. hamatidens Kindberg = H.

nuttallii Homalothecium nuttallii var. tenue Kindberg = H. nuttal-

Husnotiella palmeri Cardot = Didymodon revolutus

Husnotiella pringlei Cardot = Didymodon tophaceus

Husnotiella revoluta Cardot = Didymodon revolutus

Husnotiella revoluta var. palmeri (Cardot) Thériot = Di-

dymodon revolutus

Hydrogrimmia mollis (Bruch & Schimper) Loeske =

Grimmia mollis

Grimmia mollis

Grimmia mollis

Hygroamblystegium irriguum (Hooker & Wilson) Loeske = H. tenax

Hygrohypnum dilatatum (Wilson) Loeske = H. duriusculum

Hygrohypnum palustre Loeske = H. luridum

Hygrohypnum smithii var. goulardii (Schimper) Wijk & Margadant = H. cochlearifolium

Hymenostomum inoperculatum Crum = Weissia inoperculata

Hymenostomum tortile (Schwägrichen) Bruch & Schimper = Weissia condensa

Hyophila stanfordensis (Steere) Smith & Whitehouse = Hennediella stanfordensis

Hypnum aduncum Hedwig = Drepanocladus aduncus

Hypnum aggregatum Mitten = Isothecium cristatum

Hypnum arcticum Sommerfelt in Wahlenberg = Hygrohypnum smithii

Hypnum arenarium Lesquereux = Homalothecium arenarium

Hypnum asperrimum Mitten ex Müller Hal. = Brachythecium asperrimum

Hypnum bestii (Renauld & Bryhn) Renauld & Bryhn = Hygrohypnum bestii

Hypnum bigelovii Sullivant = Porotrichum bigelovii
Hypnum breweriguum Lasqueraux = Isothecium erist

Hypnum brewerianum Lesquereux = Isothecium cristatum Hypnum caespitosum Wilson = Scleropodium cespitaus

Hypnum californicum Lesquereux = Scleropodium californicum

Hypnum collinum Schleicher ex Müller Hal. = Brachythecium collinum

Hypnum colpophyllum Sullivant = Scleropodium colpophyllum

Hypnum commutatum Hedwig = Palustriella commutata

- Hypnum crispifolium Hooker = Claopodium crispifolium Hypnum denticulatum Hedwig = Plagiothecium denticulatum
- Hypnum exannulatum var. cochleae Austin = Warnstorfia exannulata
- Hypnum hillebrandi Lesquereux = Brachythecium collinum
- Hypnum illecebrum Schwägrichen = Scleropodium touretii
- Hypnum lutescens Hedwig = Homalothecium fulgescens Hypnum myosuroides Hedwig = Isothecium myosuroides Hypnum nevadense Lesquereux = Homalothecium nevadense
- Hypnum nuttallii Wilson = Homalothecium nuttallii
- Hypnum ochraceum Turner ex Wilson = Hygrohypnum ochraceum
- Hypnum oreganum Sullivant = Kindbergia oregana
- Hypnum pinnatifidum Sullivant = Homalothecium pinnatifidum
- Hypnum populeum Hedwig = Brachythecium populeum Hypnum praelongum Hedwig = Kindbergia praelonga
- Hypnum pseudo-arcticum Kindberg = Hygrohypnum luridum
- Hypnum riparium Hedwig = Leptodictyum riparium Hypnum rusciforme Hedwig = Platyhypnidium riparioi-
- Hypnum sendtneri Müller Hal. (misapplied for California). See Drepanocladus sordidus
- Hypnum serpens Hedwig = Amblystegium serpens
- Hypnum strigosum Hedwig = Eurhynchium pulchellum
- Hypnum uncinatum Hedwig = Sanionia uncinata
- Hypnum undulatum Hedwig = Buckiella undulata
- Hypnum vallum Lesquereux = Brachythecium asperrimum
- Hypnum whippleanum Sullivant = Claopodium whippleanum
- Isopterygium borrerianum (Müller Hal.) Lindberg = Pseudotaxiphyllum elegans
- Isopterygium elegans (Bridel) Lindberg = Pseudotaxiphyllum elegans
- Isopterygium pulchellum (Hedwig) Jaeger = Isopterygiopsis pulchella
- Isopterygium seligeri (Bridel) Dixon in C. Jensen = Herzogiella seligeri
- Isothecium bewerianum (Lesquereux) Kindberg in Ma-
- coun = 1. cristatum
- Isothecium howei Kindberg = I. cristatum
- Kindbergia brittoniae (Grout) Ochyra = K. oregana
- $Kindbergia\ praelonga\ var.\ stokesii\ (Turner)\ Ochyra = K.\ praelonga$
- Leersia rhapdocarpa (Schwägrichen) Lindberg = Encalypta rhaptocarpa
- Leersia trachymitria (Ripart) Holzinger in Coville = Encalypta rhaptocarpa
- Leptodictyum trichopodium (Schultz) Warnstorf = L. hu-
- Leptodon circinnatus Sullivant = Dendroalsia abietina Leptotrichum schimperi Lesquereux = Ditrichum schim-
- Lescuraea incurvata var. gigantea Lawton = L. incurvata Lescuraea incurvata var. tenuiretis (Culmann) Lawton = L. incurvata
- Lescuraea radicosa var. compacta (Best) Lawton = L. radicosa
- Lescuraea radicosa var. denudata (Kindberg) Lawton = L. radicosa
- Lescuraea radicosa var. pallida (Best) Lawton = L. pallida

Leskeella tectorum (Bridel ex Hagen) = Pseudoleskeella tectorum

[Vol. 51

- Leucolepis menziesii (Hooker) Steere ex L. Koch = L. acanthoneura
- Limnobium bestii (Renauld & Bryhn) Holzinger = Hygrohypnum bestii
- Limnobium palustre Bruch & Schimper = Hygrohypnum luridum
- Merceya latifolia Kindberg = Crumia latifolia
- Mielichhoferia mielichhoferiana (Funck in Hooker) Loeske (misapplied for California). See M. elongata
- Mildeella bryoides Howe = Tortula protobryoides
- Mniobryum albicans (Wahlenberg) Limpricht = Pohlia wahlenbergii
- Mniobryum longibracteatum (Brotherus in Röll) Brotherus = Pohlia longibracteata
- Mniobryum wahlenbergii (Weber & Mohr) Jennings = Pohlia wahlenbergii
- Mnium affine Blandow ex Funck (misapplied for California). See *Plagiomnium ellipticum*
- Mnium affine var. rugicum (Laurer) Bruch & Schimper = P. rugicum
- Mnium cuspidatum Hedwig = Plagiomnium cuspidatum Mnium glabrescens Kindberg = Rhizomnium glabrescens
- Mnium insigne Mitten = Plagiomnium insigne
- Mnium longirostrum Bridel = Plagiomnium rostratum
- Mnium lycopodioides Schwägrichen (in North America) = Mnium ambiguum
- Mnium medium Bruch & Schimper = Plagiomnium medium
- Mnium menziesii (Hooker) Müller Hal. = Leucolepis acanthoneura
- Mnium nudum Williams = Rhizomnium nudum
- Mnium orthorrhychum auct. plur. = M. thomsonii
- Mnium perssonii T. Koponen = Rhizomnium magnifolium Mnium pseudopunctatum Bruch & Schimper = Rhizomnium pseudopunctatum
- Mnium punctatum Hedwig = Rhizomnium punctatum
- Mnium punctatum var. elatum Schimper = Rhizomnium magnifolium
- Mnium rostratum Schrader = Plagiomnium rostratum
- Mnium rugicum Laurer = P. ellipticum
- Mnium venustum Mitten = Plagiomnium venustum
- Neckera menziesii Hooker in Drummond = Metaneckera menziesii
- Neckeradelphus menziesii (Hooker) Steere = Metaneckera menziesii
- Octodiceras fontanum (Bachelot de la Pylaie) Lindberg = Fissidens fontanus
- Octodiceras julianum (A. P. de Candolle) Bridel = Fissidens fontanus
- Oligotrichum lyellii (Mitten) Lindberg = Meiotrichum lyallii
- Oncophorus jenneri (Schimper) Williams = Cynodontium jenneri
 Orthotheciella varia (Hedwig) Ochyra = Amblystegium
- varium

 Orthotrichum coulteri Lesquereux = O. tenellum
- Orthotrichum cupulatum var. jamesianum (Sullivant in Watson) Lawton = O. pellucidum
- Orthotrichum cylindrocarpum Lesquereux in Jaeger = O. tenellum
- Orthotrichum epapillosum Lawton & Hermann = O. euryphyllum
- Orthotrichum jamesianum Sullivant ex James in Watson = O. pellucidum
- Orthotrichum kingianum Lesquereux = O. laevigatum

Orthotrichum laevigatum var. kingianum (Lesquereux)
Grout = O. laevigatum

Orthotrichum laevigatum forma macounii (Austin) Lawton & Vitt = O. laevigatum

Orthotrichum lyellii var. howei Renauld & Cardot = O. lyellii

Orthotrichum lyellii var. papillosum (Hampe) Sullivant = O. papillosum

Orthotrichum microblepharum Schimper = O. pylaisii Orthotrichum roellii Venturi in Röll = O. laevigatum

Orthotrichum rupestre var. globosum (Lesquereux) Grout = O. rupestre

Orthotrichum sturmii Hoppe & Hornschuch = O. rupestre
Orthotrichum tenellum var. coulteri Lesquereux = O. tenellum

Orthotrichum texanum var. globosum Lesquereux = O. texanum

Palustriella falcata (Bridel) Hedenäs (for California) = P. commutata

Phascum cuspidatum var. americanum Renauld & Cardot = P. cuspidatum

Phascum hyalinotrichum Cardot & Thériot = Stegonia hyalinotricha

Philonotis fontana var. americana (Dismier) Flowers = P. americana

Philonotis fontana var. caespitosa (Juratzka) Schimper = P. caespitosa

Philonotis fontana var pumila Bridel = P. tomentella
Physcomitrella californica Crum & Anderson = P. readeri

Physcomitrella patens var. californica (Crum & Anderson) Tan = P. readeri

Physcomitrella patens ssp. readeri (Müller Hal.) Tan = P. readeri

Physcomitrium megalocarpum Kindberg = P. pyriforme Physcomitrium megalocarpum var. californicum (Britton) Grout = P. californicum

Physcomitrium turbinatum (Michaux) Britton = P. pyriforme

Plagiomnium rugicum (Laurer) T. Koponen = P. ellipticum

Plagiothecium elegans (Hooker) Sullivant = Pseudotaxiphyllum elegans

Plagiothecium pulchellum (Hedwig) Bruch & Schimper = Isopterygiopsis pulchella

Plagiothecium roeseanum Bruch & Schimper = P. cavifolium

Plagiothecium seligeri (Bridel) Lindberg = Herzogiella seligeri

Plagiothecium striatellum (Bridel) Lindberg = Herzogiella striatella

Plagiothecium sylvaticum (Bridel) Bruch & Schimper = P. denticulatum
Plagiothecium sylvaticum var. roeseanum (Bruch &

Schimper) Lindberg = P. cavifolium
Plagiothecium undulatum (Hedwig) Schimper in Bruch &

Schimper = Buckiella undulata

Plaubelia sprengelii var. stomatodonta (Cardot) Zander =

P. sprengelii

P. sprengelii
Pleuridium alternifolium var. howei Renauld & Cardot =

P. subulatum
Pleuridium bakeri Cardot & Thériot = P. acuminatum
Pleuridium bakeri var. elongatum Cardot & Thériot = P.

acuminatum
Pleuridium bolanderi Müller Hal. ex Jaeger = P. acumi-

natum

Pleuridium californicum Grout = P. acuminatum

Pleuridium stramineum Lesquereux ex Austin = P. acuminatum

Pogonatum alpinum (Hedwig) Röll = Polytrichastrum alpinum

Pogonatum alpinum var. brevifolium (R. Brown) Bridel = Polytrichastrum alpinum

Pogonatum laterale Bridel = P. contortum

Pohlia acuminata Hoppe & Horschuch = P. elongata
Pohlia cucullata (Schwägrichen) Lindberg = P. ohta

Pohlia cucullata (Schwägrichen) Lindberg = P. obtusifolia

Pohlia elongata Hedwig var. greenii (Bridel) Shaw = P. elongata

Pohlia filiformis (Dickson) Andrews in Grout = Anomobryum julaceum

Pohlia gracilis (Schleicher ex Bruch & Schimper) Lindberg = P. filum

Pohlia schleicheri Crum = P. filum

Pohlia tozeri (Greville) Delogne = Epipterygium tozeri Polytrichadelphus lyallii Mitten = Meiotrichum lyallii

Polytrichastrum alpinum var. septentrionale (Swartz) G. Smith = P. alpinum

Polytrichastrum alpinum var. sylvaticum (Menzies) G. Smith = P. alpinum

Polytrichastrum formosum (Hedwig) G. Smith = Polytrichum formosum

Polytrichastrum longisetum (Swartz ex Bridel) G. Smith = Polytrichum longisetum

Polytrichastrum lyallii (Mitten) G. Smith = Meiotrichum lyallii

Polytrichum alpinum Hedwig = Polytrichastrum alpinum Polytrichum gracile Small = P. longisetum

Polytrichum lyellii (Mitten) Kindberg = Meiotrichum lyallii

 $Polytrichum\ norvegicum\ Hedwig=P.\ sexangulare$

Porothamnium bigelovii (Sullivant) Fleischer in Brotherus = Porotrichum bigelovii

Porotrichum neckeroides (Hooker) Williams = Thamnobryum neckeroides

Pottia arizonica Warehouse in Grout = Microbryum starkeanum

Pottia arizonica var. mucronulata Warehouse in Grout = Microbryum starkeanum

Pottia bryoides (Dickson) Mitten = Tortula protobryoides
Pottia davalliana (Small in Drake) C. Jensen = Microbryum davallianum

Pottia fosbergii Bartram = Microbryum starkeanum

Pottia heimii (Hedwig) Hampe = Hennediella heimii

Pottia latifolia (Schwägrichen in Schultes) Müller Hal. = Stegonia latifolia

Pottia latifolia var. pilifera (Bridel) Muller Hal. = Stegonia pilifera

Pottia minutula (Schwägrichen) Fürnrhr ex Hampe = Microbryum davallianum

Pottia starkeana (Hedwig) Müller Hal. = Microbryum starkeanum

Pottia subsessilis Bridel = Pterygoneurum subsessile

Pottia texana Warehouse in Grout = Microbryum davallianum

Pottia truncata Hedwig = Tortula truncata

Pseudisothecium myosuroides (Bridel) Grout = Isothecium myosuroides

Pseudisothecium stoloniferum (Bridel) Grout = Isothecium stoloniferum

Pseudisothecium stoloniferum var. cardotii (Kindberg) Grout = Isothecium cardotii

Pseudisothecium stoloniferum var. myurellum (Kindberg) Grout = Isothecium myosuroides Pseudocrossidium revolutum (Bridel in Schrader) Zander (misapplied for California). See P. obtusulum

Pseudoleskea atrovirens (Dickson) Bruch & Schimper = Lescuraea patens

Pseudoleskea denudata (Kindberg) Best var. holzingeri Best = Lescuraea radicosa

Pseudoleskea oligoclada Kindberg = Lescuraea incurvata Pseudoleskea patens (Lindberg) Kindberg = Lescuraea patens

Pseudoleskea radicosa (Mitten) Lesquereux & James = Lescuraea radicosa

Pseudoleskea radicosa var. pallida Best = Lescuraea pallida

Pseudoleskea rigescens (Wilson) Lindberg = Lescuraea stenophylla

Pterogonium gracile var. californicum Renauld & Cardot = P. gracile

Pterogonium gracile var. duplicato-serratum (Hampe) Lesquereux = P. gracile

Pterygophyllum lucens (Hedwig) Bridel = Hookeria lucens

Racomitrium canescens var. epilosum (H. Müller ex Milde) G. Jones in Grout = R. ericoides

Racomitrium canescens var. ericoides (Weber ex Bridel) Mönkemeyer = R. ericoides

Racomitrium heterostichum var. affine (Weber & Mohr) Lesquereux = R. affine

Raconitrium heterostichum var. alopecurum Hübener = R. affine

Raconitrium heterostichum var. macounii (Kindberg in Macoun) Jones = R. macounii

Racomitrium heterostichum var. microcarpon (Hedwig)
Bridel = R. microcarpon

Racomitrium heterostichum var. occidentale Renauld & Cardot = R. occidentale

Racomitrium heterostichum var. ramulosum (Lindberg)
Grout = R. microcarpon

Racomitrium heterostichum var. sudeticum (Funck) Grout
= R. sudeticum

Raconitrium patens (Hedwig) Hübener = Grimmia ramondii

Rhizomnium perssonii T. Koponen = R. magnifolium

Rhynchostegiella compacta (Müller Hal.) Loeske = Conardia compacta

Rhynchostegium riparioides (Hedwig) Cardot = Platyhypnidium riparioides

Rhynchostegium rusciforme Bruch & Schimper = Platyhypnidium riparioides

Rhynchostegium serrulatum (Hedwig) Jaeger = Steerecleus serrulatus

Rhytidiadelphus triquetrum var. californicus Renauld & Cardot = R. triquetrus

Roellia lucida L. Koch = R. roellii

S. cespitans

Rosulabryum capillare (Hedwig) Spence = Bryum capillare

Schistidium alpicola (Hedwig) Limpricht = S. rivulare Schistidium alpicola var. rivulare (Bridel) Limpricht = S. rivulare

Schistidium ambiguum Sullivant (misapplied for California). See S. apocarpum (Appendix II)

Scleropodium apocladum (Mitten) Grout = S. cespitans Scleropodium caespitosum (Wilson) Bruch & Schimper =

Scleropodium caespitosum var. sublaeve Renauld & Cardot = S. cespitans

Scleropodium cespitans var. sublaeve (Renauld & Cardot) Wijk & Margadant = S. cespitans Scleropodium illecebrum Schimper in Bruch & Schimper = S. touretii

Scleropodium touretii var. colpophyllum (Sullivant) Lawton = S. colpophyllum

Scopelophila latifolia (Kindberg) Renauld & Cardot = Crumia latifolia

Sphaerangium muticum (Hedwig) Schimper = Acaulon rufescens

Sphagnum acutifolium Ehrhart ex Schrader = S. capillifolium

Sphagnum auriculatum Schimper (in California) = S. lescurii

Sphagnum capillifolium var. tenellum (Schimper) Crum = S. rubellum

Sphagnum cymbifolium (Ehrhart) Hedwig = S. palustre Sphagnum plumulosum Röll = S. subnitens

Sphagnum recurvum var. brevifolium (Lindberg ex Braithwaite) Warnstorf = S. fallax

Sphagnum recurvum var. tenue Klinggräff = S. angustifolium

Sphagnum rigidum var. compactum Bridel = S. compac

Sphagnum rigidum var. compactum Bridel = S. compactum

Sphagnum subsecundum var. contortum (Schultz) Hübener = S. contortum

Sphagnum subsecundum var. rufescens (Nees & Hornschuch) Hübener = S. lescurii

Stableria gracilis (Bruch & Schimper) Lindberg in Braithwaite = Orthodontium gracile

Stableria gracilis var. californica Howe = Orthodontium gracile

Stokesiella oregana (Sullivant) H. Robinson = Kindbergia oregana

Stokesiella praelonga (Hedwig) H. Robinson = Kindbergia praelonga

Stroemia obtusifolia (Bridel) Hagen = Orthotrichum obtusifolium

Thamnium holzingeri Renauld & Cardot = Bryolawtonia vancouveriensis

Thamnium leibergii Britton = Thamnobryum neckeroides Thamnobryum leibergii (Britton) Renauld & Cardot = T. neckeroides

Timmia megapolitana Hedwig var. bavarica (Hessler) Bridel = T. bavarica

Timmiella flexiseta (Bruch) Lindberg = T. crassinervis Timmiella flexiseta var. vancouveriensis (Brotherus) Grout = T. crassinervis

Timmiella vancouveriensis Brotherus in Röll = T. crassinervis

Tortella tortelloides (S. W. Greene) Robinson (for California) = T. alpicola

Tortula acaulon (Hedwig) Zander = Phascum cuspidatum Tortula amplexa (Lesquereux) Steere = Syntrichia amplexa

 $Tortula \ angustata \ Howe = T. \ subulata$

Tortula atherodes Zander = Phascum cuspidatum Tortula aurea Bartram = Pseudocrossidium crinitum Tortula bartramii Steere in Grout = Syntrichia bartramii

Tortula bistratosa Flowers = Syntrichia caninervis
Tortula bolanderi (Lesquereux) Howe = Syntrichia bo-

Tortula bolanderi (Lesquereux) Howe = Syntrichia bolanderi

Tortula caninervis (Mitten) Brotherus = Syntrichia caninervis

Tortula desertorum Brotherus = Syntrichia caninervis Tortula elata (Müller Hal.) Durieu de Maisonnueve = Didymodon vinealis

Tortula ericaefolia Lindberg = Aloina ambigua

Tortula intermedia (Bridel) De Notaris = Syntrichia rur-

um

Tortula laevipila (Bridel) Schwägrichen = Syntrichia laevipila

Tortula laevipila var. meridionalis (Schimper) Wijk & Margadant = Syntrichia laevipila var. meridionalis

Tortula membranifolia Hooker = Crossidium squamifer-

Tortula montana Mitten = Syntrichia ruralis

Tortula norvegica (Weber) Wahlenberg ex Lindberg = Syntrichia norvegica

Tortula obtusissima (Müller Hal.) Mitten = Syntrichia obtusissima

Tortula pagorum (Milde) De Notaris = Syntrichia pago-

Tortula papillosissima (Coppey) Brotherus = Syntrichia

papillosissima Tortula princeps De Notaris = Syntrichia princeps

Tortula rhizophylla (Sakai) Iwatsuki & Saito = Leptophascum leptophyllum

Tortula ruraliformis (Bescherelle) Ingham (misapplied in California) = Syntrichia ruralis

Tortula ruralis (Hedwig) Gärtner et al. = Syntrichia ruralis

Tortula ruralis var. crinita De Notaris = Syntrichia ruralis Tortula ruralis var. hirsuta (Venturi) Paris = Syntrichia papillosissima

Tortula stanfordensis Steere = *Hennediella stanfordensis* Tortula subulata var. angustata (Schimper) Limpricht = T. subulata

Tortula vectensis Reese = Leptophascum leptophyllum Tortula williamsii Bartram = Scopelophila cataractae

Trichostomopsis australasiae (Hooker & Greville) Robinson = Didymodon australasiae

Trichostomopsis brevifolia Bartram = Didymodon australasiae

Trichostomopsis diaphanobasis (Cardot) Grout = Didymodon australasiae

Trichostomopsis fayae Grout = Didymodon australasiae *Trichostomopsis umbrosus* (Müller Hal.) Robinson = *Di*dymodon umbrosus

Trichostomum anomalum Bruch & Schimper = Timmiella

Trichostomum cylindricum (Bruch) Müller Hal. = Oxystegus tenuirostris

Trichostomum flavo-virens var. crassinerve (Hampe) Lesquereux & James = Timmiella crassinervis

Trichostomum flexipes Bruch & Schimper = Timmiella crassinervis

Trichostomum rigidulum (Hedwig) Turner = Didymodon rigidulus

Trichostomum tenuirostre (Hooker & Taylor) Lindberg = Oxystegus tenuirostris

Trichostomum tophaceum Bridel = Didymodon tophaceus Triquetrella papillata (Hooker f. & Wilson) Brotherus (in California) = T. californica

Ulota crispa (Hedwig) Bridel (in California) = Ulota obtusiuscula

Ulota crispa (Hedwig) Bridel var. alaskana (Cardot & Thériot) Grout = *Ulota crispa*

Vesicularia amphibola (Mitten) Brotherus = V. vesicular-

Webera albicans Schimper = Pohlia wahlenbergii

Webera bolanderi (Lesquereux) Lesquereux & James = Pohlia bolanderi

Webera commutata Schimper = Pohlia drummondii Webera cruda (Hewig) Fürnrohr = Pohlia cruda

Webera nudicaulis Lesquereux & James = Pohlia drum-

Webera polymorpha (Hoppe & Hornschuch) Schimper = Pohlia elongata

Webera tozeri (Greville) Schimper = Epipterygium tozeri

Weissia cirrata Hedwig = Dicranoweisia cirrata

Weissia euteiches Zander = W. condensa

Weissia glauca Bartram = W. andersoniana

Weissia tortilis Sprengel = W. condensa

Weissia viridula Hedwig = W. controversa

Zygodon californicus Hampe ex Müller Hal. = Amphi-

dium californicum

Zygodon lapponicus (Hedwig) Bruch & Schimper = Amphidium lapponicum

Zygodon viridissimus (Dickson) Bridel = Z. rupestris Zygodon vulgaris (Malta) Nyholm = Zygodon rupestris